

System.Xml.Formatting Enum

```
[ILAsm]  
.class public sealed serializable Formatting extends System.Enum  
  
[C#]  
public enum Formatting
```

Assembly Info:

- *Name:* System.Xml
- *Public Key:* [00 00 00 00 00 00 00 00 04 00 00 00 00 00 00 00]
- *Version:* 2.0.x.x
- *Attributes:*
 - CLSCompliantAttribute(true)

Summary

Specifies formatting options for the `System.Xml.XmlTextWriter` class.

Inherits From: System.Enum

Library: XML

Formatting.Indented Field

```
[ILAsm]  
.field public static literal valuetype System.Xml.Formatting Indented = 1  
  
[C#]  
Indented = 1
```

Summary

Causes child elements to be indented according to the `System.Xml.XmlTextWriter.Indentation` and `System.Xml.XmlTextWriter.IndentChar` settings. This option indents element content only; mixed content is not affected.

[*Note:* For the XML 1.0 definitions of these terms, see the W3C documentation (<http://www.w3.org/TR/1998/REC-xml-19980210#sec-element-content> and <http://www.w3.org/TR/1998/REC-xml-19980210#sec-mixed-content>).

]

1 Formatting.None Field

```
2    [ILAsm]  
3    .field public static literal valuetype System.Xml.Formatting None = 0  
  
4    [C#]  
5    None = 0
```

6 Summary

7 No special formatting is applied. This is the default.

8