

Edition 1.0 2024-07

INTERNATIONAL STANDARD

Electrical installations in ships – Part 379: Symmetrical category cables with transmission characteristics up to 1 000 MHz

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.060.20; 47.020.60

ISBN 978-2-8322-9456-7

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

Г	JKEWUK	J	4
1	Scope		6
2	Norma	tive references	6
3	Terms	and definitions	8
4	Genera	al requirements	8
	4.1 T	emperature range of the cables	8
		Rated voltage	
		ransmission (category) parameters	
	4.3.1	General	
	4.3.2	Categories	9
	4.4 N	Markings	9
	4.4.1	Indication of origin and core identification	9
	4.4.2	Continuity of marking	9
5	Constr	uction requirements	9
	5.1 C	Overview	9
	5.2 U	Inarmoured single or double-sheathed cable	9
	5.3 A	rmoured cables	10
	5.4 C	Copper conductors	10
		nsulation	
	5.6 C	Core identification	10
	5.6.1	General	
	5.6.2	Colours of cores	
		Cabling	
		nner covering	
	5.8.1	General	
	5.8.2	Cables with helically applied steel wire armour	
		Electrostatic screen	
		nner sheath	
	5.10.1	General	
	5.10.2	Material	
		Application	
	5.10.4 5.11 A	Thickness of inner sheath	
	5.11.1	General	
	5.11.1	Braided armour	
	5.11.3	Helically applied armour	
	5.11.4	Application of the armour	
		Outer sheath	
	5.12.1	Material	
	5.12.2	Application	
	5.12.3	Thickness of the sheath	
	5.12.4	Colour of outer sheath	
6	Constr	uction for special applications	
		ire resistant cables	
		Cables for installation in areas with explosive atmospheres	
		Cables for installation between areas with and without explosive	
		tmospheres	13

7 Tes	ts – methods and requirements	13		
7.1	General	13		
7.2	Tests on cables for installation in explosive atmospheres	16		
7.3	Additional test on cables for installation between areas with and without explosive atmospheres	17		
Annex A (informative) Installation of category cables on board of ships and offshore units				
Bibliogra	phy	19		
Table 1 -	- Tests applicable to all cables	13		
Table 2 -	- Additional test required for low smoke cables	15		
Table 3 -	- Additional tests required for specific performances	15		
Table 4 -	- Additional test required for fire resistant cables	16		
	- Requirements for insulation and functional integrity of Ethernet (category)	16		
Table 6 -	- Additional test for cables for installation between areas with and without			

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICAL INSTALLATIONS IN SHIPS -

Part 379: Symmetrical category cables with transmission characteristics up to 1 000 MHz

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60092-379 has been prepared by subcommittee 18A: Electric cables for ships and mobile and fixed offshore units, of IEC technical committee 18: Electrical installations of ships and of mobile and fixed offshore units. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
18A/487/FDIS	18A/489/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 60092 series, published under the general title *Electrical installations in ships*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- · withdrawn, or
- revised.

ELECTRICAL INSTALLATIONS IN SHIPS -

Part 379: Symmetrical category cables with transmission characteristics up to 1 000 MHz

1 Scope

This part of IEC 60092 is applicable to shipboard and offshore units Ethernet (category) cables with extruded solid or foamed insulation, intended for fixed installations. Cables designed to maintain functional integrity during fire as specified in 6.1 and to be installed in explosive atmospheres as specified in 6.2 are included.

The various types of Ethernet (category) cables are given in Clause 4. The constructional requirements and test methods are aligned with those indicated in IEC 60092-350, unless otherwise specified in this document.

The object of this document is:

- to standardize cables whose safety and reliability is ensured when they are installed in accordance with the requirements of IEC 60092-352 or IEC 60092-401;
- to allow solid conductor category cables against the recommendations of IEC 60092-352;
- to lay down standard manufacturing requirements and characteristics of such cables directly or indirectly bearing on safety;
- to specify test methods for checking conformity with those requirements; and
- to add requirements and recommendations for the cable installation in accordance with Annex A.

All cables described in this document are halogen-free.

Cables within this document can be installed in many different environments that would call for extra protection where steel wire or tape armouring is required. Examples of areas, such as outdoor, on the ship, where other moveable objects are within the same space, will require extra protection. These areas of concern are found in extreme conditions, like offshore drilling and oil platforms.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-14:2013, Explosive atmospheres – Part 14: Electrical installations design, selection and erection

IEC 60092-350:2020, Electrical installations in ships – Part 350: General construction and test methods of power, control and instrumentation cables for shipboard and offshore applications

IEC 60092-352, Electrical installations in ships – Part 352: Choice and installation of electrical cables

IEC 60092-360, Electrical installations in ships – Part 360: Insulating and sheathing materials for shipboard and offshore units, power, control, instrumentation and telecommunication cables

IEC 60092-401, Electrical installations in ships – Part 401: Installation and test of completed installation

IEC 60331-1, Tests for electric cables under fire conditions – Circuit integrity – Part 1: Test method for fire with shock at a temperature of at least 830 °C for cables of rated voltage up to and including 0,6/1,0 kV and with an overall diameter exceeding 20 mm

IEC 60331-2, Tests for electric cables under fire conditions — Circuit integrity — Part 2: Test method for fire with shock at a temperature of at least 830 °C for cables of rated voltage up to and including 0,6/1,0 kV and with an overall diameter not exceeding 20 mm

IEC 60331-23, Tests for electric cables under fire conditions – Circuit integrity – Part 23: Procedures and requirements – Electric data cables

IEC 60332-3-24, Tests on electric and optical fibre cables under fire conditions – Part 3-24: Test for vertical flame spread of vertically-mounted bunched wires or cables – Category C

IEC 60332-3-25, Tests on electric and optical fibre cables under fire conditions – Part 3-25: Test for vertical flame spread of vertically-mounted bunched wires or cables – Category D

IEC 60332-1-2, Tests on electric and optical fibre cables under fire conditions – Part 1-2: Test for vertical flame propagation for a single insulated wire or cable – Procedure for 1 kW pre-mixed flame

IEC 60684-2, Flexible insulating sleeving – Part 2: Methods of test

IEC 60754-1, Test on gases evolved during combustion of materials from cables – Part 1: Determination of the halogen acid gas content

IEC 60754-2, Test on gases evolved during combustion of materials from cables – Part 2: Determination of acidity (by pH measurement) and conductivity

IEC 60811-506, Electric and optical fibre cables – Test methods for non-metallic materials – Part 506: Mechanical tests – Impact test at low temperature for insulations and sheaths

IEC 61034-2, Measurement of smoke density of cables burning under defined conditions – Part 2: Test procedure and requirements

IEC 61156-1:2023, Multicore and symmetrical pair/quad cables for digital communications – Part 1: Generic specification

IEC 61156-5:2020, Multicore and symmetrical pair/quad cables for digital communications – Part 5: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Horizontal floor wiring – Sectional specification

IEC 61156-6:2020, Multicore and symmetrical pair/quad cables for digital communications – Part 6: Symmetrical pair/quad cables with transmission characteristics up to 1 000 MHz – Work area wiring – Sectional specification

ISO/IEC TS 29125, Information technology – Telecommunications cabling requirements for remote powering of terminal equipment