

Edition 3.1 2024-06 CONSOLIDATED VERSION

INTERNATIONAL STANDARD



Specifications for particular types of winding wires – Part 13: Polyester or polyesterimide overcoated with polyamide-imide enamelled round copper wire, class 200

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.060.10 ISBN 978-2-8322-9233-4

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FΟ	REWORD	3			
INT	FRODUCTION	5			
1	Scope6				
2	Normative references6				
3	Terms, definitions and general notes on methods of test and appearance	7			
	3.1 Terms and definitions	7			
	3.2 General notes on methods of test	7			
	3.2.1 Methods of test	7			
	3.2.2 Winding wire				
	3.3 Appearance				
4	Dimensions				
5	Electrical resistance				
6	Elongation7				
7	Springiness7				
8	Flexibility and adherence7				
9	Heat shock8				
10	Cut-through8				
11	Resistance to abrasion (nominal conductor diameters from 0,250 mm up to and including 2,500 mm)				
12					
13					
14	-				
15	Temperature index	9			
16	·				
17	7 Solderability				
18	Heat or solvent bonding				
19	Dielectric dissipation factor				
20	Resistance to transformer oil				
21	Loss of mass				
23	Pin hole test				
30	Packaging9				
Tab	ble 1 – Resistance to abrasion	8			

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES -

Part 13: Polyester or polyesterimide overcoated with polyamide-imide enamelled round copper wire, class 200

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 60317-13 edition 3.1 contains the third edition (2010-03) [documents 55/1179/FDIS and 55/1190/RVD] and its amendment 1 (2024-06) [documents 55/1983/CDV and 55/2019/RVC].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 60317-13 has been prepared by IEC technical committee 55: Winding wires.

This third edition of IEC 60317-13 cancels and replaces the second edition published in 1990. its amendment 1 (1997) and its Amendment 2 (1997). This edition constitutes a technical revision.

The main changes with respect to the previous edition are listed below:

- new requirements for appearance;
- reference to new resistance to refrigerants test in IEC 60851-4;
- deletion of high temperature failure requirement;
- new pin hole test requirements.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This International Standard is to be read in conjunction with IEC 60317-0-1 (2008):2013 and its Amendment 1:2019.

A list of all the parts in the IEC 60317 series, under the general title Specifications for particular types of winding wires, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT - The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This Part of IEC 60317 is one of a series which deals with insulated wires used for windings in electrical equipment. The series has three groups describing

- 1) winding wires and methods of test (IEC 60851);
- 2) specifications for particular types of winding wires (IEC 60317);
- 3) packaging of winding wires (IEC 60264).

SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES -

Part 13: Polyester or polyesterimide overcoated with polyamide-imide enamelled round copper wire, class 200

1 Scope

This Part of IEC 60317 specifies the requirements of enamelled round copper winding wire of class 200 with a dual coating. The underlying coating is based on polyester or polyesterimide resin, which may be modified providing it retains the chemical identity of the original resin and meets all specified wire requirements. The superimposed coating is based on polyamide-imide resin.

NOTE A modified resin is a resin that has undergone a chemical change, or contains one or more additives to enhance certain performance or application characteristics.

Class 200 is a thermal class that requires a minimum temperature index of 200 and a heat shock temperature of at least 220 °C.

The temperature in degrees Celsius corresponding to the temperature index is not necessarily that at which it is recommended that the wire be operated and this will depend on many factors, including the type of equipment involved.

The range of a nominal conductor diameters covered by this standard is as follows:

- Grade 1: 0,050 mm up to and including 2,000 mm;
- Grade 2: 0,050 mm up to and including 5,000 mm.

The nominal conductor diameters are specified in Clause 4 of IEC 60317-0-1.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60317-0-11:2008/2013, Specifications for particular types of winding wires – Part 0-1: General requirements – Enamelled round copper wire IEC 60317-0-1:2013/AMD1:2019

IEC 60851-4:19962016, *Methods of test for winding wires* — Winding wires — Test methods — Part 4: Chemical properties

Amendment 1 (1997)

Amendment 2 (2005)

¹ There exists a consolidated edition 4.1:2021 that includes IEC 60317-0-1:2013 and its Amendment 1:2019.

CONTENTS

FO	REWOF	RD	3		
INT	RODU	CTION5	5		
1	Scope6				
2	Normative references6				
3	Terms	, definitions and general notes on methods of test and appearance $oldsymbol{\ell}$	3		
	3.1	Terms and definitions6	3		
	3.2	General notes	7		
	3	3.2.1 Methods of test			
		3.2.2 Winding wire			
		Appearance			
4	Dimensions				
5	Electrical resistance				
6	Elongation				
7	Springiness7				
8	Flexibility and adherence7				
9	Heat shock7				
10	Cut-through7				
11	Resistance to abrasion (nominal conductor diameters from 0,250 mm up to and including 2,500 mm)7				
12	Resistance to solvents				
13	Breakdown voltage8				
14	Continuity of insulation8				
15	Tempe	erature index	3		
16	Resistance to refrigerants8				
17	Solderability9				
18	Heat or solvent bonding				
19	Dielec	tric dissipation factor)		
20	Resistance to transformer oil9				
21	Loss of mass				
23	Pin hole test				
30	Packaging9				
Tab	ole 1 – F	Resistance to abrasion	3		

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES -

Part 13: Polyester or polyesterimide overcoated with polyamide-imide enamelled round copper wire, class 200

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 60317-13 edition 3.1 contains the third edition (2010-03) [documents 55/1179/FDIS and 55/1190/RVD] and its amendment 1 (2024-06) [documents 55/1983/CDV and 55/2019/RVC].

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 60317-13 has been prepared by IEC technical committee 55: Winding wires.

-4-

This third edition of IEC 60317-13 cancels and replaces the second edition published in 1990, its amendment 1 (1997) and its Amendment 2 (1997). This edition constitutes a technical revision.

The main changes with respect to the previous edition are listed below:

- new requirements for appearance;
- reference to new resistance to refrigerants test in IEC 60851-4;
- deletion of high temperature failure requirement;
- new pin hole test requirements.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This International Standard is to be read in conjunction with IEC 60317-0-1:2013 and its Amendment 1:2019.

A list of all the parts in the IEC 60317 series, under the general title *Specifications for particular types of winding wires*, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

This Part of IEC 60317 is one of a series which deals with insulated wires used for windings in electrical equipment. The series has three groups describing

- 1) winding wires and methods of test (IEC 60851);
- 2) specifications for particular types of winding wires (IEC 60317);
- 3) packaging of winding wires (IEC 60264).

SPECIFICATIONS FOR PARTICULAR TYPES OF WINDING WIRES -

Part 13: Polyester or polyesterimide overcoated with polyamide-imide enamelled round copper wire, class 200

1 Scope

This Part of IEC 60317 specifies the requirements of enamelled round copper winding wire of class 200 with a dual coating. The underlying coating is based on polyester or polyesterimide resin, which may be modified providing it retains the chemical identity of the original resin and meets all specified wire requirements. The superimposed coating is based on polyamide-imide resin.

NOTE A modified resin is a resin that has undergone a chemical change, or contains one or more additives to enhance certain performance or application characteristics.

Class 200 is a thermal class that requires a minimum temperature index of 200 and a heat shock temperature of at least 220 $^{\circ}$ C.

The temperature in degrees Celsius corresponding to the temperature index is not necessarily that at which it is recommended that the wire be operated and this will depend on many factors, including the type of equipment involved.

The range of a nominal conductor diameters covered by this standard is as follows:

- Grade 1: 0,050 mm up to and including 2,000 mm;
- Grade 2: 0,050 mm up to and including 5,000 mm.

The nominal conductor diameters are specified in Clause 4 of IEC 60317-0-1.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60317-0-11:2013, Specifications for particular types of winding wires – Part 0-1: General requirements – Enamelled round copper wire IEC 60317-0-1:2013/AMD1:2019

IEC 60851-4:2016, Winding wires - Test methods - Part 4: Chemical properties

¹ There exists a consolidated edition 4.1:2021 that includes IEC 60317-0-1:2013 and its Amendment 1:2019.