



IEC 60335-2-118

Edition 2.0 2025-04  
REDLINE VERSION

# INTERNATIONAL STANDARD

---

**Household and similar electrical appliances – Safety –  
Part 2-118: Particular requirements for professional ice-cream makers**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 97.040.99; 13.120

ISBN 978-2-8327-0340-3

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD .....	4
INTRODUCTION .....	2
1 Scope .....	8
2 Normative references .....	9
3 Terms and definitions .....	10
4 General requirement .....	13
5 General conditions for the tests .....	14
6 Classification .....	15
7 Marking and instructions .....	16
8 Protection against access to live parts .....	21
9 Starting of motor-operated appliances .....	21
10 Power input and current .....	21
11 Heating .....	22
12 <del>Void</del> Charging of metal-ion batteries .....	24
13 Leakage current and electric strength at operating temperature .....	25
14 Transient overvoltages .....	25
15 Moisture resistance .....	25
16 Leakage current and electric strength .....	25
17 Overload protection of transformers and associated circuits .....	25
18 Endurance .....	25
19 Abnormal operation .....	26
20 Stability and mechanical hazards .....	28
21 Mechanical strength .....	28
22 Construction .....	29
23 Internal wiring .....	44
24 Components .....	44
25 Supply connection and external flexible cords .....	46
26 Terminals for external conductors .....	46
27 Provision for earthing .....	46
28 Screws and connections .....	47
29 Clearances, creepage distances and solid insulation .....	47
30 Resistance to heat and fire .....	44
31 Resistance to rusting .....	48
32 Radiation, toxicity and similar hazards .....	48
Annexes .....	50
Annex A (informative) Routine tests .....	51
Annex C (normative) Ageing test on motors .....	52
Annex D (normative) Thermal motor protectors .....	53
Annex P (informative) Guidance for the application of this standard to appliances used in tropical climates .....	54
Annex R (normative) Software evaluation .....	55
Annex AA (normative) Locked-rotor test of fan motors .....	56

Annex BB (normative) Non-sparking "n" electrical apparatus and test conditions for "dc" devices .....	58
Annex CC (normative) Test method for determining refrigerant concentration beyond the boundary of an appliance .....	59
Bibliography.....	64
Figure 101 – Scratching tool tip details .....	48
Figure 102 – Vibration velocity-frequency chart.....	49
Figure 103 – Isosceles triangle arrow test gauge .....	49
Figure 104 – Measurement of vibration amplitude .....	49
Figure AA.1 – Supply circuit for locked-rotor test of a single-phase fan motor .....	57
Figure CC.1 – Schematic illustration of the refrigerant concentration sampling points .....	63
Table 101 – Maximum temperatures for motor-compressors .....	24
Table 102 – Refrigerant flammability parameters .....	42
Table CC.1 – Relevant properties and mass flux for selected flammable refrigerants .....	61

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

### HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

#### Part 2-118: Particular requirements for professional ice-cream makers

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60335-2-118:2020. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60335-2-118 has been prepared by subcommittee 61C: Safety of refrigeration appliances for household and commercial use, of IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

This second edition cancels and replaces the first edition published in 2020. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the text has been aligned with IEC 60335-1:2020;
- b) scope has been revised (Clause 1);
- c) requirements for appliances employing R-744 system have been added (7.1, 7.12.1, 22.7, 22.111);
- d) additional requirements for appliances employing flammable refrigerant have been added (7.1, 7.6, 7.12, 7.15, 21.105, 22.110, 22.112, 22.113, 22.114, 22.115, 22.116, 22.117, 22.118, 22.119, 22.120, 22.121, 22.122, 22.123, Annex CC);
- e) definition of hermetically sealed system has been revised (3.6.113);
- f) reference to flammable refrigerant has been deleted (22.7);
- g) new subclauses have been added (22.40, 22.49, 22.51);
- h) compatibility tests for winding insulation of motor-compressors used with different types of refrigerants and oils have been introduced (22.9);
- i) Annex AA has been modified to cover motors that are supplied at a voltage that is different from the rated voltage of the appliance;
- j) Annex BB has been updated to align with the latest edition of IEC 60079-15;
- k) text in 3.1.9.101, 3.1.9.102 and 3.1.9.103 has been cancelled and the text copied in 5.102;
- l) new informative tightness routine test has been added (Annex A).

The text of this International Standard is based on the following documents:

Draft	Report on voting
61C/928/FDIS	61C/932/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts of the IEC 60335 series, under the general title *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments unless that edition precludes it; in that case, the latest edition that does not preclude it is used. It was established on the basis of the sixth edition (2020) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Particular requirements for professional ice-cream makers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications*: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

## INTRODUCTION

It has been assumed in the drafting of this international standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 and SC 61C supporting documents on the IEC websites.

<https://www.iec.ch/tc61/supportingdocuments>

<https://www.iec.ch/sc61c/supportingdocuments>

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules ~~may~~ can differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 ~~Horizontal and generic standards~~ Horizontal publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. ~~For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.~~

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

### Part 2-118: Particular requirements for professional ice-cream makers

#### 1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of appliances for making ice cream and artisan gelato exclusively operated by professional users.

Ice cream makers intended for professional use are employed in commercial environments, such as restaurants, hotels, supermarkets, shops, as well as in preparation areas of bars, bakeries, ice cream shops, institutional catering, and other similar professional settings.

Appliances taken into account are those intended for commercial use and similar appliances not intended for normal household use but which ~~may~~ can nevertheless be a source of danger to the public, such as appliances intended to be used by laymen in shops, stores, by artisans or on farms, which **rated voltage** is not more than 250 V for single-phase appliances and 480 V for other appliances.

Appliances covered by this standard are provided with a refrigerant condensing unit which is usually incorporated, but for some appliances ~~may~~ can be remote.

As far as is practicable, this standard deals with the common hazards presented by these types of appliances including those that use **flammable refrigerants** and appliances employing R-744 refrigerant.

This standard is not applicable to appliances with a mass of **flammable refrigerant** exceeding the limits specified in 22.112 or to appliances with that use refrigerants with a toxicity classification of B according to ISO 817.

It does not cover those features of construction and operation of refrigerating appliances that are dealt with in ISO standards.

This standard also applies to following types of appliances:

- mixers to make ice cream and similar pastry products in which, for the preparation of the product, heating process is made within the appliance before the cooling process;
- appliances for storing whipping cream mix in a refrigerated tank and for whipping the cream for the delivery process;
- freezers designed to produce soft ice cream and dispense it directly into containers;
- machines for soft-serve ice cream;
- batch dispensing freezers.

**NOTE 101** Attention is drawn to the fact that:

- countries can have additional requirements for appliances incorporating pressure vessels;
- ~~for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements can be necessary;~~
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities;
- for appliances or parts of appliances intended to be used outdoors, additional requirements can be necessary.

This standard does not apply to:

- ~~appliances with a refrigerating system operating with flammable refrigerant;~~
- split systems having a **refrigerant charge** of **flammable refrigerant** exceeding 150 g in any **refrigerating circuit**;
- ice cream appliances for household use (IEC 60335-2-24);
- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

## 2 Normative references

This clause of Part 1 is applicable except as follows.

*Addition:*

IEC 60079 (all parts), *Explosive atmospheres*

IEC 60079-1:2014, *Explosive atmospheres – Part 1: Equipment protection by flameproof enclosures "d"*

IEC 60079-7:2015, *Explosive atmospheres – Part 7: Equipment protection by increased safety "e"*

IEC 60079-15:2017, *Explosive atmospheres – Part 15: Equipment protection by type of protection "n"*

IEC 60079-29-1:2016, *Explosive atmospheres – Part 29-1: Gas detectors – Performance requirements of detectors for flammable gases*  
IEC 60079-29-1:2016/AMD1:2020

~~IEC 60335-2-34:2012, Household and similar electrical appliances – Safety – Part 2-34: Particular requirements for motor-compressors~~

~~IEC 60335-2-34:2012/AMD1:2015~~

~~IEC 60335-2-34:2012/AMD2:2016~~

IEC 60335-2-34:~~2024~~2024, *Household and similar electrical appliances – Safety – Part 2-34: Particular requirements for motor-compressors*

~~IEC 60598-1:2014, Luminaires – Part 1: General requirements and tests –~~  
~~IEC 60598-1:2014/AMD1:2017~~

IEC 60335-2-40:2024, *Household and similar electrical appliances – Safety – Part 2-40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers*

IEC 60730-2-6:2015, *Automatic electrical controls – Part 2-6: Particular requirements for automatic electrical pressure sensing controls including mechanical requirements*  
IEC 60730-2-6:2015/AMD1:2019

IEC 60730 (all parts), *Automatic electrical controls*

IEC 60851-4, *Winding wires – Test methods – Part 4: Chemical properties*

IEC 60947-5-1:2024, *Low-voltage switchgear and controlgear – Part 5-1: Control circuit devices and switching elements – Electromechanical control circuit devices*

~~IEC 61770, Electric appliances connected to the water mains – Avoidance of backsiphonage and failure of hose sets~~

ISO 817:~~2014~~, *Refrigerants – Designation and safety classification*

ISO 4126-2:2018, *Safety devices for protection against excessive pressure – Part 2: Bursting disc safety devices*

ISO 5149-1, *Refrigerating systems and heat pumps – Safety and environmental requirements – Part 1: Definitions, classification and selection criteria*

ISO 7010:2019, *Graphical symbols – Safety colours and safety signs – Registered safety signs*

ISO 14903, *Refrigerating systems and heat pumps – Qualification of tightness of components and joints*

*Modification:*

Replace

IEC 60598-1:2014, *Luminaires – Part 1: General requirements and tests*  
IEC 60598-1:2014/AMD1:2017

with

IEC 60598-1:2020, *Luminaires – Part 1: General requirements and tests*



IEC 60335-2-118

Edition 2.0 2025-03

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE

**Household and similar electrical appliances – Safety –  
Part 2-118: Particular requirements for professional ice-cream makers**

**Appareils électroménagers et analogues – Sécurité –  
Partie 2-118: Exigences particulières pour les fabriques de crème glacée à usage commercial**



## CONTENTS

FOREWORD .....	4
INTRODUCTION .....	7
1 Scope .....	8
2 Normative references .....	9
3 Terms and definitions .....	10
4 General requirement .....	13
5 General conditions for the tests .....	13
6 Classification .....	15
7 Marking and instructions .....	15
8 Protection against access to live parts .....	20
9 Starting of motor-operated appliances .....	20
10 Power input and current .....	20
11 Heating .....	21
12 Charging of metal-ion batteries .....	23
13 Leakage current and electric strength at operating temperature .....	23
14 Transient overvoltages .....	23
15 Moisture resistance .....	23
16 Leakage current and electric strength .....	24
17 Overload protection of transformers and associated circuits .....	24
18 Endurance .....	24
19 Abnormal operation .....	24
20 Stability and mechanical hazards .....	27
21 Mechanical strength .....	27
22 Construction .....	28
23 Internal wiring .....	43
24 Components .....	43
25 Supply connection and external flexible cords .....	45
26 Terminals for external conductors .....	45
27 Provision for earthing .....	45
28 Screws and connections .....	45
29 Clearances, creepage distances and solid insulation .....	46
30 Resistance to heat and fire .....	46
31 Resistance to rusting .....	46
32 Radiation, toxicity and similar hazards .....	46
Annexes .....	49
Annex A (informative) Routine tests .....	50
Annex C (normative) Ageing test on motors .....	51
Annex D (normative) Thermal motor protectors .....	52
Annex P (informative) Guidance for the application of this standard to appliances used in tropical climates .....	53
Annex R (normative) Software evaluation .....	54
Annex AA (normative) Locked-rotor test of fan motors .....	55

Annex BB (normative) Non-sparking "n" electrical apparatus and test conditions for "dc" devices .....	57
Annex CC (normative) Test method for determining refrigerant concentration beyond the boundary of an appliance .....	58
Bibliography.....	63
Figure 101 – Scratching tool tip details .....	47
Figure 102 – Vibration velocity-frequency chart.....	48
Figure 103 – Isosceles triangle arrow test gauge .....	48
Figure 104 – Measurement of vibration amplitude .....	48
Figure AA.1 – Supply circuit for locked-rotor test of a single-phase fan motor .....	56
Figure CC.1 – Schematic illustration of the refrigerant concentration sampling points .....	62
Table 101 – Maximum temperatures for motor-compressors .....	22
Table 102 – Refrigerant flammability parameters .....	41
Table CC.1 – Relevant properties and mass flux for selected flammable refrigerants .....	60

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

### Part 2-118: Particular requirements for professional ice-cream makers

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60335-2-118 has been prepared by subcommittee 61C: Safety of refrigeration appliances for household and commercial use, of IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

This second edition cancels and replaces the first edition published in 2020. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the text has been aligned with IEC 60335-1:2020;
- b) scope has been revised (Clause 1);
- c) requirements for appliances employing R-744 system have been added (7.1, 7.12.1, 22.7, 22.111);
- d) additional requirements for appliances employing flammable refrigerant have been added (7.1, 7.6, 7.12, 7.15, 21.105, 22.110, 22.112, 22.113, 22.114, 22.115, 22.116, 22.117, 22.118, 22.119, 22.120, 22.121, 22.122, 22.123, Annex CC);
- e) definition of hermetically sealed system has been revised (3.6.113);
- f) reference to flammable refrigerant has been deleted (22.7);
- g) new subclauses have been added (22.40, 22.49, 22.51);
- h) compatibility tests for winding insulation of motor-compressors used with different types of refrigerants and oils have been introduced (22.9);
- i) Annex AA has been modified to cover motors that are supplied at a voltage that is different from the rated voltage of the appliance;
- j) Annex BB has been updated to align with the latest edition of IEC 60079-15;
- k) text in 3.1.9.101, 3.1.9.102 and 3.1.9.103 has been cancelled and the text copied in 5.102;
- l) new informative tightness routine test has been added (Annex A).

The text of this International Standard is based on the following documents:

Draft	Report on voting
61C/928/FDIS	61C/932/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts of the IEC 60335 series, under the general title *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments unless that edition precludes it; in that case, the latest edition that does not preclude it is used. It was established on the basis of the sixth edition (2020) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Particular requirements for professional ice-cream makers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications*: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

## INTRODUCTION

It has been assumed in the drafting of this international standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 and SC 61C supporting documents on the IEC websites.

<https://www.iec.ch/tc61/supportingdocuments>

<https://www.iec.ch/sc61c/supportingdocuments>

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules can differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards.

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

## HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

### Part 2-118: Particular requirements for professional ice-cream makers

#### 1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of appliances for making ice cream and artisan gelato exclusively operated by professional users.

Ice cream makers intended for professional use are employed in commercial environments, such as restaurants, hotels, supermarkets, shops, as well as in preparation areas of bars, bakeries, ice cream shops, institutional catering, and other similar professional settings.

Appliances taken into account are those intended for commercial use and similar appliances not intended for normal household use but which can nevertheless be a source of danger to the public, such as appliances intended to be used by laymen in shops, stores, by artisans or on farms, which **rated voltage** is not more than 250 V for single-phase appliances and 480 V for other appliances.

Appliances covered by this standard are provided with a refrigerant condensing unit which is usually incorporated, but for some appliances can be remote.

As far as is practicable, this standard deals with the common hazards presented by these types of appliances including those that use **flammable refrigerants** and appliances employing R-744 refrigerant.

This standard is not applicable to appliances with a mass of **flammable refrigerant** exceeding the limits specified in 22.112 or to appliances with that use refrigerants with a toxicity classification of B according to ISO 817.

It does not cover those features of construction and operation of refrigerating appliances that are dealt with in ISO standards.

This standard also applies to following types of appliances:

- mixers to make ice cream and similar pastry products in which, for the preparation of the product, heating process is made within the appliance before the cooling process;
- appliances for storing whipping cream mix in a refrigerated tank and for whipping the cream for the delivery process;
- freezers designed to produce soft ice cream and dispense it directly into containers;
- machines for soft-serve ice cream;
- batch dispensing freezers.

Attention is drawn to the fact that:

- countries can have additional requirements for appliances incorporating pressure vessels;
- in many countries, additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities;
- for appliances or parts of appliances intended to be used outdoors, additional requirements can be necessary.

This standard does not apply to:

- split systems having a **refrigerant charge of flammable refrigerant** exceeding 150 g in any **refrigerating circuit**;
- ice cream appliances for household use (IEC 60335-2-24);
- appliances intended exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

## 2 Normative references

This clause of Part 1 is applicable except as follows.

*Addition:*

IEC 60079 (all parts), *Explosive atmospheres*

IEC 60079-1:2014, *Explosive atmospheres – Part 1: Equipment protection by flameproof enclosures "d"*

IEC 60079-7:2015, *Explosive atmospheres – Part 7: Equipment protection by increased safety "e"*

IEC 60079-15:2017, *Explosive atmospheres – Part 15: Equipment protection by type of protection "n"*

IEC 60079-29-1:2016, *Explosive atmospheres – Part 29-1: Gas detectors – Performance requirements of detectors for flammable gases*

IEC 60079-29-1:2016/AMD1:2020

IEC 60335-2-34:2024, *Household and similar electrical appliances – Safety – Part 2-34: Particular requirements for motor-compressors*

IEC 60335-2-40:2024, *Household and similar electrical appliances – Safety – Part 2-40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers*

IEC 60730-2-6:2015, *Automatic electrical controls – Part 2-6: Particular requirements for automatic electrical pressure sensing controls including mechanical requirements*

IEC 60730-2-6:2015/AMD1:2019

IEC 60730 (all parts), *Automatic electrical controls*

IEC 60851-4, *Winding wires – Test methods – Part 4: Chemical properties*

IEC 60947-5-1:2024, *Low-voltage switchgear and controlgear – Part 5-1: Control circuit devices and switching elements – Electromechanical control circuit devices*

ISO 817, *Refrigerants – Designation and safety classification*

ISO 4126-2:2018, *Safety devices for protection against excessive pressure – Part 2: Bursting disc safety devices*

ISO 5149-1, *Refrigerating systems and heat pumps – Safety and environmental requirements – Part 1: Definitions, classification and selection criteria*

ISO 7010:2019, *Graphical symbols – Safety colours and safety signs – Registered safety signs*

ISO 14903, *Refrigerating systems and heat pumps – Qualification of tightness of components and joints*

*Modification:*

Replace

IEC 60598-1:2014, *Luminaires – Part 1: General requirements and tests*  
IEC 60598-1:2014/AMD1:2017

with

IEC 60598-1:2020, *Luminaires – Part 1: General requirements and tests*

## SOMMAIRE

AVANT-PROPOS .....	66
INTRODUCTION .....	69
1 Domaine d'application .....	71
2 Références normatives .....	72
3 Termes et définitions .....	73
4 Exigence générale .....	76
5 Conditions générales d'essais .....	76
6 Classification .....	78
7 Marquage et instructions .....	78
8 Protection contre l'accès aux parties actives .....	83
9 Démarrage des appareils à moteur .....	84
10 Puissance et courant .....	84
11 Échauffements .....	84
12 Charge des batteries à ions métalliques .....	87
13 Courant de fuite et rigidité diélectrique à la température de régime .....	87
14 Surtensions transitoires .....	87
15 Résistance à l'humidité .....	87
16 Courant de fuite et rigidité diélectrique .....	88
17 Protection contre la surcharge des transformateurs et des circuits associés .....	88
18 Endurance .....	88
19 Fonctionnement anormal .....	88
20 Stabilité et dangers mécaniques .....	91
21 Résistance mécanique .....	91
22 Construction .....	92
23 Conducteurs internes .....	108
24 Composants .....	108
25 Raccordement au réseau et câbles souples extérieurs .....	110
26 Bornes pour conducteurs externes .....	111
27 Dispositions en vue de la mise à la terre .....	111
28 Vis et connexions .....	111
29 Distances dans l'air, lignes de fuite et isolation solide .....	111
30 Résistance à la chaleur et au feu .....	111
31 Protection contre la rouille .....	112
32 Rayonnement, toxicité et dangers analogues .....	112
Annexes .....	115
Annexe A (informative) Essais de série .....	116
Annexe C (normative) Essai de vieillissement des moteurs .....	117
Annexe D (normative) Protecteurs thermiques des moteurs .....	118
Annexe P (informative) Recommandations pour l'application de la présente norme aux appareils utilisés en climat tropical .....	119
Annexe R (normative) Évaluation des logiciels .....	120
Annexe AA (normative) Essai à rotor bloqué des moteurs de ventilateurs .....	121

Annexe BB (normative) Appareils électriques "n" non producteurs d'étincelles et conditions d'essai des dispositifs "dc" .....	123
Annexe CC (normative) Méthode d'essai pour déterminer la concentration en fluide frigorigène en dehors de l'enveloppe d'un appareil.....	124
Bibliographie.....	130
Figure 101 – Détails de la pointe de l'outil à rayer.....	113
Figure 102 – Diagramme vitesse de vibration-fréquence .....	114
Figure 103 – Jauge d'essai à flèche triangulaire isocèle.....	114
Figure 104 – Mesurage de l'amplitude des vibrations .....	114
Figure AA.1 – Circuit d'alimentation pour l'essai à rotor bloqué d'un moteur de ventilateur monophasé.....	122
Figure CC.1 – Représentation schématique des points d'échantillonnage utilisés pour mesurer la concentration en fluide frigorigène.....	129
Tableau 101 – Températures maximales pour les motocompresseurs .....	86
Tableau 102 – Paramètres d'inflammabilité des fluides frigorigènes.....	106
Tableau CC.1 – Propriétés et flux massique pertinents de certains fluides frigorigènes inflammables .....	126

## COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

### APPAREILS ÉLECTRODOMESTIQUES ET ANALOGUES – SÉCURITÉ –

#### Partie 2-118: Exigences particulières pour les fabriques de crème glacée à usage commercial

#### AVANT-PROPOS

- 1) La Commission Électrotechnique Internationale (IEC) est une organisation mondiale de normalisation composée de l'ensemble des comités électrotechniques nationaux (Comités nationaux de l'IEC). L'IEC a pour objet de favoriser la coopération internationale pour toutes les questions de normalisation dans les domaines de l'électricité et de l'électronique. À cet effet, l'IEC – entre autres activités – publie des Normes internationales, des Spécifications techniques, des Rapports techniques, des Spécifications accessibles au public (PAS) et des Guides (ci-après dénommés "Publication(s) de l'IEC"). Leur élaboration est confiée à des comités d'études, aux travaux desquels tout Comité national intéressé par le sujet traité peut participer. Les organisations internationales, gouvernementales et non gouvernementales, en liaison avec l'IEC, participent également aux travaux. L'IEC collabore étroitement avec l'Organisation Internationale de Normalisation (ISO), selon des conditions fixées par accord entre les deux organisations.
- 2) Les décisions ou accords officiels de l'IEC concernant les questions techniques représentent, dans la mesure du possible, un accord international sur les sujets étudiés, étant donné que les Comités nationaux de l'IEC intéressés sont représentés dans chaque comité d'études.
- 3) Les Publications de l'IEC se présentent sous la forme de recommandations internationales et sont agréées comme telles par les Comités nationaux de l'IEC. Tous les efforts raisonnables sont entrepris afin que l'IEC s'assure de l'exactitude du contenu technique de ses publications; l'IEC ne peut pas être tenue responsable de l'éventuelle mauvaise utilisation ou interprétation qui en est faite par un quelconque utilisateur final.
- 4) Dans le but d'encourager l'uniformité internationale, les Comités nationaux de l'IEC s'engagent, dans toute la mesure possible, à appliquer de façon transparente les Publications de l'IEC dans leurs publications nationales et régionales. Toutes divergences entre toutes Publications de l'IEC et toutes publications nationales ou régionales correspondantes doivent être indiquées en termes clairs dans ces dernières.
- 5) L'IEC elle-même ne fournit aucune attestation de conformité. Des organismes de certification indépendants fournissent des services d'évaluation de conformité et, dans certains secteurs, accèdent aux marques de conformité de l'IEC. L'IEC n'est responsable d'aucun des services effectués par les organismes de certification indépendants.
- 6) Tous les utilisateurs doivent s'assurer qu'ils sont en possession de la dernière édition de cette publication.
- 7) Aucune responsabilité ne doit être imputée à l'IEC, à ses administrateurs, employés, auxiliaires ou mandataires, y compris ses experts particuliers et les membres de ses comités d'études et des Comités nationaux de l'IEC, pour tout préjudice causé en cas de dommages corporels et matériels, ou de tout autre dommage de quelque nature que ce soit, directe ou indirecte, ou pour supporter les coûts (y compris les frais de justice) et les dépenses découlant de la publication ou de l'utilisation de cette Publication de l'IEC ou de toute autre Publication de l'IEC, ou au crédit qui lui est accordé.
- 8) L'attention est attirée sur les références normatives citées dans cette publication. L'utilisation de publications référencées est obligatoire pour une application correcte de la présente publication.
- 9) L'IEC attire l'attention sur le fait que la mise en application du présent document peut entraîner l'utilisation d'un ou de plusieurs brevets. L'IEC ne prend pas position quant à la preuve, à la validité et à l'applicabilité de tout droit de brevet revendiqué à cet égard. À la date de publication du présent document, l'IEC n'avait pas reçu notification qu'un ou plusieurs brevets pouvaient être nécessaires à sa mise en application. Toutefois, il y a lieu d'avertir les responsables de la mise en application du présent document que des informations plus récentes sont susceptibles de figurer dans la base de données de brevets, disponible à l'adresse <https://patents.iec.ch>. L'IEC ne saurait être tenue pour responsable de ne pas avoir identifié de tels droits de brevets.

L'IEC 60335-2-118 a été établie par le sous-comité 61C: Sécurité des appareils de réfrigération à usage domestique et commercial, du comité d'études 61 de l'IEC: Sécurité des appareils électrodomestiques et analogues. Il s'agit d'une Norme internationale.

Cette deuxième édition annule et remplace la première édition parue en 2020. Cette édition constitue une révision technique.

Cette édition inclut les modifications techniques majeures suivantes par rapport à l'édition précédente:

- a) le texte a été aligné sur l'IEC 60335-1:2020;
- b) le domaine d'application a été révisé (Article 1);
- c) des exigences ont été ajoutées pour les appareils qui utilisent un système au R-744 (7.1, 7.12.1, 22.7, 22.111);
- d) des exigences supplémentaires pour les appareils qui utilisent des fluides frigorigènes inflammables ont été ajoutées (7.1, 7.6, 7.12, 7.15, 21.105, 22.110, 22.112, 22.113, 22.114, 22.115, 22.116, 22.117, 22.118, 22.119, 22.120, 22.121, 22.122, 22.123, Annexe CC);
- e) la définition du système hermétiquement étanche a été révisée (3.6.113);
- f) la référence au fluide frigorigène inflammable a été supprimée (22.7);
- g) de nouveaux paragraphes ont été ajoutés (22.40, 22.49, 22.51);
- h) des essais de compatibilité pour l'isolation des enroulements des motocompresseurs utilisés avec différents types de fluides frigorigènes et d'huiles ont été introduits (22.9);
- i) l'Annexe AA a été modifiée pour couvrir les moteurs qui sont alimentés à une tension différente de la tension assignée de l'appareil;
- j) l'Annexe BB a été mise à jour pour s'aligner sur la dernière édition de l'IEC 60079-15;
- k) le texte des 3.1.9.101, 3.1.9.102 et 3.1.9.103 a été supprimé et copié au 5.102;
- l) un nouvel essai d'étanchéité de série informatif a été ajouté (Annexe A).

Le texte de cette Norme internationale est issu des documents suivants:

Projet	Rapport de vote
61C/928/FDIS	61C/932/RVD

Le rapport de vote indiqué dans le tableau ci-dessus donne toute information sur le vote ayant abouti à son approbation.

La langue employée pour l'élaboration de cette Norme internationale est l'anglais.

Ce document a été rédigé selon les Directives ISO/IEC, Partie 2, il a été développé selon les Directives ISO/IEC, Partie 1 et les Directives ISO/IEC, Supplément IEC, disponibles sous [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). Les principaux types de documents développés par l'IEC sont décrits plus en détail sous [www.iec.ch/publications](http://www.iec.ch/publications).

Une liste de toutes les parties de la série IEC 60335, publiées sous le titre général *Appareils électrodomestiques et analogues – Sécurité*, se trouve sur le site web de l'IEC.

La présente partie 2 doit être utilisée conjointement avec la dernière édition de l'IEC 60335-1 et ses amendements sauf si cette édition l'exclut. Dans ce cas, la dernière édition qui n'exclut pas la présente partie 2 est utilisée. Elle a été établie sur la base de la sixième édition (2020) de cette norme.

NOTE 1 L'expression "la Partie 1" utilisée dans la présente norme fait référence à l'IEC 60335-1.

La présente partie 2 complète ou modifie les articles correspondants de l'IEC 60335-1, de façon à transformer cette publication en norme IEC: Exigences particulières pour les fabriques de crème glacée à usage commercial.

Lorsqu'un paragraphe particulier de la Partie 1 n'est pas mentionné dans cette partie 2, ce paragraphe s'applique pour autant que cela soit raisonnable. Lorsque la présente norme mentionne "addition", "modification" ou "remplacement", le texte correspondant de la Partie 1 doit être adapté en conséquence.

NOTE 2 Le système de numérotation suivant est utilisé:

- les paragraphes, tableaux et figures qui s'ajoutent à ceux de la Partie 1 sont numérotés à partir de 101;
- à l'exception de celles qui sont dans un nouveau paragraphe ou de celles qui concernent des notes de la Partie 1, les notes sont numérotées à partir de 101, y compris celles des articles ou paragraphes qui sont remplacés;
- les annexes qui sont ajoutées sont désignées AA, BB, etc.

NOTE 3 Les caractères d'imprimerie suivants sont utilisés:

- exigences: caractères romains;
- *modalités d'essais: caractères italiques;*
- notes: petits caractères romains.

Les termes en **gras** dans le texte sont définis à l'Article 3. Lorsqu'une définition concerne un adjectif, l'adjectif et le nom associé figurent également en gras.

Le comité a décidé que le contenu de ce document ne sera pas modifié avant la date de stabilité indiquée sur le site web de l'IEC sous [webstore.iec.ch](http://webstore.iec.ch) dans les données relatives au document recherché. À cette date, le document sera

- reconduit,
- supprimé, ou
- révisé.

## INTRODUCTION

Il a été admis par hypothèse, en établissant la présente Norme internationale, que l'exécution de ses dispositions était confiée à des personnes expérimentées et ayant une qualification appropriée.

Les documents de recommandations concernant l'application des exigences de sécurité des appareils peuvent être obtenus par le biais des documents d'accompagnement du comité d'études 61 et du sous-comité 61C sur les sites web de l'IEC.

<https://www.iec.ch/tc61/supportingdocuments>

<https://www.iec.ch/sc61c/supportingdocuments>

Cette information est donnée à l'intention des utilisateurs de la présente Norme internationale et ne constitue nullement un remplacement du texte normatif de la présente norme.

La présente norme reconnaît le niveau de protection internationalement accepté contre les dangers électriques, mécaniques, thermiques, liés au feu et au rayonnement des appareils, lorsqu'ils fonctionnent comme en usage normal en tenant compte des instructions du fabricant. Elle couvre également les situations anormales auxquelles on peut s'attendre dans la pratique et elle tient compte de la façon dont les phénomènes électromagnétiques peuvent affecter le fonctionnement sûr des appareils.

La présente norme tient compte autant que possible des exigences de l'IEC 60364, de façon à rester compatible avec les règles d'installation quand l'appareil est raccordé au réseau d'alimentation. Cependant, des règles d'installation nationales peuvent être différentes.

Si un appareil relevant du domaine d'application de la présente norme comporte également des fonctions couvertes par une autre partie 2 de l'IEC 60335, la partie 2 correspondante est appliquée à chaque fonction séparément, dans la limite du raisonnable. Si cela s'applique, l'influence d'une fonction sur les autres fonctions est prise en compte.

Lorsqu'une partie 2 ne comporte pas d'exigences complémentaires pour couvrir les risques traités dans la Partie 1, la Partie 1 s'applique.

NOTE 1 Cela signifie que les comités d'études responsables pour les parties 2 ont déterminé qu'il n'était pas nécessaire de spécifier des exigences particulières pour l'appareil en question en plus des exigences générales.

La présente norme est une norme de famille de produits traitant de la sécurité d'appareils et a préséance sur les normes horizontales et génériques couvrant le même sujet.

NOTE 2 Les publications horizontales, les publications fondamentales de sécurité et les publications groupées de sécurité couvrant un danger ne s'appliquent pas, parce qu'elles ont été prises en considération lorsque les exigences générales et particulières ont été étudiées pour la série de normes IEC 60335.

NOTE 3 Les normes traitant des aspects non relatifs à la sécurité des appareils électrodomestiques sont:

- les normes IEC publiées par le comité d'études 59 concernant les méthodes de mesure de l'aptitude à la fonction;
- les normes CISPR 11 et CISPR 14-1 et les normes applicables de la série IEC 61000-3 concernant les émissions électromagnétiques;
- la norme CISPR 14-2 concernant l'immunité électromagnétique;
- les normes IEC publiées par le comité d'études 111 concernant l'environnement.

Un appareil conforme au texte de la présente norme ne sera pas nécessairement jugé conforme aux principes de sécurité de la norme si, lorsqu'il est examiné et soumis aux essais, il apparaît qu'il présente d'autres caractéristiques qui compromettent le niveau de sécurité visé par ces exigences.

Un appareil utilisant des matériaux ou présentant des modes de construction différents de ceux décrits dans les exigences de la présente norme peut être examiné et soumis aux essais en fonction de l'objectif poursuivi par ces exigences et, s'il est jugé pratiquement équivalent, il peut être estimé conforme aux principes de sécurité de la présente norme.

## APPAREILS ÉLECTRODOMESTIQUES ET ANALOGUES – SÉCURITÉ –

### Partie 2-118: Exigences particulières pour les fabriques de crème glacée à usage commercial

#### 1 Domaine d'application

L'article de la Partie 1 est remplacé par le texte suivant.

La présente partie de l'IEC 60335 traite de la sécurité des appareils qui permettent de fabriquer de la crème glacée et des glaces artisanales et qui sont exclusivement utilisés par des professionnels.

Les fabriques de crème glacée à usage commercial sont utilisées dans des environnements commerciaux, tels que des restaurants, hôtels, supermarchés ou magasins, ainsi que dans les espaces de préparation des bars, boulangeries, glaciers, unités de restauration collective et autres environnements professionnels analogues.

Les appareils dont il est question sont ceux destinés à un usage commercial et analogues non destinés à un usage domestique normal, mais qui peuvent néanmoins constituer une source de danger pour le public, tels que les appareils destinés à être utilisés par des personnes inexpérimentées dans les ateliers ou les magasins, par les artisans ou sur des exploitations agricoles, dont la **tension assignée** ne dépasse pas 250 V pour les appareils monophasés et 480 V pour les autres appareils.

Les appareils couverts par la présente norme sont équipés d'un groupe de condensation frigorifique qui est habituellement incorporé, mais cela peut ne pas être le cas pour certains appareils.

Dans la mesure du possible, la présente norme traite des dangers courants que présentent ces types d'appareils, y compris ceux qui utilisent des **fluides frigorigènes inflammables** et ceux qui utilisent le fluide frigorigène R-744.

La présente norme ne s'applique pas aux appareils dont la masse de **fluide frigorigène inflammable** dépasse les limites spécifiées au 22.112 ni aux appareils qui utilisent des fluides frigorigènes de classification de toxicité B selon l'ISO 817.

Elle ne traite pas des caractéristiques de construction et de fonctionnement d'appareils de réfrigération qui font l'objet de normes ISO.

La présente norme s'applique également aux types d'appareils suivants:

- les mélangeurs pour la fabrication de crème glacée et de produits pâtissiers similaires dans lesquels, pour la préparation du produit, un procédé de chauffage est appliqué dans l'appareil avant le procédé de refroidissement;
- les appareils pour le stockage du mélange de crème à fouetter dans un réservoir réfrigéré et pour le fouettage de la crème avant le procédé de livraison;
- les congélateurs conçus pour produire de la crème glacée molle et la distribuer directement dans des récipients;
- les machines à glace à l'italienne;
- les congélateurs distributeurs par lots.

L'attention est attirée sur le fait que:

- des pays peuvent avoir des exigences supplémentaires pour les appareils qui comportent des récipients sous pression;
- dans de nombreux pays, des exigences supplémentaires sont spécifiées par les organismes nationaux de la santé, par les organismes nationaux responsables de la protection des travailleurs, par les organismes nationaux responsables de l'alimentation en eau et par des organismes similaires;
- pour les appareils ou parties d'appareils destinés à être utilisés en extérieur, des exigences supplémentaires peuvent être nécessaires.

La présente norme ne s'applique pas:

- aux systèmes blocs dont la **charge de fluide frigorigène inflammable** dépasse 150 g dans un quelconque **circuit de réfrigération**;
- aux sorbetières destinées à un usage domestique (IEC 60335-2-24);
- aux appareils prévus exclusivement pour des usages industriels;
- aux appareils destinés à être utilisés dans des locaux qui présentent des conditions particulières, telles que la présence d'une atmosphère corrosive ou explosive (poussière, vapeur ou gaz).

## 2 Références normatives

L'article de la Partie 1 s'applique, avec les exceptions suivantes.

*Addition:*

IEC 60079 (toutes les parties), *Atmosphères explosives*

IEC 60079-1:2014, *Atmosphères explosives – Partie 1: Protection du matériel par enveloppes antidiéflagrantes "d"*

IEC 60079-7:2015, *Atmosphères explosives – Partie 7: Protection du matériel par sécurité augmentée "e"*

IEC 60079-15:2017, *Atmosphères explosives – Partie 15: Protection du matériel par mode de protection "n"*

IEC 60079-29-1:2016, *Atmosphères explosives – Partie 29-1: DéTECTeurs de gaz – Exigences d'aptitude à la fonction des détecteurs de gaz inflammables*

IEC 60079-29-1:2016/AMD1:2020

IEC 60335-2-34:2024, *Appareils électrodomestiques et analogues – Sécurité – Partie 2-34: Exigences particulières pour les motocompresseurs*

IEC 60335-2-40:2024, *Appareils électrodomestiques et analogues – Sécurité – Partie 2-40: Exigences particulières pour les pompes à chaleur électriques, les climatiseurs et les déshumidificateurs*

IEC 60730-2-6:2015, *Dispositifs de commande électrique automatiques – Partie 2-6: Exigences particulières pour les dispositifs de commande électrique automatiques sensibles à la pression y compris les exigences mécaniques*  
IEC 60730-2-6:2015/AMD1:2019

IEC 60730 (toutes les parties), *Dispositifs de commande électrique automatiques*

IEC 60851-4, *Fils de bobinage – Méthodes d'essai – Partie 4: Propriétés chimiques*

IEC 60947-5-1:2024, *Appareillage à basse tension – Partie 5-1: Appareils et éléments de commutation pour circuits de commande – Appareils électromécaniques pour circuits de commande*

ISO 817, *Fluides frigorigènes – Désignation et classification de sécurité*

ISO 4126-2:2018, *Dispositifs de sécurité pour protection contre les pressions excessives – Partie 2: Dispositifs de sûreté à disque de rupture*

ISO 5149-1, *Systèmes frigorifiques et pompes à chaleur – Exigences de sécurité et d'environnement – Partie 1: Définitions, classification et critères de choix*

ISO 7010:2019, *Symboles graphiques – Couleurs de sécurité et signaux de sécurité – Signaux de sécurité enregistrés*

ISO 14903, *Systèmes de réfrigération et pompes à chaleur – Qualification de l'étanchéité des composants et des joints*

*Modification:*

Remplacer

IEC 60598-1:2014, *Luminaires – Partie 1: Exigences générales et essais*  
IEC 60598-1:2014/AMD1:2017

par

IEC 60598-1:2020, *Luminaires – Partie 1: Exigences générales et essais*