



IEC 60809

Edition 4.0 2021-04

INTERNATIONAL STANDARD



Lamps and light sources for road vehicles – Dimensional, electrical and luminous requirements

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.140.20; 43.040.20

ISBN 978-2-8322-9634-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	8
1 Scope.....	10
2 Normative references	10
3 Terms and definitions	12
4 Requirements and test conditions for filament lamps	15
4.1 General requirements	15
4.2 Lamp marking	15
4.3 Bulbs	15
4.4 Colour.....	15
4.4.1 Colour of light.....	15
4.4.2 Colour endurance	17
4.4.3 Coated bulb	17
4.5 Lamp dimensions	17
4.6 Caps and bases	18
4.7 Initial electrical and luminous requirements.....	18
4.8 Check on optical quality	18
4.8.1 General	18
4.8.2 12 V lamps emitting white light	18
4.8.3 6 V and 24 V lamps emitting white light	18
4.8.4 Lamps emitting selective-yellow light	19
4.9 UV radiation.....	19
4.10 Standard (étalon) filament lamps	19
4.11 Non-replaceable filament lamps	20
4.11.1 General	20
4.11.2 Fixation	21
4.11.3 Lifetime	21
4.11.4 Colour endurance	22
4.11.5 Luminous flux and colour maintenance	22
4.11.6 Vibration and shock resistance	22
5 Requirements and test conditions for discharge lamps	22
5.1 General requirements	22
5.2 Lamp marking	22
5.3 Bulbs	23
5.4 Caps.....	23
5.5 Position and dimensions of electrodes, arc and black stripes	23
5.5.1 Measurements.....	23
5.5.2 Electrodes	23
5.5.3 Arc	23
5.5.4 Black stripes.....	23
5.6 Starting, run-up and hot-restrike characteristics	24
5.6.1 Starting.....	24
5.6.2 Run-up	24
5.6.3 Hot-restrike.....	24
5.6.4 Compliance	24
5.7 Electrical and photometric characteristics	25
5.7.1 Voltage and wattage	25
5.7.2 Luminous flux	25

5.7.3	Compliance	25
5.8	Colour.....	25
5.9	UV radiation.....	26
5.10	Standard (étalon) discharge lamps.....	27
6	Requirements and test conditions for LED light sources	27
6.1	General requirements	27
6.2	Light source marking.....	27
6.3	Optical surfaces	27
6.4	Colour of light	27
6.5	Lamp dimensions	27
6.6	Caps and bases	28
6.7	Initial electrical and photometrical requirements.....	28
6.8	Red content	28
6.9	UV radiation.....	29
6.10	Standard (étalon) light sources	29
7	Sampling and conditions of compliance	29
8	Lamp data sheets	29
8.1	General.....	29
8.2	List of specific lamp types	30
8.3	Data sheets not transferred to UN R.E.5	34
Annex A	(normative) Filament shape, length and position	54
A.1	General.....	54
A.2	Filaments shown as points	54
A.3	Line filaments	54
A.4	Coiled-coil filaments.....	54
A.5	Extreme filament turns	54
A.6	Filament extremities.....	54
A.6.1	General	54
A.6.2	Axial filaments	54
A.6.3	Transverse filaments	54
A.7	Determination of filament length.....	55
A.8	Filament offsets	55
A.9	Lateral deviation	55
A.10	Filament location check system (box system).....	55
Annex B	(normative) Measurement method of the colour of filament lamps	58
B.1	General.....	58
B.2	Colour.....	58
B.3	Measuring directions.....	58
B.3.1	General	58
B.3.2	Filament lamps used in headlamps	58
B.3.3	Filament lamps used in light signalling devices	59
Annex C	(normative) Test conditions for electrical and luminous characteristics	60
C.1	Filament lamps	60
C.1.1	Ageing	60
C.1.2	Test conditions	60
C.1.3	Electrical instrumentation	60
C.1.4	Photometry	60
C.2	LED light sources.....	60

C.2.1	Test conditions	60
C.2.2	Luminous flux	60
C.2.3	Normalized luminous intensity	61
C.2.4	Colour	61
C.2.5	Power consumption	61
C.2.6	Luminous flux and colour at elevated temperature	62
Annex D (normative) Measurement method of internal elements of R2 lamps		65
D.1	General test conditions	65
D.1.1	Measurement position.....	65
D.1.2	Ageing	65
D.1.3	Test conditions	65
D.2	Reference axis, reference plane and planes for measurements.....	65
D.2.1	Reference axis	65
D.2.2	Reference plane	65
D.2.3	Plane V-V	65
D.2.4	Plane H-H.....	65
D.2.5	Plane X-X	65
D.2.6	Plane Y1-Y1	65
D.2.7	Plane Y2-Y2	65
D.3	Viewing directions (see Figure D.1).....	66
D.3.1	Viewing direction ①	66
D.3.2	Viewing direction ②	66
D.3.3	Viewing direction ③	66
D.4	Measuring points (MP)	66
D.5	Dimensions to be measured.....	67
Annex E (normative) Measurement method of internal elements of H4 and HS1 lamps		70
E.1	General test conditions	70
E.1.1	Measurement position.....	70
E.1.2	Ageing	70
E.1.3	Test conditions	70
E.2	Reference axis, reference plane and planes for measurement	70
E.2.1	Reference axis	70
E.2.2	Reference plane	70
E.2.3	Plane V-V	70
E.2.4	Plane H-H.....	70
E.2.5	Plane X-X	70
E.2.6	Plane Y1-Y1	70
E.2.7	Plane Y2-Y2	71
E.2.8	Plane Y3-Y3	71
E.2.9	Plane Y4-Y4	71
E.2.10	Plane Y5-Y5	71
E.3	Viewing directions (see Figure E.1).....	71
E.3.1	Viewing direction ①	71
E.3.2	Viewing direction ②	71
E.3.3	Viewing direction ③	71
E.3.4	Viewing direction ④	71
E.4	Measuring points (MP)	71
E.4.1	General	71

E.4.2	Shield and filaments (see Figure E.2)	72
E.4.3	Top obscuration (see Figure E.3).....	72
E.5	Dimensions to be measured	72
Annex F (normative)	Measurement method of internal elements of HB1 lamps	77
F.1	General test conditions	77
F.1.1	Measurement position.....	77
F.1.2	Ageing	77
F.1.3	Test conditions	77
F.2	Dipped-beam filament location	77
F.2.1	Horizontal location	77
F.2.2	Vertical location	77
F.2.3	Axial location	77
F.3	Main-beam filament location	77
F.3.1	Horizontal location	77
F.3.2	Vertical location	77
F.3.3	Axial location	78
Annex G (informative)	Optical set-up for the measurement of the position and form of the arc and of the position of the electrodes of discharge lamps	79
Annex H (normative)	Measurement method of electrical and photometric characteristics of discharge lamps	80
H.1	General.....	80
H.2	Ballast	80
H.3	Burning position	80
H.4	Ageing	80
H.5	Supply voltage	80
H.6	Starting test	80
H.7	Run-up test	80
H.8	Hot restrike test	80
H.9	Electrical and photometric test	81
H.10	Colour.....	81
Annex I (informative)	Overview of lamp types and their applications	82
Annex J (normative)	Test conditions for colour endurance measurements	85
J.1	General.....	85
J.2	Calibration and ageing	85
J.3	Test voltage	86
J.4	Operating position.....	86
J.5	Test rack.....	86
J.6	Operating cycles	86
J.7	Closure	89
Annex K (informative)	Method(s) to determine the value of the light centre length for Lx3A, Lx3B, Lx4A, Lx4B, Lx5A, Lx5B, L1A/6 and L1B/6	90
K.1	Measurement and calculation method based on ray tracing	90
K.2	Alternative method.....	91
Annex L (informative)	Method to determine the maximum luminance gradient of LED light sources	92
L.1	Measuring the luminance	92
L.2	Calculating the maximum luminance gradient.....	92
Bibliography	94

Figure A.1 – Determination of apexes, filament length and filament offsets (A and B).....	56
Figure A.2 – Determination of filament centre.....	56
Figure A.3 – Determination of lateral deviations (A and B) and tolerance on the light centre length (C)	57
Figure B.1 – Positions of the colorimetric receiver when measuring lamps used in headlamps	59
Figure B.2 – Positions of the colorimetric receiver when measuring lamps used in light signalling devices	59
Figure C.1 – Schematic representation of the set-up to measure the luminous flux and colour at elevated temperature	63
Figure C.2 – Schematic representation of the set-up to measure the luminous flux and colour at elevated temperature	64
Figure D.1 – Viewing directions, seen from the top of the lamp	68
Figure D.2 – Position of measuring points of R2 lamps	69
Figure E.1 – Viewing directions, seen from the top of the lamp	74
Figure E.2 – Position of measuring points of H4, H17, H19 and HS1 lamps	75
Figure E.3 – Top obscuration	76
Figure F.1 – Side view, view from ③ ^{ab}	78
Figure F.2 – Plan view, view from ④ ^a	78
Figure G.1 – Optical system.....	79
Figure J.1 – Side view of box	86
Figure J.2 – Front view of box.....	86
Figure J.3 – Temperature in the climate chamber during one operating cycle.....	87
Figure J.4 – Relative humidity in the climate chamber during one operating cycle.....	87
Figure J.5 – Switching modes of filament lamps for intermittent operation during one operating cycle	88
Figure J.6 – Switching modes of filament lamps for intermittent and continuous operation during one operating cycle	88
Figure J.7 – Switching modes of filament lamps for continuous operation during one operating cycle	89
Figure J.8 – Switching modes of filament lamps for intermittent and continuous operation during one operating cycle	89
Figure K.1 – Set-up to measure the luminance distribution of the A versions of the LED light sources	90
Figure K.2 – Set-up to measure the luminance distribution of the B versions of the LED light sources	91
Figure L.1 – Example of a luminance image and the calculated average luminance values $I(x)$	93
Figure L.2 – Example for 1 μm -interpolation and position of maximum luminance gradient	93
Table 1 – Lifetime of non-replaceable light sources used in devices (luminaires)	21
Table 2 – Spectral weighting function.....	26
Table 3 – List of specific lamp types	30
Table C.1 – Luminous flux tolerance limits.....	61
Table D.1 – Dimensions to be measured for R2 lamps	67
Table E.1 – Dimensions to be measured for H4, H17, H19 and HS1 lamps	73

Table I.1 – Overview of lamp types and their applications 82

Table J.1 – Applicable switching modes 85

Table J.2 – Applicable boxes of the test racks 85

Table J.3 – Dimensions of the applicable boxes and the relative position of the centre
of the filament..... 86

Table J.4 – Timing during one operating cycle 87

Table J.5 – Switching modes of the filament lamps 88

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LAMPS AND LIGHT SOURCES FOR ROAD VEHICLES – DIMENSIONAL, ELECTRICAL AND LUMINOUS REQUIREMENTS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60809 has been prepared by subcommittee 34A: Electric light sources, of IEC technical committee 34: Lighting. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2014, Amendment 1:2017, Amendment 2:2017 and Amendment 3:2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Introduction of a light technical measurement on LED light sources intended for use in front-lighting applications.
- b) As the original data sheets and some figures from previous editions were not available in an editable format, they have been reproduced from their old format, following the current drafting rules and are now in single language format. Some reproductions constitute minor (obvious) editorial changes of the original text sections and original figures; no technical changes were introduced.

The text of this International Standard is based on the following documents:

Draft	Report on voting
34A/2232/FDIS	34A/2235/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

LAMPS AND LIGHT SOURCES FOR ROAD VEHICLES – DIMENSIONAL, ELECTRICAL AND LUMINOUS REQUIREMENTS

1 Scope

This document is applicable to electric light sources (see Note 1) for use in automotive applications, for example in road illumination devices and/or light signalling devices for road vehicles.

It is especially applicable to light sources listed in UN Resolution R.E.5 and light sources subject to other legislations.

This document specifies the technical requirements for interchangeability for example dimensional, electrical and photometrical characteristics, and includes test methods.

For the light sources listed in this document, the data sheets are contained either in this document or are included by reference to UN Resolution R.E.5.

Performance requirements are specified in IEC 60810, for example life, torsion strength, resistance to vibration and shock.

The requirements for miniature light sources for supplementary purposes, not subject to legislation, are specified in IEC 60983.

NOTE 1 The terms "lamp" and "light source" are both used in this document to mean the same product, so the two terms are interchangeable throughout this document.

NOTE 2 In various vocabularies and standards, different terms are used for "incandescent lamp" (IEC 60050-845:1987, 845-07-04), "discharge lamp" (IEC 60050-845:1987, 845-07-17) and "LED lamp". In this document "filament lamp", "discharge lamp" and "LED light source" are used, however, where only "lamp" or "light source" is written, all light sources, independent of the technology used, are meant, unless the context clearly shows that it applies to one kind of technology only. In the UN Regulations, the word "light source" is used for the products specified in this document.

NOTE 3 Wherever the term "device" is used, it is meant to designate equipment which is used as a luminaire. It can for instance take the form and purpose of a headlight or signal light.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-845, *International Electrotechnical Vocabulary – Part 845: Lighting* (available at <http://www.electropedia.org/>)

IEC 60051-1, *Direct acting indicating analogue electrical measuring instruments and their accessories – Part 1: Definitions and general requirements common to all parts*

IEC 60061-1, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 1: Lamp caps* (available at <http://std.iec.ch/iec60061>)

IEC 60810:2017, *Lamps, light sources and LED packages for road vehicles – Performance requirements*
IEC 60810:2017/AMD1:2019

CIE 015:2018, *Colorimetry*

United Nations, Vehicle Regulations – 1958 Agreement, *Agreement concerning the Adoption of Harmonized Technical United Nations Regulations for Wheeled Vehicles, Equipment and Parts which can be Fitted and/or be Used on Wheeled Vehicles and the Conditions for Reciprocal Recognition of Approvals Granted on the Basis of these United Nations Regulations (Revision 3)*¹

Available at: www.unece.org/trans/main/wp29/wp29regs.html (website checked 2021-01-18)

Addendum 3: Regulation No. 4, *Uniform provisions concerning the approval of devices for the illumination of rear registration plates of power-driven vehicles and their trailers*

Addendum 5: Regulation No. 6, *Uniform provisions concerning the approval of direction indicators for power-driven vehicles and their trailers*

Addendum 6: Regulation No. 7, *Uniform provisions concerning the approval of front and rear position lamps, stop-lamps and end-outline marker lamps for motor vehicles and their trailers*

Addendum 22: Regulation No. 23, *Uniform provisions concerning the approval of reversing and manoeuvring lamps for power-driven vehicles and their trailers*

Addendum 36: Regulation No. 37, *Uniform provisions concerning the approval of filament lamps for use in approved lamp units of power-driven vehicles and of their trailers*

Addendum 37: Regulation No. 38, *Uniform provisions concerning the approval of rear fog lamps for power-driven vehicles and their trailers*

Addendum 47: Regulation No. 48, *Uniform provisions concerning the approval of vehicles with regard to the installation of lighting and light-signalling devices*

Addendum 49: Regulation No. 50, *Uniform provisions concerning the approval of front position lamps, rear position lamps, stop lamps, direction indicators and rear-registration-plate illuminating devices for vehicles of category L*

Addendum 76: Regulation No. 77, *Uniform provisions concerning the approval of parking lamps for power-driven vehicles*

Addendum 86: Regulation No. 87, *Uniform provisions concerning the approval of daytime running lamps for power-driven vehicles*

Addendum 90: Regulation No. 91, *Uniform provisions concerning the approval of side-marker lamps for motor vehicles and their trailers*

Addendum 98: Regulation No. 99, *Uniform provisions concerning the approval of gas-discharge light sources for use in approved gas-discharge lamp units of power-driven vehicles*

Addendum 100: Regulation No. 101, *Uniform provisions concerning the approval of passenger cars powered by an internal combustion engine only, or powered by a hybrid electric power train with regard to the measurement of the emission of carbon dioxide and fuel consumption and/or the measurement of electric energy consumption and electric range, and of categories M_1 and N_1 vehicles powered by an electric power train only with regard to the measurement of electric energy consumption and electric range*

Addendum 118: Regulation No. 119, *Uniform provisions concerning the approval of cornering lamps for power-driven vehicles*

Addendum 127: Regulation No. 128, *Uniform provisions concerning the approval of light emitting diode (LED) light sources for use in approved lamp units on power-driven vehicles and their trailers*

Addendum 147: Regulation No. 148, *Uniform provisions concerning the approval of light-signalling devices (lamps) for power-driven vehicles and their trailers*

¹ Also known as *The 1958 Agreement*. In the text of this document the regulations under this agreement are referred to as, for example, UN Regulation 37 or R 37.

Addendum 148: Regulation No. 149, *Uniform provisions concerning the approval of road illumination devices (lamps) and systems for power-driven vehicles*

R.E.5, United Nations Consolidated Resolution on the common specification of light source categories (R.E.5)

R.E.5 is published by UNECE under the reference ECE/TRANS/WP.29/1127 and is available at the following address (website checked on 2021-01-18):
<http://www.unece.org/trans/main/wp29/wp29wgs/wp29gen/wp29resolutions.html>