

Edition 3.0 2025-02 REDLINE VERSION

INTERNATIONAL STANDARD

Plugs and socket-outlets for household and similar purposes – Part 2-2: Particular requirements for socket-outlets for appliances

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.120.30 ISBN 978-2-8327-0261-1

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOR	REWORD	4
1	Scope	6
2	Normative references	6
3	Terms and definitions	7
4	General requirements	7
5	General notes remarks on tests	7
6	Ratings	8
7	Classification	8
8	Marking	8
9	Checking of dimensions	8
10	Protection against electric shock	8
11	Provision for earthing	8
12	Terminals and terminations	8
13	Construction of fixed socket-outlets	10
14	Construction of plugs and portable socket-outlets	10
15	Interlocked socket-outlets	10
16	Resistance to ageing, protection provided by enclosures, and resistance to humidity	10
17	Insulation resistance and electric strength	10
18	Operation of earthing contacts	11
19	Temperature rise	11
20	Breaking capacity	11
21	Normal operation	11
22	Force necessary to withdraw the plug	11
23	Flexible cables and their connection	11
24	Mechanical strength	11
25	Resistance to heat	13
26	Screws, current-carrying parts and connections	13
27	Creepage distances, clearances and distances through sealing compound	13
28	Resistance of insulating material to abnormal heat, to fire and to tracking	13
29	Resistance to rusting	13
30	Additional tests on pins provided with insulating sleeves	13
31	EMC requirements	13
32	Electromagnetic fields (EMF) requirements	13
Ann	exes	14
	ex A (normative) Safety-related routine tests for factory-wired portable essories (protection against electric shock and correct polarity)	14
Ann	ex B (informative) Alternative gripping tests	14
Ann	ex C (normative) Switches incorporated in portable socket-outlets	14
	ex I (normative) Additional requirements and tests for plugs and socket-outlets for I-load (HL) application	14

Table 101 – Forces to be applied to tabs9

IEC 60884-2-2:2025 RLV © IEC 2025 - 3 -

Table 102 – Relationship between tab size and rated current	10
Table 103 – Relationship between height of fall of pendulum and spring hammer	
energy	12

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PLUGS AND SOCKET-OUTLETS FOR HOUSEHOLD AND SIMILAR PURPOSES –

Part 2-2: Particular requirements for socket-outlets for appliances

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

This redline version of the official IEC Standard allows the user to identify the changes made to the previous edition IEC 60884-2-2:2006. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

IEC 60884-2-2 has been prepared by subcommittee 23B: Plugs, socket-outlets and switches, of IEC technical committee 23: Electrical accessories. It is an International Standard.

This third edition cancels and replaces the second edition published in 2006. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) alignment to IEC 60884-1 fourth edition.

The text of this International Standard is based on the following documents:

Draft	Report on voting
23B/1544/FDIS	23B/1559/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This document is to be used in conjunction with IEC 60884-1:2022.

This document supplements or modifies the corresponding clauses in IEC 60884-1:2022, so as to convert that publication into the IEC standard: Particular requirements for socket-outlets for appliances.

When a particular subclause of IEC 60884-1:2022 is mentioned in this document, that subclause applies as far as reasonable. Where this document states "addition", "modification" or "replacement", the relevant text of IEC 60884-1:2022 is to be adapted accordingly.

In this document the following print types are used:

- requirements proper: in roman type;
- test specification: in italic type;
- explanatory notes: in small roman type.

Subclauses, notes, figures and tables which are additional to those in IEC 60884-1:2022 are numbered starting from 101.

A list of all parts in the IEC 60884 series, published under the general title *Plugs and socket-outlets for household and similar purposes*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed.
- · withdrawn, or
- revised.

PLUGS AND SOCKET-OUTLETS FOR HOUSEHOLD AND SIMILAR PURPOSES –

Part 2-2: Particular requirements for socket-outlets for appliances

1 Scope

IEC 60884-1:2022, Clause 1 is applicable except as follows.

Replacement of the first paragraph:

This part of IEC 60884 applies to socket-outlets for AC only, with or without earthing contact, with a rated voltage not exceeding 250 V and a rated current not exceeding 16 A, which are integrated or intended to be incorporated in or fixed to appliances, hereafter referred to as socket-outlets for appliances.

Addition after the fourth fifth paragraph (i.e., after the first dashed list):

Socket-outlets for appliances are provided with means for fixing into appropriate mounting boxes, if intended also for use in fixed installations.

Socket-outlets for appliances are intended to be used in stationary equipment and appliances, for example, in office machines, computers, audio-visual and video ICT equipment, range (cooker) hoods, ranges, etc.

If necessary, the use of socket-outlets for appliances is indicated in the standards for the appropriate equipment or appliance.

The temperature around socket-outlets for appliances must not exceed 35 °C.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60884-1:2022, Clause 2 is applicable except as follows.

Addition:

IEC 60068-2-75, Environmental testing - Part 2-75; Tests - Test Eh: Hammer tests

IEC 60884-1:2022, Plugs and socket-outlets for household and similar purposes – Part 1: General requirements

IEC 61210, Connecting devices – Flat quick-connect terminations for electrical copper conductors – Safety requirements



Edition 3.0 2025-02

INTERNATIONAL STANDARD

Plugs and socket-outlets for household and similar purposes – Part 2-2: Particular requirements for socket-outlets for appliances



CONTENTS

FOF	REWORD	4
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
4	General requirements	7
5	General remarks on tests	7
6	Ratings	7
7	Classification	8
8	Marking	8
9	Checking of dimensions	8
10	Protection against electric shock	8
11	Provision for earthing	8
12	Terminals and terminations	8
13	Construction of fixed socket-outlets	10
14	Construction of plugs and portable socket-outlets	10
15	Interlocked socket-outlets	10
16	Resistance to ageing, protection provided by enclosures, and resistance to humidity	10
17	Insulation resistance and electric strength	10
18	Operation of earthing contacts	10
19	Temperature rise	10
20	Breaking capacity	10
21	Normal operation	10
22	Force necessary to withdraw the plug	11
23	Flexible cables and their connection	11
24	Mechanical strength	11
25	Resistance to heat	12
26	Screws, current-carrying parts and connections	12
27	Creepage distances, clearances and distances through sealing compound	12
28	Resistance of insulating material to abnormal heat, to fire and to tracking	13
29	Resistance to rusting	13
30	Additional tests on pins provided with insulating sleeves	13
31	EMC requirements	13
32	Electromagnetic fields (EMF) requirements	13
Ann	exes	14
	ex A (normative) Safety-related routine tests for factory-wired portable essories (protection against electric shock and correct polarity)	14
Ann	ex B (informative) Alternative gripping tests	14
Ann	ex C (normative) Switches incorporated in portable socket-outlets	14
	ex I (normative) Additional requirements and tests for plugs and socket-outlets for i-load (HL) application	14
Tabl	le 101 – Forces to be applied to tabs	9

IEC 60884-2-2:2025 © IEC 2025	- 3 -
-------------------------------	-------

	2	
_	٠.٦	_

Table 102 – Relationship between tab size and rated current	.9
Table 103 – Relationship between height of fall of pendulum and spring hammer	
energy1	12

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PLUGS AND SOCKET-OUTLETS FOR HOUSEHOLD AND SIMILAR PURPOSES –

Part 2-2: Particular requirements for socket-outlets for appliances

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60884-2-2 has been prepared by subcommittee 23B: Plugs, socket-outlets and switches, of IEC technical committee 23: Electrical accessories. It is an International Standard.

This third edition cancels and replaces the second edition published in 2006. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) alignment to IEC 60884-1 fourth edition.

The text of this International Standard is based on the following documents:

Draft	Report on voting
23B/1544/FDIS	23B/1559/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This document is to be used in conjunction with IEC 60884-1:2022.

This document supplements or modifies the corresponding clauses in IEC 60884-1:2022, so as to convert that publication into the IEC standard: Particular requirements for socket-outlets for appliances.

When a particular subclause of IEC 60884-1:2022 is mentioned in this document, that subclause applies as far as reasonable. Where this document states "addition", "modification" or "replacement", the relevant text of IEC 60884-1:2022 is to be adapted accordingly.

In this document the following print types are used:

- requirements proper: in roman type;
- test specification: in italic type;
- explanatory notes: in small roman type.

Subclauses, notes, figures and tables which are additional to those in IEC 60884-1:2022 are numbered starting from 101.

A list of all parts in the IEC 60884 series, published under the general title *Plugs and socket-outlets for household and similar purposes*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- · withdrawn, or
- revised.

PLUGS AND SOCKET-OUTLETS FOR HOUSEHOLD AND SIMILAR PURPOSES –

Part 2-2: Particular requirements for socket-outlets for appliances

1 Scope

IEC 60884-1:2022, Clause 1 is applicable except as follows.

Replacement of the first paragraph:

This part of IEC 60884 applies to socket-outlets for AC only, with or without earthing contact, with a rated voltage not exceeding 250 V and a rated current not exceeding 16 A, which are integrated or intended to be incorporated in or fixed to appliances, hereafter referred to as socket-outlets for appliances.

Addition after the fifth paragraph (i.e., after the first dashed list):

Socket-outlets for appliances are intended to be used in stationary equipment and appliances, for example, in office machines, ICT equipment, range (cooker) hoods, ranges, etc.

If necessary, the use of socket-outlets for appliances is indicated in the standards for the appropriate equipment or appliance.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60884-1:2022, Clause 2 is applicable except as follows.

Addition:

IEC 60884-1:2022, Plugs and socket-outlets for household and similar purposes – Part 1: General requirements

IEC 61210, Connecting devices – Flat quick-connect terminations for electrical copper conductors – Safety requirements