



Edition 2.1 2022-06 CONSOLIDATED VERSION

# INTERNATIONAL STANDARD



HORIZONTAL PUBLICATION

Electrostatics – Part 2-1: Measurement methods – Ability of materials and products to dissipate static electric charge

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 17.220.99; 29.020

ISBN 978-2-8322-3945-2

Warning! Make sure that you obtained this publication from an authorized distributor.





Edition 2.1 2022-06 CONSOLIDATED VERSION

# **REDLINE VERSION**



HORIZONTAL PUBLICATION

Electrostatics – Part 2-1: Measurement methods – Ability of materials and products to dissipate static electric charge



# CONTENTS

FOREWOR	RD	4
INTRODUC	CTION	6
1 Scope	·	7
-	tive references	
3 Terms	and definitions	8
	d of measurement of charge decay	
	Principles	
	Environmental conditions	
	Apparatus for measurement of corona charge decay	
4.3.1	Physical design features	
4.3.2	Containment of test material	
4.3.3	Corona charge deposition	
4.3.4	Fieldmeter	
	Apparatus for measurement of contact charge decay	
4.4.1	Physical design features	
4.4.2	Charge decay time (t <sub>sd</sub> )	
	cal application of test methods and procedures	
-	General	
	Charge decay test for textile materials	
5.2.1	Selection of test method	
5.2.2	Test surface preparation	
5.2.3	Testing	
5.2.4	Results	
5.2.5	Test report	
	Charge decay test via gloves, finger cots or tools	
5.3.1	Selection of test method	
5.3.2	Common steps in testing	
5.3.3	Test procedure for charge decay properties of finger cots as worn	
5.3.4	Test procedure for the charge decay properties of gloves as worn	17
5.3.5	Test report for finger cots or gloves	17
5.3.6	Test procedure for the charge decay properties of tools	17
5.3.7	Test report for tools	
	Null test for CPM	
Annex A (n	ormative) Performance verification of measuring instrumentation	21
A.1 \	/erification of corona charge decay measuring instrumentation	21
A.1.1	Aspects to be verified	21
A.1.2	Surface potential sensitivity verification	21
A.1.3	Decay time verification	21
A.1.4	Verification procedure	21
A.2 I	Methods for verification of the capacitance of an isolated conductive plate	22
A.2.1	General	22
A.2.2	Capacitance meter method	22
A.2.3	Charge measuring method	22
A.2.4	Charge-sharing method	23
Bibliograph	ıy	24

IEC 61340-2-1:2015+AMD1:2022 CSV – 3 – © IEC 2022 Figure 1 – Example of an arrangement for measurement of dissipation of charge using

Figure 1 – Example of an arrangement for measurement of dissipation of charge using corona charging	10
Figure 2 – Example of an arrangement for measurement of dissipation of charge using a charged plate	12
Figure 3 – Charged plate detail	13
Figure 4 – Charge decay time $(t_{sd})$ and offset voltage $(U_0)$	14
Figure 5 – Examples of decay waveforms when testing tools	20
Figure A.1 – Equivalent circuit for CPM and reference capacitor	23

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### **ELECTROSTATICS –**

## Part 2-1: Measurement methods – Ability of materials and products to dissipate static electric charge

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

# This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 61340-2-1 edition 2.1 contains the second edition (2015-08) [documents 101/446/CDV and 101/462/RVC] and its amendment 1 (2022-06) [documents 101/639/CDV and 101/651/RVC].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication. IEC 61340-2-1:2015+AMD1:2022 CSV - 5 - © IEC 2022

International Standard IEC 61340-2-1 has been prepared by IEC technical committee 101: Electrostatics.

This second edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the first edition supported requirements in IEC TR 61340-5-1, but with the revision of IEC TR 61340-5-1 into an International Standard, this support is no longer required; references to IEC 61340-5-1[1]<sup>1</sup> have been removed;
- b) the introduction gives additional information on when charge decay time measurements are appropriate, and the applications for which each of the two test methods are best suited;
- c) procedures for performance verification of measuring instruments for the corona charging method have been added.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

It has the status of a horizontal standard in accordance with IEC Guide 108[3].

A list of all the parts in the IEC 61340 series, published under the general title *Electrostatics*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under <u>webstore.iec.ch</u> in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

<sup>1</sup> Numbers in square brackets refer to the Bibliography.

### INTRODUCTION

Measurements of the rate of dissipation of static charge belong to the essential measurement techniques in the field of electrostatics.

For homogeneous conductive materials, this property can be evaluated indirectly by measuring resistance or resistivity parameters. Care should be exercised when determining the homogeneity of materials, as some materials that appear homogenous do exhibit non-homogeneous electrical characteristics. If the homogeneity of materials is not known and cannot be otherwise verified, it is possible that resistance measurements may will not be reliable or may will not give enough information. It is also possible that resistance measurements may also will not be reliable when evaluating materials in the dissipative or insulative range and especially for high ohmic materials including that include conductive fibres (e.g. textiles with a metallic grid). In such cases, the rate of dissipation of static charge should be measured directly.

IEC 61340-2-1:2015+AMD1:2022 CSV - 7 - © IEC 2022

## **ELECTROSTATICS –**

# Part 2-1: Measurement methods – Ability of materials and products to dissipate static electric charge

### 1 Scope

This part of IEC 61340 describes test methods for measuring the rate of dissipation of static charge of insulating and static dissipative materials and products.

It includes a generic description of test methods and detailed test procedures for specific applications.

The two test methods for measuring charge decay time, one using corona charging and one using a charged metal plate are different and it is possible that they<u>may</u> will not give equivalent results. Nevertheless, each method has a range of applications for which it is best suited. The corona charging method is suitable for evaluating the ability of materials,<u>e.g.</u> for example textiles, packaging,<u>etc.</u>, to dissipate charge from their own surfaces. The charged metal plate method is suitable for evaluating the ability of materials and objects such as gloves, finger cots, hand tools,<u>etc.</u> to dissipate charge from conductive objects placed on or in contact with them. It is possible that the charged plate method<u>may</u> will not be suitable for evaluating the ability of materials.

In addition to its general application, this horizontal standard is also intended for use by technical committees in the preparation of standards in accordance with the principles laid down in IEC Guide 108.

One of the responsibilities of a technical committee is, wherever applicable, to make use of horizontal standards in the preparation of its publications. The contents of this horizontal standard shall not apply unless specifically referred to or included in the relevant publications.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61010-1, Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 1: General requirements

IEC 61010-2-030, Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 2-030: Particular requirements for equipment having testing or measuring circuits

IEC 61340-4-6, *Electrostatics – Part 4-6: Standard test methods for specific applications – Wrist straps* 

IEC 61340-4-7, *Electrostatics – Part 4-7: Standard test methods for specific applications – lonization* 





Edition 2.1 2022-06 CONSOLIDATED VERSION

# **FINAL VERSION**

HORIZONTAL PUBLICATION

Electrostatics – Part 2-1: Measurement methods – Ability of materials and products to dissipate static electric charge



# CONTENTS

FOREWOR	RD	4
INTRODUC	CTION	6
1 Scope	·	7
-	tive references	
3 Terms	and definitions	8
	d of measurement of charge decay	
	Principles	
	Environmental conditions	
	Apparatus for measurement of corona charge decay	
4.3.1	Physical design features	
4.3.2	Containment of test material	
4.3.3	Corona charge deposition	
4.3.4	Fieldmeter	
	Apparatus for measurement of contact charge decay	
4.4.1	Physical design features	
4.4.2	Charge decay time (t <sub>sd</sub> )	
	cal application of test methods and procedures	
-	General	
	Charge decay test for textile materials	
5.2.1	Selection of test method	
5.2.2	Test surface preparation	
5.2.3	Testing	
5.2.4	Results	
5.2.5	Test report	
	Charge decay test via gloves, finger cots or tools	
5.3.1	Selection of test method	
5.3.2	Common steps in testing	
5.3.3	Test procedure for charge decay properties of finger cots as worn	
5.3.4	Test procedure for the charge decay properties of gloves as worn	17
5.3.5	Test report for finger cots or gloves	17
5.3.6	Test procedure for the charge decay properties of tools	17
5.3.7	Test report for tools	
	Null test for CPM	
Annex A (n	ormative) Performance verification of measuring instrumentation	21
A.1 \	/erification of corona charge decay measuring instrumentation	21
A.1.1	Aspects to be verified	21
A.1.2	Surface potential sensitivity verification	21
A.1.3	Decay time verification	21
A.1.4	Verification procedure	21
A.2 I	Methods for verification of the capacitance of an isolated conductive plate	22
A.2.1	General	22
A.2.2	Capacitance meter method	22
A.2.3	Charge measuring method	22
A.2.4	Charge-sharing method	23
Bibliograph	ıy	24

IEC 61340-2-1:2015+AMD1:2022 CSV - 3 -© IEC 2022 Figure 1 – Example of an arrangement for measurement of dissipation of charge using

corona charging		 1	0
Figure 2 – Example of an arrangement for measurement of a charged plate			2
Figure 3 – Charged plate detail		 1	3
Figure 4 – Charge decay time ( $t_{sd}$ ) and offset voltage ( $U_0$	)	 1	4
Figure 5 – Examples of decay waveforms when testing too	ols	 2	0
Figure A.1 – Equivalent circuit for CPM and reference cap	acitor	 2	3

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

### **ELECTROSTATICS –**

## Part 2-1: Measurement methods – Ability of materials and products to dissipate static electric charge

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

# This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 61340-2-1 edition 2.1 contains the second edition (2015-08) [documents 101/446/CDV and 101/462/RVC] and its amendment 1 (2022-06) [documents 101/639/CDV and 101/651/RVC].

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

IEC 61340-2-1:2015+AMD1:2022 CSV - 5 - © IEC 2022

International Standard IEC 61340-2-1 has been prepared by IEC technical committee 101: Electrostatics.

This second edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the first edition supported requirements in IEC TR 61340-5-1, but with the revision of IEC TR 61340-5-1 into an International Standard, this support is no longer required; references to IEC 61340-5-1[1]<sup>1</sup> have been removed;
- b) the introduction gives additional information on when charge decay time measurements are appropriate, and the applications for which each of the two test methods are best suited;
- c) procedures for performance verification of measuring instruments for the corona charging method have been added.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

It has the status of a horizontal standard in accordance with IEC Guide 108[3].

A list of all the parts in the IEC 61340 series, published under the general title *Electrostatics*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under <u>webstore.iec.ch</u> in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

<sup>1</sup> Numbers in square brackets refer to the Bibliography.

### INTRODUCTION

Measurements of the rate of dissipation of static charge belong to the essential measurement techniques in the field of electrostatics.

For homogeneous conductive materials, this property can be evaluated indirectly by measuring resistance or resistivity parameters. Care should be exercised when determining the homogeneity of materials, as some materials that appear homogeneous do exhibit non-homogeneous electrical characteristics. If the homogeneity of materials is not known and cannot be otherwise verified, it is possible that resistance measurements will not be reliable or will not give enough information. It is also possible that resistance measurements will not be reliable when evaluating materials in the dissipative or insulative range and especially for high ohmic materials that include conductive fibres (e.g. textiles with a metallic grid). In such cases, the rate of dissipation of static charge should be measured directly.

IEC 61340-2-1:2015+AMD1:2022 CSV - 7 - © IEC 2022

## **ELECTROSTATICS –**

# Part 2-1: Measurement methods – Ability of materials and products to dissipate static electric charge

### 1 Scope

This part of IEC 61340 describes test methods for measuring the rate of dissipation of static charge of insulating and static dissipative materials and products.

It includes a generic description of test methods and detailed test procedures for specific applications.

The two test methods for measuring charge decay time, one using corona charging and one using a charged metal plate are different and it is possible that they will not give equivalent results. Nevertheless, each method has a range of applications for which it is best suited. The corona charging method is suitable for evaluating the ability of materials, for example textiles, packaging, to dissipate charge from their own surfaces. The charged metal plate method is suitable for evaluating the ability of materials and objects such as gloves, finger cots, hand tools, to dissipate charge from conductive objects placed on or in contact with them. It is possible that the charged plate method will not be suitable for evaluating the ability of materials to dissipate charge from their own surfaces.

In addition to its general application, this horizontal standard is also intended for use by technical committees in the preparation of standards in accordance with the principles laid down in IEC Guide 108.

One of the responsibilities of a technical committee is, wherever applicable, to make use of horizontal standards in the preparation of its publications. The contents of this horizontal standard shall not apply unless specifically referred to or included in the relevant publications.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61010-1, Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 1: General requirements

IEC 61010-2-030, Safety requirements for electrical equipment for measurement, control, and laboratory use – Part 2-030: Particular requirements for equipment having testing or measuring circuits

IEC 61340-4-6, *Electrostatics – Part 4-6: Standard test methods for specific applications – Wrist straps* 

IEC 61340-4-7, *Electrostatics – Part 4-7: Standard test methods for specific applications – lonization*