IEC 61636-99

Edition 1.0 2016-11

INTERNATIONAL STANDARD

IEEE Std 1636.99™

Software Interface for Maintenance Information Collection and Analysis (SIMICA): Common Information Elements

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.01; 35.060

ISBN 978-2-8322-3685-7

Contents

SOFTWARE INTERFACE FOR MAINTENANCE INFORMATION COLLECTION AND ANALYSIS (SIMICA): COMMON INFORMATION ELEMENTS

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation.

   IEEE Standards documents are developed within IEEE Societies and Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of IEEE and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards. Use of IEEE Standards documents is wholly voluntary. IEEE documents are made available for use subject to important notices and legal disclaimers (see http://standards.ieee.org/IPR/disclaimers.html for more information).

   IEC collaborates closely with IEEE in accordance with conditions determined by agreement between the two organizations.

2) The formal decisions of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees. The formal decisions of IEEE on technical matters, once consensus within IEEE Societies and Standards Coordinating Committees has been reached, is determined by a balanced ballot of materially interested parties who indicate interest in reviewing the proposed standard. Final approval of the IEEE standards document is given by the IEEE Standards Association (IEEE-SA) Standards Board.

3) IEC/IEEE Publications have the form of recommendations for international use and are accepted by IEC National Committees/IEEE Societies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC/IEEE Publications is accurate, IEC or IEEE cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.

4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications (including IEC/IEEE Publications) transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC/IEEE Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

5) IEC and IEEE do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC and IEEE are not responsible for any services carried out by independent certification bodies.

6) All users should ensure that they have the latest edition of this publication.

7) No liability shall attach to IEC or IEEE or their directors, employees, servants or agents including individual experts and members of technical committees and IEC National Committees, or volunteers of IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board, for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC/IEEE Publication or any other IEC or IEEE Publications.

8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

9) Attention is drawn to the possibility that implementation of this IEC/IEEE Publication may require use of material covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. IEC or IEEE shall not be held responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

International Standard IEC 61636-99/IEEE Std 1636.99 has been processed through IEC technical committee 91: Electronics assembly technology, under the IEC/IEEE Dual Logo Agreement.

The text of this standard is based on the following documents:

IEEE Std	FDIS	Report on voting
1636.99 (2013)	91/1361/FDIS	91/1372/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The IEC Technical Committee and IEEE Technical Committee have decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IEEE Standard for Software Interface for Maintenance Information Collection and Analysis (SIMICA): Common Information Elements

Sponsor

IEEE Standards Coordinating Committees on Test and Diagnosis for Electronic Systems (SCC20)

Approved 23 August 2013

IEEE-SA Standards Board

Abstract: This standard is intended to promote and facilitate interoperability between components of SIMICA. The standard defines EXPRESS information models and XML schemas that together define the common information elements supporting these interfaces.

Keywords: automated test system (ATS), eXtensible markup language (XML), IEEE 1636.99™, session information, Software Interface for Maintenance Information Collection and Analysis (SIMICA), test results, XML schema

IEEE Introduction

This introduction is not part of IEEE Std 1636.99™-2013, IEEE Standard for Software Interface for Maintenance Information Collection and Analysis (SIMICA): Common Information Elements.

Maintainers of complex systems require the ability to capture and share historical test and maintenance-related information in a way that supports such activities as performance analysis, post-production product improvement, maintenance process improvement, and diagnostic maturation. Principal stakeholders of this project include but are not limited to maintenance organizations within various Departments/Ministries of Defense, the commercial airlines, the automotive industry, and the telecommunications industry. This standard is being developed as a component of the IEEE 1636™ Software Interface for Maintenance Information Collection and Analysis (SIMICA) project. SIMICA's purpose is to specify a software interface for access, exchange, and analysis of product diagnostic and maintenance information. Maintenance action information provides a subset of the data needed to satisfy SIMICIA requirements.

The use of formal information models will facilitate exchanging historical maintenance information between information systems and analysis tools. The models will facilitate creating open system software architectures for maturing system diagnostics.

The XML schema described in this standard where appropriate utilizes and references components of the IEEE Std 1671™ schema set.

It is anticipated that these schemas will be used throughout industries that utilize diagnostic and maintenance data as an exchange format that can be understood by humans or machines. In order to ensure wide acceptance throughout the user community, the schemas have been designed to encompass a broad range of use cases. To accommodate use cases beyond the released design, the schemas provide means for user extensibility.

Software Interface for Maintenance Information Collection and Analysis (SIMICA): Common Information Elements

1. Overview

1.1 General

This standard, which is a component of the Software Interface for Maintenance Information Collection and Analysis (SIMICA) standard, was developed by the Diagnostic and Maintenance Control Subcommittee of the IEEE Standards Coordinating Committee 20 (SCC20) on Test and Diagnosis for Electronic Systems to provide standard, unambiguous definitions of common SIMICA element semantics, and interrelationships.

This standard specifically describes a set of formal specifications consisting of the logical representation of the information that is common between IEEE Std 1636.1™ and IEEE Std 1636.2™, which may be used during related diagnostic and maintenance processes. The information model contained in this document provides a normative formal specification of the information concepts and precise semantics that support the unambiguous exchange of information between producers and consumers in a platform-independent manner.

The schemas described in this document are intended to be shared by all SIMICA "dot" standards. The Express schema in this standard is based on ISO 10303-11:1994 [B9][1]. The XML schema associated with this standard is based on the W3C eXtensible Markup Language (XML) 1.0 Recommendation [B1][2].

1.2 Application of this documents annexes

This document includes three annexes. Of these three, two are normative (Annex A and Annex B).

Annex A contains the description of each of the XML schema elements and types.

Annex B contains the description of the EXPRESS and EXPRESS-G model elements.

Annex C is informative, and thus is provided strictly as information, for both users and maintainers of this document.

1.3 Scope

The SIMICA family of standards provides an implementation-independent software interfaces to information systems containing data pertinent to the diagnosis and maintenance of complex systems consisting of hardware, software, or any combination thereof. This standard defines EXPRESS information models and XML schemas that together define the common information elements supporting these interfaces.

1.4 Referenced IEEE Standards

SIMICA Common makes reference to IEEE Std 1671™-2010 Annex B.1. This normatively referenced IEEE standard, when utilized, is therefore considered part of the SIMICA definition.

1.5 Application

This standard provides a specification for information shared by SIMICA "dot" standards (e.g., IEEE Std 1636.1, IEEE Std 1636.2). Anticipated users of this standard include the following:

a) System developers

b) System maintainers

c) Reliability, maintainability, and diagnostic analytical applications

1.6 Conventions used in this document

1.6.1 General

In accordance with *IEEE Standards Style Manual* [B3], any schema examples will be shown in `Courier` font. In cases where instance document examples are necessary to depict clearly use of a schema type or element, such examples will also be shown in `Courier` font. When the characters "..." appear in an example, it indicates that the example component is incomplete.

[1] The numbers in brackets correspond to those of the bibliography in Annex C.
[2] W3C is a registered trademark of the World Wide Web Consortium.

All simple types, complex types, attribute groups, and elements will be listed; explanatory information will be provided, along with examples if additional clarification is needed. The explanatory information shall include information on the intended use of the elements and/or attributes where the name of the entity does not clearly indicate its intended use. For elements derived from another source type (e.g., an abstract type), only attributes which extend the source type shall be listed; details regarding the base type shall be listed along with the base type.

When referring to an attribute of an XML element, the convention of *[element]@[attribute]* shall be used. In cases where an attribute name is referred to with no associated element, the attribute name shall be enclosed in single quotes.

In tables that describe XML elements, the column "Use" indicates the occurrence constraints for each element.

a) "Required" indicates that the element shall appear exactly once.

b) "Optional" indicates that the element may appear once or not at all.

c) "1..∞" indicates that the element shall appear at least once and may appear multiple times.

d) "0..∞" indicates that the element may appear multiple times, once, or not at all.

All specifications for the EXPRESS language are given in the `Courier` type font which includes references to entity and attribute names in the supporting text.

This standard uses the vocabulary and definitions of relevant IEEE standards. In case of conflict of definitions, except for those portions quoted from standards, the following precedence shall be observed: 1) Clause 3, and 2) The *IEEE Standards Dictionary Online* [B2][3].

1.6.2 Word usage

In accordance with *the IEEE Standards Style Manual* [B3], the word *shall* is used to indicate mandatory requirements strictly to be followed in order to conform to the standard and from which no deviation is permitted (*shall* equals *is required to*). The use of the word *must* is used only to describe unavoidable situations. The use of the word *will* is only used in statements of fact.

The word *should* is used to indicate that among several possibilities one is recommended as particularly suitable, without mentioning or excluding others (*should* equals *is recommended that*).

The word *may* is used to indicate a course of action permissible within the limits of the standard (*may* equals *is permitted to*).

The word *can* is used for statements of possibility and capability (*can* equals *is able to*).

[3] *IEEE Standards Dictionary Online* subscription is available at:
http://www.ieee.org/portal/innovate/products/standard/standards_dictionary.html

2. Normative references

The following referenced documents are indispensable for the application of this document (i.e., they must be understood and used, so each referenced document is cited in text and its relationship to this document is explained). For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments or corrigenda) applies.

IEEE Std 1636™-2009, IEEE Standard for Software Interface for Maintenance Information Collection and Analysis (SIMICA).[4, 5]

IEEE Std 1671™-2010, IEEE Standard for Automatic Test Markup Language (ATML) for Exchanging Automatic Test Equipment and Test Information via XML.

[4] IEEE publications are available from The Institute of Electrical and Electronics Engineers (http://standards.ieee.org/).
[5] The IEEE standards or products referred to in this clause are trademarks of The Institute of Electrical and Electronics Engineers, Inc.