



IEC 62153-4-15

Edition 2.1 2024-05
CONSOLIDATED VERSION

INTERNATIONAL STANDARD



**Metallic cables and other passive components test methods –
Part 4-15: Electromagnetic compatibility (EMC) related test method for
measuring transfer impedance and screening attenuation or coupling
attenuation with triaxial cell**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.100.10; 33.120.10

ISBN 978-2-8322-8869-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 Physical background.....	10
5 Principle of the test methods	10
5.1 General.....	10
5.2 Transfer impedance	12
5.3 Screening attenuation	12
5.4 Coupling attenuation.....	12
5.5 Tube-in-tube method.....	12
6 Test procedures	12
6.1 General.....	12
6.2 Triaxial cell	12
6.3 Cut-off frequencies, higher-order modes	13
6.4 Test equipment.....	14
6.5 Calibration procedure.....	14
6.6 Test leads and connecting cables to the DUT	15
7 Sample preparation	15
7.1 Coaxial connector or assembly or quasi-coaxial component.....	15
7.2 Balanced or multipin connectors or components	15
7.3 Cable assemblies.....	16
7.4 Other screened devices	17
8 Transfer impedance (short-matched)	17
8.1 General.....	17
8.2 Principle block diagram of transfer impedance	17
8.3 Measuring procedure	18
8.4 Evaluation of test results.....	18
8.5 Test report	18
9 Screening attenuation.....	19
9.1 General.....	19
9.2 Impedance matching.....	19
9.3 Measuring with matched conditions.....	19
9.3.1 Procedure.....	19
9.3.2 Evaluation of test results	19
9.4 Measuring with mismatch.....	20
9.4.1 General	20
9.4.2 Evaluaton of test results	20
9.5 Test report	21
10 Coupling attenuation.....	21
10.1 General.....	21
10.2 Procedure	21
10.2.1 Coupling attenuation with balun	21
10.2.2 Balunless coupling attenuation	22
10.3 Expression of results	22
10.4 Test report	23

Annex A (informative) Principle of the triaxial test procedure	24
A.1 General.....	24
A.2 Transfer impedance	25
A.3 Screening attenuation	25
A.4 Coupling attenuation	26
Annex B (informative) Triaxial cell.....	28
Annex C (normative) Triaxial absorber cell.....	30
C.1 Cut-off frequencies, higher order modes	30
C.2 Absorber	31
C.3 Influence of absorber	33
Annex D (informative) Application of a moveable shorting plane	34
D.1 Coupling transfer function	34
D.2 Effect of the measurement length on the measurement cut-off frequency	35
D.3 Details of the movable shorting plane	35
D.4 Measurement results.....	37
Annex E (informative) Correction in the case that the receiver input impedance R is higher than the characteristic impedance of the outer circuit Z_2	39
E.1 Impedance Z_2 lower than the input impedance of the receiver	39
E.2 Correction	40
Annex F (informative) Test adapter	41
Annex G (informative) Attenuation versus scattering parameter S_{21}	42
Annex H (normative) Coupling attenuation expressed by mixed mode scattering parameter and an envelope line	44
H.1 General.....	44
H.2 Coupling attenuation expressed by mixed mode scattering parameter.....	44
H.3 Envelope line of coupling attenuation	44
Bibliography.....	46
Figure 1 – Definition of Z_T	8
Figure 2 – Principle depiction of the triaxial test setup (tube) to measure transfer impedance and screening attenuation with tube in tube in accordance with IEC 62153-4-7	11
Figure 3 – Principle depiction of the triaxial cell to measure transfer impedance and screening attenuation of connectors or assemblies with tube in tube in accordance with IEC 62153-4-7	11
Figure 4 – Rectangular waveguide	13
Figure 5 – Preparation of balanced or multipin connectors for transfer impedance and screening attenuation	16
Figure 6 – Preparation of balanced or multipin connectors for coupling attenuation measurement.....	16
Figure 7 – Test setup (principle) for transfer impedance measurement in accordance with test method B of IEC 62153-4-3.....	17
Figure 8 – Principle test setup for balunless coupling attenuation measurement according to IEC 62153-4-9	22
Figure A.1 – Principle test setup to measure transfer impedance and screening attenuation.....	24
Figure A.2 – Equivalent circuit of the principle of the test setup in Figure A.1.....	25
Figure A.3 – Coupling attenuation, principle of test setup with balun and standard tube.....	26

Figure A.4 – Coupling attenuation, principle of setup with multiport VNA and standard head	27
Figure B.1 – Principle depiction of the triaxial cell to measure transfer impedance and screening attenuation on a connector with tube-in-tube according to IEC 62153-4-7	28
Figure B.2 – Examples of different designs of triaxial cells	29
Figure C.1 – Cavity or rectangular waveguide	30
Figure C.2 – Comparison of the measurements of a RG 214 cable with 40 mm tube and triaxial cells	31
Figure C.3 – Principle of the triaxial cell with tube in tube and ferrite tiles as absorber	31
Figure C.4 – Comparison of the measurements of an RG 214 with 40 mm tube and triaxial cells with magnetic absorber	32
Figure C.5 – Examples of magnetic flat absorber	32
Figure C.6 – Setup for correction measurement	33
Figure C.7 – Correction measurement	33
Figure D.1 – Measured coupling transfer function of a braided screen versus frequency with the triaxial cell	34
Figure D.2 – Cross-section of triaxial cell with movable shorting plane	36
Figure D.3 – Crosscut of plane shortening housing and tube-in-tube	36
Figure D.4 – Detail H of Figure D.3: contact between plane and housing	37
Figure D.5 – Detail G of Figure D.3: contact between plane and tube-in-tube	37
Figure D.6 – Compilation of transfer impedance test results with different shorting plane distances	38
Figure E.1 – Example of forward transfer scattering parameter S_{21} for different impedances in the outer circuit where the receiver input impedance is 50Ω	39
Figure E.2 – DUT with uniform cylindrical shape in the centre of the cell	40
Figure F.1 – Principle of the test setup to measure transfer impedance and screening or coupling attenuation of connectors	41
Figure F.2 – Principle of the test setup to measure transfer impedance and screening attenuation on a cable assembly	41
Figure G.1 – Measurement with HP8753D of S_{21} of a 3 dB attenuator	42
Figure G.2 – Measurement with ZVRE of S_{21} of a 3 dB attenuator	43
Figure H.1 – Example of coupling attenuation with envelope line	45
Table 1 – IEC 62153-4 series, Metallic communication cable test methods – Test procedures with triaxial test setup	10

INTERNATIONAL ELECTROTECHNICAL COMMISSION

METALLIC CABLES AND OTHER PASSIVE COMPONENTS TEST METHODS –

Part 4-15: Electromagnetic compatibility (EMC) – Test method for measuring transfer impedance and screening attenuation – or coupling attenuation with triaxial cell

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 62153-4-15 edition 2.1 contains the second edition (2021-08) [documents 46/814/FDIS and 46/822/RVD] and its amendment 1 (2024-05) [documents 46/992/FDIS and 46/1004/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 62153-4-15 has been prepared by IEC technical committee 46: Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories.

This second edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) measurement of coupling attenuation of balanced connectors, assemblies and components with balun and balunless added;
- b) application of a test adapter was added;
- c) application of a moveable shorting plane;
- d) application of the triaxial "absorber" cell;
- e) correction of test results in the case that the receiver input impedance R is higher than the characteristic impedance of the outer circuit Z_2 .

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all the parts in the IEC 62153-4 series, published under the general title *Metallic communication cable test methods – Electromagnetic compatibility (EMC)*, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

METALLIC CABLES AND OTHER PASSIVE COMPONENTS TEST METHODS –

Part 4-15: Electromagnetic compatibility (EMC) – Test method for measuring transfer impedance and screening attenuation – or coupling attenuation with triaxial cell

1 Scope

This part of IEC 62153 specifies the procedures for measuring with triaxial cell the transfer impedance, screening attenuation or the coupling attenuation of connectors, cable assemblies and components, for example accessories for analogue and digital transmission systems, and equipment for communication networks and cabling.

Measurements can be achieved by applying the device under test directly to the triaxial cell or with the tube-in-tube method in accordance with IEC 62153-4-7.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61196-1, *Coaxial communication cables – Part 1: Generic specification – General, definitions and requirements*

IEC TS 62153-4-1:2014, *Metallic communication cable test methods – Part 4-1: Electromagnetic Compatibility (EMC) – Introduction to electromagnetic screening measurements*

IEC 62153-4-3, *Metallic communication cable test methods – Part 4-3: Electromagnetic compatibility (EMC) – Surface transfer impedance – Triaxial method*

IEC 62153-4-4:2015, *Metallic communication cable test methods – Part 4-4: Electromagnetic compatibility (EMC) – Test method for measuring of the screening attenuation a_S up to and above 3 GHz, triaxial method*

IEC 62153-4-7, *Metallic communication cable test methods – Part 4-7: Electromagnetic compatibility (EMC) – Test method for measuring the transfer impedance Z_T and the screening attenuation a_s or coupling attenuation a_c of connectors and assemblies up to and above 3 GHz – Triaxial Tube in tube method*

IEC 62153-4-8, *Metallic cables and other passive components – Test methods – Part 4-8: Electromagnetic compatibility (EMC) – Capacitive coupling admittance*

IEC 62153-4-9:2018, *Metallic communication cable test methods – Part 4-9: Electromagnetic compatibility (EMC) – Coupling attenuation of screened balanced cables, triaxial method*

IEC 62153-4-10, *Metallic communication cable test methods – Part 4-10: Electromagnetic compatibility (EMC) – Transfer impedance and screening attenuation of feed-throughs and electromagnetic gaskets – Double coaxial test method*

IEC 62153-4-16, *Metallic communication cable test methods – Part 4-16: Electromagnetic compatibility (EMC) – Extension of the frequency range to higher frequencies for transfer impedance and to lower frequencies for screening attenuation measurements using the triaxial set-up*

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 Physical background.....	10
5 Principle of the test methods	10
5.1 General.....	10
5.2 Transfer impedance	12
5.3 Screening attenuation	12
5.4 Coupling attenuation.....	12
5.5 Tube-in-tube method.....	12
6 Test procedures	12
6.1 General.....	12
6.2 Triaxial cell	12
6.3 Cut-off frequencies, higher-order modes	13
6.4 Test equipment.....	14
6.5 Calibration procedure.....	14
6.6 Test leads and connecting cables to the DUT	15
7 Sample preparation	15
7.1 Coaxial connector or assembly or quasi-coaxial component.....	15
7.2 Balanced or multipin connectors or components	15
7.3 Cable assemblies.....	16
7.4 Other screened devices	17
8 Transfer impedance (short-matched)	17
8.1 General.....	17
8.2 Principle block diagram of transfer impedance	17
8.3 Measuring procedure	18
8.4 Evaluation of test results.....	18
8.5 Test report	18
9 Screening attenuation.....	19
9.1 General.....	19
9.2 Impedance matching.....	19
9.3 Measuring with matched conditions.....	19
9.3.1 Procedure.....	19
9.3.2 Evaluation of test results	19
9.4 Measuring with mismatch.....	20
9.4.1 General	20
9.4.2 Evaluaton of test results	20
9.5 Test report	21
10 Coupling attenuation.....	21
10.1 General.....	21
10.2 Procedure	21
10.2.1 Coupling attenuation with balun	21
10.2.2 Balunless coupling attenuation	22
10.3 Expression of results	22
10.4 Test report	23

Annex A (informative) Principle of the triaxial test procedure	24
A.1 General.....	24
A.2 Transfer impedance	25
A.3 Screening attenuation	25
A.4 Coupling attenuation	26
Annex B (informative) Triaxial cell.....	28
Annex C (normative) Triaxial absorber cell.....	30
C.1 Cut-off frequencies, higher order modes	30
C.2 Absorber	31
C.3 Influence of absorber	33
Annex D (informative) Application of a moveable shorting plane	34
D.1 Coupling transfer function	34
D.2 Effect of the measurement length on the measurement cut-off frequency	35
D.3 Details of the movable shorting plane	35
D.4 Measurement results.....	37
Annex E (informative) Correction in the case that the receiver input impedance R is higher than the characteristic impedance of the outer circuit Z_2	39
E.1 Impedance Z_2 lower than the input impedance of the receiver	39
E.2 Correction	40
Annex F (informative) Test adapter	41
Annex G (informative) Attenuation versus scattering parameter S_{21}	42
Annex H (normative) Coupling attenuation expressed by mixed mode scattering parameter and an envelope line	44
H.1 General.....	44
H.2 Coupling attenuation expressed by mixed mode scattering parameter.....	44
H.3 Envelope line of coupling attenuation	44
Bibliography.....	46
Figure 1 – Definition of Z_T	8
Figure 2 – Principle depiction of the triaxial test setup (tube) to measure transfer impedance and screening attenuation with tube in tube in accordance with IEC 62153-4-7	11
Figure 3 – Principle depiction of the triaxial cell to measure transfer impedance and screening attenuation of connectors or assemblies with tube in tube in accordance with IEC 62153-4-7	11
Figure 4 – Rectangular waveguide	13
Figure 5 – Preparation of balanced or multipin connectors for transfer impedance and screening attenuation	16
Figure 6 – Preparation of balanced or multipin connectors for coupling attenuation measurement.....	16
Figure 7 – Test setup (principle) for transfer impedance measurement in accordance with test method B of IEC 62153-4-3.....	17
Figure 8 – Principle test setup for balunless coupling attenuation measurement according to IEC 62153-4-9	22
Figure A.1 – Principle test setup to measure transfer impedance and screening attenuation.....	24
Figure A.2 – Equivalent circuit of the principle of the test setup in Figure A.1.....	25
Figure A.3 – Coupling attenuation, principle of test setup with balun and standard tube.....	26

Figure A.4 – Coupling attenuation, principle of setup with multiport VNA and standard head	27
Figure B.1 – Principle depiction of the triaxial cell to measure transfer impedance and screening attenuation on a connector with tube-in-tube according to IEC 62153-4-7	28
Figure B.2 – Examples of different designs of triaxial cells	29
Figure C.1 – Cavity or rectangular waveguide	30
Figure C.2 – Comparison of the measurements of a RG 214 cable with 40 mm tube and triaxial cells	31
Figure C.3 – Principle of the triaxial cell with tube in tube and ferrite tiles as absorber	31
Figure C.4 – Comparison of the measurements of an RG 214 with 40 mm tube and triaxial cells with magnetic absorber	32
Figure C.5 – Examples of magnetic flat absorber	32
Figure C.6 – Setup for correction measurement	33
Figure C.7 – Correction measurement	33
Figure D.1 – Measured coupling transfer function of a braided screen versus frequency with the triaxial cell	34
Figure D.2 – Cross-section of triaxial cell with movable shorting plane	36
Figure D.3 – Crosscut of plane shortening housing and tube-in-tube	36
Figure D.4 – Detail H of Figure D.3: contact between plane and housing	37
Figure D.5 – Detail G of Figure D.3: contact between plane and tube-in-tube	37
Figure D.6 – Compilation of transfer impedance test results with different shorting plane distances	38
Figure E.1 – Example of forward transfer scattering parameter S_{21} for different impedances in the outer circuit where the receiver input impedance is 50Ω	39
Figure E.2 – DUT with uniform cylindrical shape in the centre of the cell	40
Figure F.1 – Principle of the test setup to measure transfer impedance and screening or coupling attenuation of connectors	41
Figure F.2 – Principle of the test setup to measure transfer impedance and screening attenuation on a cable assembly	41
Figure G.1 – Measurement with HP8753D of S_{21} of a 3 dB attenuator	42
Figure G.2 – Measurement with ZVRE of S_{21} of a 3 dB attenuator	43
Figure H.1 – Example of coupling attenuation with envelope line	45
Table 1 – IEC 62153-4 series, Metallic communication cable test methods – Test procedures with triaxial test setup	10

INTERNATIONAL ELECTROTECHNICAL COMMISSION

METALLIC CABLES AND OTHER PASSIVE COMPONENTS TEST METHODS –

Part 4-15: Electromagnetic compatibility (EMC) – Test method for measuring transfer impedance and screening attenuation – or coupling attenuation with triaxial cell

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 62153-4-15 edition 2.1 contains the second edition (2021-08) [documents 46/814/FDIS and 46/822/RVD] and its amendment 1 (2024-05) [documents 46/992/FDIS and 46/1004/RVD].

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 62153-4-15 has been prepared by IEC technical committee 46: Cables, wires, waveguides, R.F. connectors, R.F. and microwave passive components and accessories.

This second edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) measurement of coupling attenuation of balanced connectors, assemblies and components with balun and balunless added;
- b) application of a test adapter was added;
- c) application of a moveable shorting plane;
- d) application of the triaxial "absorber" cell;
- e) correction of test results in the case that the receiver input impedance R is higher than the characteristic impedance of the outer circuit Z_2 .

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all the parts in the IEC 62153-4 series, published under the general title *Metallic communication cable test methods – Electromagnetic compatibility (EMC)*, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

METALLIC CABLES AND OTHER PASSIVE COMPONENTS TEST METHODS –

Part 4-15: Electromagnetic compatibility (EMC) – Test method for measuring transfer impedance and screening attenuation – or coupling attenuation with triaxial cell

1 Scope

This part of IEC 62153 specifies the procedures for measuring with triaxial cell the transfer impedance, screening attenuation or the coupling attenuation of connectors, cable assemblies and components, for example accessories for analogue and digital transmission systems, and equipment for communication networks and cabling.

Measurements can be achieved by applying the device under test directly to the triaxial cell or with the tube-in-tube method in accordance with IEC 62153-4-7.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61196-1, *Coaxial communication cables – Part 1: Generic specification – General, definitions and requirements*

IEC TS 62153-4-1:2014, *Metallic communication cable test methods – Part 4-1: Electromagnetic Compatibility (EMC) – Introduction to electromagnetic screening measurements*

IEC 62153-4-3, *Metallic communication cable test methods – Part 4-3: Electromagnetic compatibility (EMC) – Surface transfer impedance – Triaxial method*

IEC 62153-4-4:2015, *Metallic communication cable test methods – Part 4-4: Electromagnetic compatibility (EMC) – Test method for measuring of the screening attenuation a_S up to and above 3 GHz, triaxial method*

IEC 62153-4-7, *Metallic communication cable test methods – Part 4-7: Electromagnetic compatibility (EMC) – Test method for measuring the transfer impedance Z_T and the screening attenuation a_s or coupling attenuation a_c of connectors and assemblies up to and above 3 GHz – Triaxial Tube in tube method*

IEC 62153-4-8, *Metallic cables and other passive components – Test methods – Part 4-8: Electromagnetic compatibility (EMC) – Capacitive coupling admittance*

IEC 62153-4-9:2018, *Metallic communication cable test methods – Part 4-9: Electromagnetic compatibility (EMC) – Coupling attenuation of screened balanced cables, triaxial method*

IEC 62153-4-10, *Metallic communication cable test methods – Part 4-10: Electromagnetic compatibility (EMC) – Transfer impedance and screening attenuation of feed-throughs and electromagnetic gaskets – Double coaxial test method*

IEC 62153-4-16, *Metallic communication cable test methods – Part 4-16: Electromagnetic compatibility (EMC) – Extension of the frequency range to higher frequencies for transfer impedance and to lower frequencies for screening attenuation measurements using the triaxial set-up*