



Edition 1.0 2024-10

# INTERNATIONAL STANDARD



Organic light emitting diode (OLED) displays – Part 6-7: Measuring methods of optical characteristics for display with underscreen feature

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 31.260

ISBN 978-2-8322-9754-4

Warning! Make sure that you obtained this publication from an authorized distributor.

### CONTENTS

FC	FOREWORD4						
IN	INTRODUCTION						
1	Scop	e	.7				
2	Normative references7						
3							
	3.1	Terms and definitions					
	3.2	Abbreviated terms					
4	Meas	uring conditions	.8				
	4.1	Standard measuring environmental conditions					
	4.2	Standard darkroom conditions					
	4.3	Standard measurement locations					
5	Meas	uring methods of display performance	10				
	5.1	Reflectance difference					
	5.1.1						
	5.1.2	Measuring equipment	10				
	5.1.3						
	5.2	Uniformity	11				
	5.2.1	General	11				
	5.2.2	Measuring apparatus	11				
	5.2.3	Measuring procedure	11				
	5.3	Gamma	12				
	5.3.1	General	12				
	5.3.2	Measuring apparatus	12				
	5.3.3	Measuring procedure	12				
	5.4	Angular chromaticity shift	13				
	5.4.1	General					
	5.4.2	5 11					
	5.4.3	51					
	5.5	Luminance degradation					
	5.5.1	General					
	5.5.2	5 11					
_	5.5.3	51					
6		Measuring methods of transmittance performance					
	6.1	Transmittance					
	6.1.1	General					
	6.1.2	5 11					
	6.1.3						
	6.2	Clarity					
	6.2.1						
	6.2.2	5					
	6.2.3	Measuring method of spatial frequency response (SFR)	20				
Fic	ure 1 -	- Example of measurement locations	.9				
-	Figure 2 – Measurement geometries for reflectance						
	Figure 3 – Example tone curve of the display						
	Figure 4 – Viewing angle set up						
гI	rigure 4 – viewing angle set up						

Figure 5 – Example of luminance decreases versus operating time	15
Figure 6 – Example of the decrease of a luminance difference curve	16
Figure 7 – Measurement geometry	17
Figure 8 – Diffraction phenomenon of under-screen camera	18
Figure 9 – Reference test pattern	19
Figure 10 – Measurement configuration	20
Table 1 – Measurement results	14
Table 2 – Example of measured data	16

- 4 -

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### **ORGANIC LIGHT EMITTING DIODE (OLED) DISPLAYS -**

## Part 6-7: Measuring methods of optical characteristics for display with under-screen feature

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject deall with may participate in this preparatory work. International, governmental and non-governmental organizations for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62341-6-7 has been prepared by IEC technical committee 110: Electronic displays. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
110/1667/FDIS	110/1691/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members\_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62341 series, published under the general title *Organic light emitting diode (OLED) displays*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

#### INTRODUCTION

A display has originally been conceived to show content or images on the screen and been designed to be blocked on its back-plate, except for a transparent display. Along with advances in display technologies, various screen forms with the display are available, such as a notch type for the camera and sensors area, a pin-hole area, a teardrop shape, and a dual punchhole for the front camera.

The display has changed and consistently improved its pixel structures to make it easier for a user to use multimedia without physical interference, for example, putting cameras and sensors under the display screen to achieve the functions of finger touch, taking photos, 3D sensing and so on; these technologies can be called under-screen features.

This document introduces mainly measuring conditions and measuring methods for the impact of these developing under-screen features.

#### ORGANIC LIGHT EMITTING DIODE (OLED) DISPLAYS -

## Part 6-7: Measuring methods of optical characteristics for display with under-screen feature

#### 1 Scope

This part of IEC 62341 specifies the standard measuring conditions and measuring methods for determining the optical characteristics of an OLED display with under-screen camera; other under-screen features, such as under-screen fingerprint or under-screen time of flight (TOF) can also be applied. This document applies to OLED displays such as mobile phone, monitor and TV with under-screen features.

NOTE Under-screen feature will want the display to be partially transparent and partially non-transparent, and this can be achieved only by certain types of display technology, for example OLED. This document mainly focuses on OLED display with under-screen feature.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62341-1-2, Organic light emitting diode (OLED) displays – Part 1-2: Terminology and letter symbols

IEC 62341-5-3, Organic light emitting diode (OLED) displays – Part 5-3: Measuring methods of image sticking and lifetime

IEC 62341-6-2, Organic light emitting diode (OLED) displays – Part 6-2: Measuring methods of visual quality and ambient performance

IEC TR 62977-2-5, Electronic displays devices – Part 2-5: Transparent displays – Measurements of optical characteristics

IEC 62977-3-7, Electronic displays – Part 3-7: Evaluation of optical performance – Tone characteristics

ISO 12233, Photography – Electronic still picture imaging – Resolution and spatial frequency responses