

Edition 2.0 2021-02

INTERNATIONAL STANDARD

Nuclear instrumentation – Housed scintillators – Test methods of light output and intrinsic resolution

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 27.120.01 ISBN 978-2-8322-9322-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	REWO	RD	3	
1	Scop	e	5	
2	Norm	Normative references		
3	Term	Terms, definitions, symbols and abbreviated terms		
	3.1 Terms and definitions			
	3.2	Symbols and abbreviated terms		
4	Test methods of basic parameters of housed scintillators			
	4.1	General		
	4.1.1	Test conditions	_	
	4.1.2			
	4.1.3	-		
	4.2	Test methods of nonlinearity and instability of the assembly		
	4.2.1	Nonlinearity measurement		
	4.2.2	Instability measurement	12	
	4.3	Test methods of the intrinsic resolution, light output of the housed scintillator and PMT spectrometric constant	13	
	4.3.1	Equipment	13	
	4.3.2	Measurements	13	
	4.3.3	Processing of results	14	
	4.4	Test methods of the light output	15	
	4.4.1	General	15	
	4.4.2	Measurements	15	
	4.4.3	Processing of results	16	
	4.5	Test methods of the intrinsic resolution		
	4.5.1	Determination of PMT spectrometric constant		
	4.5.2			
Bil	bliograp	hy	19	
Ta	ble 1 –	Source of ionizing radiation	9	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

NUCLEAR INSTRUMENTATION – HOUSED SCINTILLATORS – TEST METHODS OF LIGHT OUTPUT AND INTRINSIC RESOLUTION

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62372 has been prepared by IEC technical committee 45: Nuclear instrumentation.

This second edition cancels and replaces the first edition published in 2006. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- Title has been modified.
- To review the existing requirements and to update the terminology, definitions and normative references.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
45/913/FDIS	45/915/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NUCLEAR INSTRUMENTATION – HOUSED SCINTILLATORS – TEST METHODS OF LIGHT OUTPUT AND INTRINSIC RESOLUTION

1 Scope

This document is applicable to housed scintillators for registration and spectrometry of alpha-, beta-, gamma-, X-ray and neutron radiation.

The main parameters, such as a light output and intrinsic resolution are established. This document specifies the requirements for the testing equipment and test methods of the basic parameters of housed scintillators, such as:

- the direct method is applicable to measure the light output of housed scintillators based on scintillation material. The housed scintillators certified by this method can be used as working standard of housed scintillators (hereinafter: working standard) when performing measurements by a relative method of comparison.
- the relative method of comparison with the working standard is applicable to housed scintillators based on the same scintillation material as the working standard.

This document does not apply to gas or liquid scintillators and scintillators for counting and current modes.

The numerical values of the parameters are set to the specific type of scintillators in the specifications.

2 Normative references

There are no normative references in this document.