



IEC 63128

Edition 1.1 2024-07
CONSOLIDATED VERSION

INTERNATIONAL STANDARD



Lighting control interface for dimming – Analogue voltage dimming interface for electronic current sourcing controlgear

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.140.99

ISBN 978-2-8322-9412-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD	3
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 General remarks on tests	7
4.1 Disconnected control signal	7
4.2 Type test.....	7
4.3 Test order and application of test	7
5 Marking	7
6 System description	8
6.1 General.....	8
6.2 Control signal voltage range and characteristics	8
6.3 Dimming curve.....	9
6.4 Control input current limits	9
6.5 Switch-on.....	9
7 Simulation of incandescent dimming (optional)	10
7.1 General.....	10
7.2 Response to light source dimming.....	10
7.3 Dim-to-warm marking.....	11
Annex A (informative) Warm dim control for analogue dimming having controlgear with a linear output power to control voltage response	12
A.1 General.....	12
A.2 Correlation to 0 V to 10 V control	12
Bibliography.....	15
Figure 1 – Marking of controllable electronic light source controlgear	7
Figure 2 – Functional specification for DC voltage control	8
Figure 3 – Connection diagram for several controllable electronic lamp controlgear	8
Figure 4 – Marking of dim-to-warm electronic light source controlgear	11
Figure A.1 – Typical warm dimming LED system utilizing two LED sources	12
Figure A.2 – Full power rated CCT: 2 700 K – Dimmed relative power minimum: 10 %.....	13
Figure A.3 – Full power rated CCT: 3 000 K – Dimmed relative power minimum: 10 %.....	14
Figure A.4 – Full power rated CCT: 3 000 K – Dimmed relative power minimum: 30 %.....	14
Table 1 – Control signal related to the electronic light source controlgear output power (light level of the dimming curve)	9

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LIGHTING CONTROL INTERFACE FOR DIMMING – ANALOGUE VOLTAGE DIMMING INTERFACE FOR ELECTRONIC CURRENT SOURCING CONTROLGEAR

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 63128 edition 1.1 contains the first edition (2019-05) [documents 34/592/FDIS and 34/609/RVD] and its amendment 1 (2024-07) [documents 34/1053/CDV and 34/1137A/RVC].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 63128 has been prepared by IEC technical committee 34: Lamps and related equipment.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The '*colour inside*' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

LIGHTING CONTROL INTERFACE FOR DIMMING – ANALOGUE VOLTAGE DIMMING INTERFACE FOR ELECTRONIC CURRENT SOURCING CONTROLGEAR

1 Scope

This document specifies the analogue control interface of controlgear which has the function of controlling the output of the controlgear. The output of the controlgear is controlled between minimum/off and maximum values by the voltage control device sinking the controlgear current source.

This document does not specify safety requirements for the analogue interface of controlgear. Safety requirements are given in IEC 61347 (all parts).

2 Normative references

There are no normative references in this document.

CONTENTS

FOREWORD	3
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 General remarks on tests	7
4.1 Disconnected control signal	7
4.2 Type test.....	7
4.3 Test order and application of test	7
5 Marking	7
6 System description	7
6.1 General.....	7
6.2 Control signal voltage range and characteristics	8
6.3 Dimming curve	9
6.4 Control input current limits	9
6.5 Switch-on.....	9
7 Simulation of incandescent dimming (optional)	9
7.1 General.....	9
7.2 Response to light source dimming.....	10
7.3 Dim-to-warm marking.....	10
Annex A (informative) Warm dim control for analogue dimming having controlgear with a linear output power to control voltage response	11
A.1 General.....	11
A.2 Correlation to 0 V to 10 V control	11
Bibliography.....	14
Figure 1 – Marking of controllable electronic light source controlgear	7
Figure 2 – Functional specification for DC voltage control	8
Figure 3 – Connection diagram for several controllable electronic lamp controlgear	8
Figure 4 – Marking of dim-to-warm electronic light source controlgear	10
Figure A.1 – Typical warm dimming LED system utilizing two LED sources	11
Figure A.2 – Full power rated CCT: 2 700 K – Dimmed relative power minimum: 10 %.....	12
Figure A.3 – Full power rated CCT: 3 000 K – Dimmed relative power minimum: 10 %.....	13
Figure A.4 – Full power rated CCT: 3 000 K – Dimmed relative power minimum: 30 %.....	13
Table 1 – Control signal related to the electronic light source controlgear output power (light level of the dimming curve)	9

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LIGHTING CONTROL INTERFACE FOR DIMMING – ANALOGUE VOLTAGE DIMMING INTERFACE FOR ELECTRONIC CURRENT SOURCING CONTROLGEAR

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 63128 edition 1.1 contains the first edition (2019-05) [documents 34/592/FDIS and 34/609/RVD] and its amendment 1 (2024-07) [documents 34/1053/CDV and 34/1137A/RVC].

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 63128 has been prepared by IEC technical committee 34: Lamps and related equipment.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The '*colour inside*' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

LIGHTING CONTROL INTERFACE FOR DIMMING – ANALOGUE VOLTAGE DIMMING INTERFACE FOR ELECTRONIC CURRENT SOURCING CONTROLGEAR

1 Scope

This document specifies the analogue control interface of controlgear which has the function of controlling the output of the controlgear. The output of the controlgear is controlled between minimum/off and maximum values by the voltage control device sinking the controlgear current source.

This document does not specify safety requirements for the analogue interface of controlgear. Safety requirements are given in IEC 61347 (all parts).

2 Normative references

There are no normative references in this document.