



IEC 63169

Edition 1.1 2024-12
CONSOLIDATED VERSION

INTERNATIONAL STANDARD



**Electrical household and similar cooling and freezing appliances –
Food preservation**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 97.040.30, 67.040

ISBN 978-2-8327-0081-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 Test preparation	9
4.1 Preparation and handling of test material.....	9
4.2 Installation and preparation of refrigerating appliance	9
4.3 Measurement sensor uncertainty	10
4.4 Test tray water.....	10
5 Weight loss test.....	10
5.1 Procedure	10
5.2 Weight loss calculation.	12
6 Condensation test.....	12
6.1 General.....	12
6.2 Preparation of test zone.....	12
6.3 Test tray placement	13
6.4 Test procedure.....	14
6.5 Condensation evaluation.....	14
6.5.1 General	14
6.5.2 Position and severity of condensation.....	14
6.5.3 Total condensation (TC)	15
6.5.4 Average condensation (C_{Avg})	15
Annex A (informative) Non-woven material specifications	16
A.1 General.....	16
A.2 Non-woven fabric specification 1.....	16
A.3 Visual inspection of test trays	16
A.4 Non-woven fabric, material specification 2	17
Annex B (normative) Weight loss and condensation test trays	19
Annex C (informative)	21
Annex D (informative) Equivalence of non-woven material.....	25
Annex E (informative) Expected uncertainty of weight loss.....	26
Annex F (informative) Condensation test tray placement guidelines	27
Annex G (informative) Condensation rectangle dimension examples.....	29
Annex H (informative) Condensation evaluation guidance.....	30
Bibliography.....	31
Figure 1 – Examples of test tray placement	11
Figure A.1 – Non-woven fabric of various ages	17
Figure B.1 – 18-sheet weight loss test tray	19
Figure B.2 – 6-sheet condensation test tray.....	19
Figure B.3 – Test tray clip.....	20
Figure D.1 – Example of an acceptable equivalence	25
Figure E.1 – Individual laboratory test results	26

Figure F.1 – Sheet layout.....	27
Figure F.2 – Alternate sheet layout	28
Figure G.1 – Examples of condensation rectangle dimensions	29
Table 1 – Test equipment	9
Table 2 – Condensation severity score	15
Table A.1 – Non-woven fabric material specification 2	17
Table C.1 – Test results	24
Table C.1 – Test settings	24
Table C.2 – Test results – Weight loss – Weight loss rate W^a	24
Table C.3 – Test results – Condensation – TC and C_{AVG}	24

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRICAL HOUSEHOLD AND SIMILAR COOLING
AND FREEZING APPLIANCES – FOOD PRESERVATION**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 63169 edition 1.1 contains the first edition (2020-06) [documents 59M/123/FDIS and 59M/125/RVD] and its amendment 1 (2024-12) [documents 59M/174/FDIS and 59M/176/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 63169 has been prepared by subcommittee 59M: Performance of electrical household and similar cooling and freezing appliances, of IEC technical committee 59: Performance of household and similar electrical appliances.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this document, the following print types are used:

- terms defined in Clause 3 of this document, and in Clause 3 of IEC 62552-1:2015: **Arial bold**.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

NOTE The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The **weight loss** test assesses some of the food care aspects of various **compartments, sub-compartments** and **convenience features** within a refrigerator. The test can be performed with real or artificial foods. Real foods have seasonal and regional variations, making them difficult for global use for repeatable and reproducible testing.

Research was carried out on materials, which proved that a particular non-woven material was suitable to use to replicate real food. This non-woven material is used to replicate **weight loss** from food in the **weight loss** test. Consequently, this document contains an artificial material weight loss test.

As much as possible, alignment has been made with the performance test standards IEC 62552-1 and IEC 62552-3.

This document contains a link to the SC 59M Supporting Documents that are available on the IEC website. The SC 59M Supporting Documents include the 3D printing files, referred to in Annex B. These files are intended to be used as a complement, and do not form an integral part of the document.

ELECTRICAL HOUSEHOLD AND SIMILAR COOLING AND FREEZING APPLIANCES – FOOD PRESERVATION

1 Scope

~~This document deals with a test to simulate the **weight loss** of leafy produce, given certain conditions of temperature, humidity and air movement in one or more **test zones**. The test can only be applied to spaces larger than 200 mm × 150 mm × 100 mm (L × W × H).~~

~~The aim of the test is to measure the **weight loss rate** by measuring the weight of a **test tray** prior to the test and after a given duration.~~

~~NOTE **Weight loss** is one of the considerations for shelf life of produce. Other considerations such as condensation will be addressed in future amendments.~~

This document deals with two food preservation tests. A **weight loss** test and a **condensation** test.

The **weight loss** test simulates the **weight loss** of leafy produce, given certain conditions of temperature, humidity and air movement in one or more test zones. The aim of the test is to measure the **weight loss rate** by measuring the weight of a **test tray** prior to the test and again after a given duration.

The **condensation** test simulates **condensation** produced by real food on surfaces of the **test zone**, given certain conditions of temperature, humidity and air movement in one or more **test zones**. This test assesses the **condensation** in refrigerator **test zones** by using **test trays** filled with non-woven fabric to generate **condensation**, and then evaluates the **condensation** extent and distribution.

The **weight loss** test and **condensation** test apply to **test zones** that have an average operating temperature greater than 0 °C.

Both the **weight loss** test and **condensation** test are performed in series and not in parallel on the same refrigerator.

Both the **weight loss** test and the **condensation** test can only be applied to **test zones** having all dimensions exceeding 200 mm × 150 mm × 100 mm (L × W × H).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest

edition of the referenced document (including any amendments) applies.

IEC 62552-1:2015, *Household refrigerating appliances – Characteristics and test methods – Part 1: General requirements*
IEC 62552-1:2015/AMD1:2020

IEC 62552-3:2015, *Household refrigerating appliances – Characteristics and test methods – Part 3: Energy consumption and volumes*

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Test preparation	9
4.1 Preparation and handling of test material	9
4.2 Installation and preparation of refrigerating appliance	9
4.3 Measurement sensor uncertainty	10
4.4 Test tray water	10
5 Weight loss test.....	10
5.1 Procedure	10
5.2 Weight loss calculation.	11
6 Condensation test.....	12
6.1 General.....	12
6.2 Preparation of test zone	12
6.3 Test tray placement	12
6.4 Test procedure.....	14
6.5 Condensation evaluation.....	14
6.5.1 General	14
6.5.2 Position and severity of condensation.....	14
6.5.3 Total condensation (TC)	15
6.5.4 Average condensation (C_{Avg})	15
Annex A (informative) Non-woven material specifications	16
A.1 General.....	16
A.2 Non-woven fabric specification 1.....	16
A.3 Visual inspection of test trays	16
A.4 Non-woven fabric, material specification 2	17
Annex B (normative) Weight loss and condensation test trays	19
Annex C (informative)	21
Annex D (informative) Equivalence of non-woven material	23
Annex E (informative) Expected uncertainty of weight loss.....	24
Annex F (informative) Condensation test tray placement guidelines	25
Annex G (informative) Condensation rectangle dimension examples.....	27
Annex H (informative) Condensation evaluation guidance	28
Bibliography.....	29
Figure 1 – Examples of test tray placement.....	11
Figure A.1 – Non-woven fabric of various ages	17
Figure B.1 – 18-sheet weight loss test tray	19
Figure B.2 – 6-sheet condensation test tray	19
Figure B.3 – Test tray clip.....	20
Figure D.1 – Example of an acceptable equivalence	23
Figure E.1 – Individual laboratory test results	24

Figure F.1 – Sheet layout.....	25
Figure F.2 – Alternate sheet layout	26
Figure G.1 – Examples of condensation rectangle dimensions	27
Table 1 – Test equipment	9
Table 2 – Condensation severity score	14
Table A.1 – Non-woven fabric material specification 2	17
Table C.1 – Test settings	22
Table C.2 – Test results – Weight loss – Weight loss rate W^a	22
Table C.3 – Test results – Condensation – TC and C_{AVG}	22

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ELECTRICAL HOUSEHOLD AND SIMILAR COOLING
AND FREEZING APPLIANCES – FOOD PRESERVATION****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC 63169 edition 1.1 contains the first edition (2020-06) [documents 59M/123/FDIS and 59M/125/RVD] and its amendment 1 (2024-12) [documents 59M/174/FDIS and 59M/176/RVD].

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

International Standard IEC 63169 has been prepared by subcommittee 59M: Performance of electrical household and similar cooling and freezing appliances, of IEC technical committee 59: Performance of household and similar electrical appliances.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this document, the following print types are used:

- terms defined in Clause 3 of this document, and in Clause 3 of IEC 62552-1:2015: **Arial bold**.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

NOTE The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The **weight loss** test assesses some of the food care aspects of various **compartments, sub-compartments** and **convenience features** within a refrigerator. The test can be performed with real or artificial foods. Real foods have seasonal and regional variations, making them difficult for global use for repeatable and reproducible testing.

Research was carried out on materials, which proved that a particular non-woven material was suitable to use to replicate real food. This non-woven material is used to replicate **weight loss** from food in the **weight loss** test. Consequently, this document contains an artificial material weight loss test.

As much as possible, alignment has been made with the performance test standards IEC 62552-1 and IEC 62552-3.

This document contains a link to the SC 59M Supporting Documents that are available on the IEC website. The SC 59M Supporting Documents include the 3D printing files, referred to in Annex B. These files are intended to be used as a complement, and do not form an integral part of the document.

ELECTRICAL HOUSEHOLD AND SIMILAR COOLING AND FREEZING APPLIANCES – FOOD PRESERVATION

1 Scope

This document deals with two food preservation tests. A **weight loss** test and a **condensation** test.

The **weight loss** test simulates the **weight loss** of leafy produce, given certain conditions of temperature, humidity and air movement in one or more test zones. The aim of the test is to measure the **weight loss rate** by measuring the weight of a **test tray** prior to the test and again after a given duration.

The **condensation** test simulates **condensation** produced by real food on surfaces of the **test zone**, given certain conditions of temperature, humidity and air movement in one or more **test zones**. This test assesses the **condensation** in refrigerator **test zones** by using **test trays** filled with non-woven fabric to generate **condensation**, and then evaluates the **condensation** extent and distribution.

The **weight loss** test and **condensation** test apply to **test zones** that have an average operating temperature greater than 0 °C.

Both the **weight loss** test and **condensation** test are performed in series and not in parallel on the same refrigerator.

Both the **weight loss** test and the **condensation** test can only be applied to **test zones** having all dimensions exceeding 200 mm × 150 mm × 100 mm (L × W × H).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest

edition of the referenced document (including any amendments) applies.

IEC 62552-1:2015, *Household refrigerating appliances – Characteristics and test methods – Part 1: General requirements*
IEC 62552-1:2015/AMD1:2020

IEC 62552-3:2015, *Household refrigerating appliances – Characteristics and test methods – Part 3: Energy consumption and volumes*