



IEC PAS 63095-2

Edition 1.0 2017-06

PUBLICLY AVAILABLE SPECIFICATION

PRE-STANDARD



**The Qi wireless power transfer system – Power class 0 specification –
Part 2: Reference Designs Version 1.1.2**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.240.99; 33.160.99; 35.200

ISBN 978-2-8322-4459-3

Warning! Make sure that you obtained this publication from an authorized distributor.

Contents

1 General.....	6
1.1 Introduction	6
1.2 Scope.....	6
1.2.1 Current Specification structure (introduced in version 1.2.1).....	6
1.2.2 Earlier Specification structure (version 1.2.0 and below)	7
1.3 Main features.....	7
1.4 Conformance and references	8
1.4.1 Conformance	8
1.4.2 References.....	8
1.5 Definitions.....	9
1.6 Acronyms	12
1.7 Symbols.....	14
1.8 Conventions	15
1.8.1 Cross references	15
1.8.2 Informative text.....	15
1.8.3 Terms in capitals.....	15
1.8.4 Units of physical quantities	15
1.8.5 Decimal separator	15
1.8.6 Notation of numbers.....	16
1.8.7 Bit ordering in a byte.....	16
1.8.8 Byte numbering	16
1.8.9 Multiple-bit fields	17
1.9 Operators.....	17
1.9.1 Exclusive-OR	17
1.9.2 Concatenation	17
1.10 Measurement equipment.....	17
2 Power Transmitter reference designs.....	18
2.1 Introduction	18
2.2 Baseline Power Profile designs that activate a single Primary Coil at a time	18
2.2.1 Power Transmitter design A1	19
2.2.2 Power Transmitter design A2	20
2.2.3 Power Transmitter design A3	25
2.2.4 Power Transmitter design A4	29

2.2.5	Power Transmitter design A5	35
2.2.6	Power Transmitter design A6	36
2.2.7	Power Transmitter design A7	43
2.2.8	Power Transmitter design A8	47
2.2.9	Power Transmitter design A9	52
2.2.10	Power Transmitter design A10	53
2.2.11	Power Transmitter design A11	60
2.2.12	Power Transmitter design A12	66
2.2.13	Power Transmitter design A13	72
2.2.14	Power Transmitter design A14	78
2.2.15	Power Transmitter design A15	84
2.2.16	Power Transmitter design A16	89
2.2.17	Power Transmitter design A17	95
2.2.18	Power Transmitter design A18	101
2.2.19	Power Transmitter design A19	106
2.2.20	Power Transmitter design A20	112
2.2.21	Power Transmitter design A21	117
2.2.22	Power Transmitter design A22	124
2.2.23	Power Transmitter design A23	130
2.2.24	Power Transmitter design A24	136
2.2.25	Power Transmitter design A25	142
2.2.26	Power Transmitter design A26	148
2.2.27	Power Transmitter design A27	154
2.2.28	Power Transmitter design A28	160
2.2.29	Power Transmitter design A29	167
2.2.30	Power Transmitter design A30	172
2.2.31	Power Transmitter design A31	177
2.2.32	Power Transmitter design A32	182
2.2.33	Power Transmitter design A33	190
2.2.34	Power Transmitter design A34	199
2.3	Baseline Power Profile designs that activate multiple Primary Coils simultaneously	205
2.3.1	Power Transmitter design B1	205
2.3.2	Power Transmitter design B2	213
2.3.3	Power Transmitter design B3	218
2.3.4	Power Transmitter design B4	225
2.3.5	Power Transmitter design B5	233
2.3.6	Power Transmitter design B6	242
2.3.7	Power Transmitter design B7	250

2.4	Extended Power Profile Power Transmitter designs	257
2.4.1	Power Transmitter design MP-A1	257
2.4.2	Power Transmitter design MP-A2	264
2.4.3	Power Transmitter design MP-A3	272
2.4.4	Power Transmitter design MP-A4	278
2.4.5	Power Transmitter design MP-A5	286
3	Power Receiver reference designs (Informative)	291
3.1	Power Receiver example 1 (5W).....	291
3.1.1	Mechanical details.....	291
3.1.2	Electrical details.....	293
3.2	Power Receiver example 2 (5W).....	295
3.2.1	Mechanical details.....	295
3.2.2	Electrical details.....	297
3.3	Power Receiver example 3 (8 W).....	298
3.3.1	Mechanical details.....	298
3.3.2	Electrical details.....	300
3.4	Power Receiver example 4 (15 W).....	301
3.4.1	Mechanical details.....	301
3.4.2	Electrical details.....	303
3.5	Power Receiver example 5 (12 W).....	305
3.5.1	Mechanical details.....	305
3.5.2	Electrical details.....	306
Annex A	History of Changes	308

INTERNATIONAL ELECTROTECHNICAL COMMISSION

THE QI WIRELESS POWER TRANSFER SYSTEM – POWER CLASS 0 SPECIFICATION –

Part 2: Reference Designs Version 1.1.2

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

A PAS is a technical specification not fulfilling the requirements for a standard, but made available to the public.

IEC PAS 63095-2 has been processed by technical area 15: Wireless power transfer, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this PAS is based on the
following document:

This PAS was approved for
publication by the P-members of the
committee concerned as indicated in
the following document

Draft PAS	Report on voting
100/2827/PAS	100/2862/RVDPAS

Following publication of this PAS, which is a pre-standard publication, the technical committee or subcommittee concerned may transform it into an International Standard.

This PAS shall remain valid for an initial maximum period of 3 years starting from the publication date. The validity may be extended for a single period up to a maximum of 3 years, at the end of which it shall be published as another type of normative document, or shall be withdrawn.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

1 General

1.1 Introduction

The Wireless Power Consortium (WPC) is a worldwide organization that aims to develop and promote global standards for wireless power transfer in various application areas. A first application area is wireless charging of low and medium power devices, such as mobile phones and tablet computers. The Wireless Power Consortium maintains the Qi logo for this application area.

1.2 Scope

This document, *Part 4: Reference Designs*, comprises reference designs for Power Class 0 Base Stations and Mobile Devices. Power Class 0 is the WPC designation for flat-surface devices, such as chargers, mobile phones, tablets, cameras, and battery packs, in the Baseline Power Profile (≤ 5 W) and Extended Power Profile (≤ 15 W).

1.2.1 Current Specification structure (introduced in version 1.2.1)

The Qi Wireless Power Transfer System for Power Class 0 Specification consists of the following documents.

- *Parts 1 and 2: Interface Definitions*
 - *Part 1: Primary Interface Definition*
 - *Part 2: Secondary Interface Definition*
- *Part 3: Compliance Testing*
- ***Part 4: Reference Designs*** (this document)

NOTE WPC publications prior to version 1.2.1 were structured differently, and are listed in Section 1.2.2 below. In particular, the Low Power and Medium Power publications were divided into separate System Description documents. Beginning with version 1.2.1, the Low Power and Medium Power System Descriptions have been merged into the Specification structure shown in this section. Additionally, the terms *Low Power* and *Medium Power* have been replaced in the current Specification by the terms *Baseline Power Profile* and *Extended Power Profile* respectively.

1.2.2 Earlier Specification structure (version 1.2.0 and below)

Before release 1.2.1, the Wireless Power Transfer specification comprised the following documents.

- System Description, Wireless Power Transfer, Volume I: Low Power, Part 1: Interface Definition.
- System Description, Wireless Power Transfer, Volume I: Low Power, Part 2: Performance Requirements.
- System Description, Wireless Power Transfer, Volume I: Low Power, Part 3: Compliance Testing.
- System Description, Qi Wireless Power Transfer, Volume II: Medium Power.

1.3 Main features

- A method of contactless power transfer from a Base Station to a Mobile Device that is based on near field magnetic induction between coils.
- A Baseline Power Profile supporting transfer of up to about 5 W and an Extended Power Profile supporting transfer of up to about 15 W of power using an appropriate Secondary Coil (having a typical outer dimension of around 40 mm).
- Operation at frequencies in the 87...205 kHz range.
- Support for two methods of placing the Mobile Device on the surface of the Base Station:
 - Guided Positioning helps a user to properly place the Mobile Device on the surface of a Base Station that provides power through a single or a few fixed locations of that surface.
 - Free Positioning enables arbitrary placement of the Mobile Device on the surface of a Base Station that can provide power through any location of that surface.
- A simple communications protocol enabling the Mobile Device to take full control of the power transfer.
- Considerable design flexibility for integration of the system into a Mobile Device.
- Very low stand-by power achievable (implementation dependent).

1.4 Conformance and references

1.4.1 Conformance

All provisions in The Qi Wireless Power Transfer System, Power Class 0 Specification are mandatory, unless specifically indicated as recommended, optional, note, example, or informative. Verbal expression of provisions in this Specification follow the rules provided in Annex H of ISO/IEC Directives, Part 2. For clarity, the word “**shall**” indicates a requirement that is to be followed strictly in order to conform to The Qi Wireless Power Transfer System, Power Class 0 Specification, and from which no deviation is permitted. The word “**should**” indicates that among several possibilities one is recommended as particularly suitable, without mentioning or excluding others, or that a certain course of action is preferred but not necessarily required, or that in the negative form a certain possibility or course of action is deprecated but not prohibited. The word “**may**” indicates a course of action permissible within the limits of The Qi Wireless Power Transfer System, Power Class 0 Specification. The word “**can**” indicates a possibility or capability, whether material, physical, or causal.

1.4.2 References

For undated references, the most recently published Specification applies. The most recent WPC publications can be downloaded from <http://www.wirelesspowerconsortium.com>. (See Section 1.2.1 for a list of documents included in The Qi Wireless Power Transfer System for Power Class 0 Specification.) In addition, the following documents are referenced within The Qi Wireless Power Transfer System for Power Class 0 Specification.

- Product Registration Procedure Web page (WPC Web site for members, Testing & Registration section)
- Qi Product Registration Manual, Logo Licensee/Manufacturer
- Qi Product Registration Manual, Authorized Test Lab
- Power Receiver Manufacturer Codes, Wireless Power Consortium
- The International System of Units (SI), Bureau International des Poids et Mesures