

## IEC TR 61967-1-1

Edition 2.0 2015-08

# TECHNICAL REPORT



Integrated circuits – Measurement of electromagnetic emissions – Part 1-1: General conditions and definitions – Near-field scan data exchange format

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 31.200 ISBN 978-2-8322-2880-7

Warning! Make sure that you obtained this publication from an authorized distributor.

## CONTENTS

F	DREWO	RD	5
IN	TRODU	CTION	7
1	Scop	e	8
2	Norm	ative references	8
3	Term	s, definitions and abbreviations	8
	3.1	Terms and definitions	
		Abbreviations	
4		ral syntax rules and guidelines	
	4.1	General	
	4.2	XML requirements	
	4.2.1	General	
	4.2.2	XML declaration	
	4.2.3	XML elements	9
	4.2.4	Root element	. 10
	4.2.5	Comments	. 10
	4.2.6	Line terminations	. 10
	4.2.7	Element hierarchy	. 10
	4.3	Keyword requirements	.11
	4.3.1	General	.11
	4.3.2	Keyword characters	. 11
	4.3.3	Keyword syntax	. 11
	4.3.4	Root element keywords	. 12
	4.4	File structure	. 12
	4.4.1	General	. 12
	4.4.2	File names	
	4.4.3	File paths	
	4.4.4	Single XML file	
	4.4.5	Multiple XML files	
	4.4.6	Separate data files	
	4.4.7	Additional files	
	4.4.8	File compression	
	4.5	Values	
	4.5.1	General	
	4.5.2	Numerical value syntax	
	4.5.3	Numerical value with units syntax	
	4.5.4 4.5.5	Text string	
	4.5.5	Valid units	
	4.6.1	Congret	
	4.6.1	General	
	4.6.2	Cartesian coordinate system	
	4.6.3	Cylindrical coordinate system	
	4.6.5	Coordinate offsets	
	4.6.6	Image coordinates	
	4.0.0	Field type and orientation	
	4.7	Data syntax	
	₹.0	Data Syntax	. 4

	4.8.1	General	24
	4.8.2	Data arrangement	24
	4.8.3	Data with coordinate information	25
	4.8.4	Data without coordinate information	25
	4.8.5	Data format	26
	4.8.6	Data notation	26
	4.9	Probe factor	28
	4.10	Images	30
	4.10.	1 General	30
	4.10.	2 Image file types	30
	4.10.	3 Image file name and path	30
	4.11	3D objects	30
	4.11.	1 General	30
	4.11.	2 3D object file types	30
	4.11.		
	4.11.		
An		informative) Example files	
	A.1 `	Minimum default file	
	A.1.1		
	A.1.2	·	
		File with magnitude and angle data	
	A.2.1		
	A.2.2	·	
		File with field azimuth and zenith orientation	
	A.3.1		
	A.3.2	·	
	A.4	File with optimised field azimuth orientation	
	A.4.1	•	
	A.4.2	·	
		File with piece-wise linear time domain data in a separate binary file	
	A.5.1		
	A.5.2	·	
	A.6	File without coordinate information	
	A.6.1		
	A.6.2		
	A.7	File for immunity scan with multiple criteria	
	A.7.1	·	
	A.7.2	·	
		File for emission scan with probe factor	
	A.8.1	·	
	A.8.2	·	
	A.9	File for immunity scan with probe factor	
	A.9.1	·	
	A.9.2	·	
	A.10	File with image and 3D image	
	A.10.		
	A.10.	·	
	A.11	File with plane rotation	
		Emission scan in several YMI files	۰۰۰۰۰ ۱۳

ex B (normative) Valid keywords		
B.1 General	44	
B.2 File header keywords	44	
B.3 Global keywords		
B.4 Component section keywords		
B.5 Setup section keywords		
B.6 Probe section keywords		
B.7 Data section keywords		
Bibliography		
Bibliography		
Figure 1 – Multiple XML files	13	
Figure 2 – XML files with data files		
Figure 3 – Additional files		
Figure 4 – Right-hand Cartesian coordinate system		
Figure 5 – Left-hand Cartesian coordinate system		
Figure 6 – Cylindrical coordinate system		
Figure 7 – Spherical coordinate system		
Figure 8 – Offsets and image positioning (right-hand Cartesian)		
Figure 9 – Offsets and image positioning (left-hand Cartesian)		
Figure 11 – Field orientation – Right-hand Cartesian coordinate system		
Figure 12 – Field orientation – Right-hand Cartesian coordinate system		
Figure 13 – Field orientation – Cylindrical coordinate system		
Figure 14 – Field orientation – Spherical coordinate system		
Figure A 1 – Example .obj file		
Figure A.2 – Coordinates in DUT reference plane		
Figure A.3 – Coordinates in the measurement reference plane		
rigure A.5 – Coordinates in the measurement reference plane	42	
Table 1 – Valid logarithmic units	16	
Table 2 – Relationship between azimuth, zenith angles and field component		
Table 3 – Permitted values for the keyword: Coordinates		
Table 4 – Order of measurement points when coordinates are not included		
Table 5 – Probe factor linear units		
Table 6 – Probe factor logarithmic units		
Table A.1 – Data matrix		
Table A.2 – Magnetic field strength for emission		
Table A.3 – Magnetic field strength for immunity		
Table C.1 – File header keywords		
Table C.2 – Global keywords		
Table C.3 – Component section keywords		
Table C.4 – Setup section keywords		
Table C.5 – Probe section keywords		
Table C.6 – Data section keywords	58	

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

## INTEGRATED CIRCUITS – MEASUREMENT OF ELECTROMAGNETIC EMISSIONS –

### Part 1-1: General conditions and definitions – Near-field scan data exchange format

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 61967-1-1, which is a technical report, has been prepared by subcommittee 47A: Integrated circuits, of IEC technical committee 47: Semiconductor devices.

This second edition cancels and replaces the first edition published in 2010. This edition constitutes a technical revision.

This edition includes the following significant changes with respect to the previous edition:

Addition of:

- 4.11 3D objects;
- Binary data files;
- Piece-wise linear time domain and frequency domain data;
- Vectors permitting rotation and offset of measurement and DUT reference planes;
- Transducer gain and probe factor can be complex;
- New keywords: Object3d, Mapobj, Maxhold, Datafileformat, Vx, Vy, Vz, Target, Software, Data source.
- Updating of:
  - 4.9 Probe factor and corresponding keywords.
- Modification of:
  - Keywords: Average.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
47A/953/DTR	47A/962/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61967 series, under the general title *Integrated circuits – Measurement of electromagnetic emissions*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- · amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

#### INTRODUCTION

Near-field scan measurements, as described for example in IEC TS 61967-3 [1]  $^{1}$  or IEC TS 62132-9 [2], and simulations generate a large amount of data. Many different formats are used for storing the data, thereby rendering its exchange extremely difficult.

The proposed format is intended to facilitate exchange of near-field scan data between industrials, academics, EDA tool vendors and end customers. It is based on the well-known XML format, which is both machine and human readable. Its structure allows the files to be generated and processed on any operating system. In order to limit the file size, it is possible to store the information and data in a single file or multiple files. Moreover, the ASCII-based XML format allows the files to be compressed to a very high level with readily available compression software.

The three conventional coordinate systems (Cartesian, cylindrical and spherical) are supported by the proposed exchange format. Information on the device under test, the test set-up, the probe, etc., is also included in the files. Notes and links to external documents allow complex test environments to be well described.

The version of the exchange format described in this technical report is 2.0. Future revisions will add items, such as new keywords and rules, considered to be "enhancements" to Version 1.0. Consequently, all future revisions will be considered supersets of Version 2.0, allowing backward compatibility.

<sup>1</sup> Figures in square brackets refer to the Bibliography.

## INTEGRATED CIRCUITS – MEASUREMENT OF ELECTROMAGNETIC EMISSIONS –

# Part 1-1: General conditions and definitions – Near-field scan data exchange format

#### 1 Scope

This part of IEC 61967 provides guidance for exchanging data generated by near-field scan measurements.

The described exchange format could also be used for near-field scan data generated by simulation or computation software. It should be noted that, although it has been developed for near-field scan, its use is not restricted to this application. The exchange format can be applied to emission and immunity near-field scan data in the frequency and time domains.

The scope of this technical report includes neither the methods used for the measurements or simulations, nor the software and algorithms used for generating the exchange file or for processing or viewing the data contained therein.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050 (all parts), *International Electrotechnical Vocabulary* (available at <a href="http://www.electropedia.org">http://www.electropedia.org</a>)

IEC 61967-1, Integrated circuits – Measurement of electromagnetic emissions, 150 kHz to 1 GHz – Part 1: General conditions and definitions

ISO 8879, Information processing – Text and office systems – Standard Generalized Markup Language (SGML)

ANSI INCITS 4:1986, Information Systems – Coded Character Sets – 7-Bit American National Standard Code for Information Interchange (7-Bit ASCII)

IEEE Std 754<sup>™</sup>-2008: *IEEE Standard for Floating-Point Arithmetic*