

IEC TR 62343-6-4

Edition 1.0 2017-01

TECHNICAL REPORT



Dynamic modules -

Part 6-4: Design guides - Reconfigurable optical add/drop multiplexer

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 33.180.01, 33.180.99

ISBN 978-2-8322-3879-0

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWOR	D	4
1 Scope.		6
2 Normat	tive references	6
3 Terms,	definitions and abbreviated terms	6
3.1 T	erms and definitions	6
3.2 A	bbreviated terms	6
4 Reconf	figurable optical add/drop multiplexer	7
4.1 B	ackground	7
4.2 O	Optical network evolution	8
4.3 R	ROADM subsystem technologies evolution	11
4.3.1	General	11
4.3.2	Wavelength blocker based ROADMs	
4.3.3	Integrated planar lightwave circuits (IPLC) based ROADMs	
4.3.4	Wavelength selective switches	
	ROADM architecture	
4.4.1	Broadcast and select architecture	
4.4.2 4.4.3	Route and select architecture	
_	Colourless, directionless and contentionless (CDC) functionalityerformance characteristics	
•		
•	formative) ROADM (WSS) component technologies	
	General description	
	PLC technology MEMS (micro-electromechanical system) technology	
	CD (liquid crystal device) technology	
	COS (liquid crystal on silicon)	
	DLP (digital light processor) mirror arrays	
	eature comparison of each switching engine technology	
	y	
0 1 .	•	
Figure 1 – F	Reconfigurable optical network	7
_	Evolution of optical networks from point-to-point to reconfigurable WDM	
_	Schematic of a ROADM node showing functions of wavelength pass-	0
	d or drop, channel power equalization, and optical channel monitoring	
		10
Figure 4 – E	Evolution of ROADM technologies	11
Figure 5 – V	Navelength blocker based ROADM architecture	12
	2-degree ROADM node architecture with wavelength blocker, dynamic OAs OCMs	12
Figure 7 – F	PLC based ROADM architecture	13
_	ROADM architecture incorporating a WSS	
-	Broadcast and select architecture of ROADMs	
	ROADM architectures	
•	ROADM route and select architectures	
_		1 /
	8x8 WSS and large port count 1x24 WSS based colourless, directionless tionless ROADM architecture	18

Figure 13 – Coloured and directional ROADM architecture including WSS, splitters, AWGs and transceivers (TRx)	19
Figure 14 - Colourless, directionless and contentionless ROADM architecture	20
Figure 15 – Technologies for contentionless architecture	21
Figure A.1 – Example of PLC devices for ROADM systems	23
Figure A.2 – Generic internal configuration of WSS (example, MEMS based)	24
Figure A.3 – Switching engine of MEMS	24
Figure A.4 – LC switching engine	25
Figure A.5 – LCOS switching engine	26
Figure A.6 – DLP switching engine	26
Table 1 – List of key WSS parameters	22
Table A.1 – WSS switch engine feature comparison	27

INTERNATIONAL ELECTROTECHNICAL COMMISSION

DYNAMIC MODULES -

Part 6-4: Design guides – Reconfigurable optical add/drop multiplexer

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a Technical Report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 62343-6-4, which is a Technical Report, has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics.

The text of this Technical Report is based on the following documents:

Enquiry draft	Report on voting
86C/1400/DTR	86C/1420/RVC

Full information on the voting for the approval of this Technical Report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62343 series, published under the general title *Dynamic modules*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

DYNAMIC MODULES -

Part 6-4: Design guides – Reconfigurable optical add/drop multiplexer

1 Scope

This part of IEC 62343, which is a Technical Report on reconfigurable optical add/drop multiplexers (ROADMs), provides a description of the ROADMs in dynamic optical networks and related optical component and module technologies, including wavelength selective switches (WSSs).

2 Normative references

There are no normative references in this document.