



Edition 1.0 2009-11

TECHNICAL REPORT

Radio frequency identification (RFID) of stationary lead acid cells and monoblocs – Tentative requirements

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE

ICS 29.220.20

ISBN 978-2-88910-758-2

S

CONTENTS

1 Scope 5 2 Terms and definitions 5 3 Functional requirements 9 3.1 Overview 9 3.2 Data content and display requirements 10 3.3 Physical dimensions requirements 10 3.4 Performance requirements 10 3.5 Durability requirements 10 3.5 Durability requirements 10 3.5 Durability requirements 10 4 Requirement for information stored 11 4.1 Requirement of information display structure 14 4.3 Requirement for data safety 14 4.4 Requirement for RFID tag hull material 15 4.6 Requirement for RFID tag fixation on cells and monoblocs 15 4.7 Requirement for reading of data 16 4.9 Requirement for reading of data when n+1 units are present 17 4.11 Requirement for durability of the data written on the RFID tag 18 4.12 Requirement for durability under vibration conditions 19 4.13 Requirement for	FOI	REWC	PRD	3	
3 Functional requirements 9 3.1 Overview 9 3.2 Data content and display requirements 10 3.3 Physical dimensions requirements 10 3.4 Performance requirements 10 3.5 Durability requirements 10 3.6 Performance requirements 10 3.7 Requirement control of information stored 11 4.1 Requirement for information stored 11 4.2 Requirement of information stored 11 4.3 Requirement of information translator 14 4.3 Requirement for data safety 14 4.5 Requirement for RFID tag fluxition on cells and monoblocs 15 4.6 Requirement for RFID tag fluxition on cells and monoblocs 15 4.8 Requirement for reading of data 16 4.9 Requirement for reading of data 16 4.10 Requirement for durability under temperature. 17 4.11 Requirement for durability under temperature. 18 4.13 Requirement for durability under temperature. 19	1	Scop	e	5	
3.1 Overview 9 3.2 Data content and display requirements 10 3.3 Physical dimensions requirements 10 3.4 Performance requirements 10 3.5 Durability requirements 10 3.6 Durability requirements 10 3.5 Durability requirements 10 3.6 Requirements and characteristics 11 4.1 Requirement for information stored 11 4.2 Requirement of information translator 14 4.3 Requirement for data safety 14 4.4 Requirement for preferred physical dimensions 15 4.6 Requirement for RFID tag fluxition on cells and monoblocs 15 4.7 Requirement for RFID tag fluxition on cells and monoblocs 15 4.8 Requirement for reading of data 16 4.9 Requirement for reading of data 16 4.10 Requirement for durability under untits are present 17 4.11 Requirement for durability under temperature 18 4.13 Requirement for durability under vibration conditions 19 <	2	Terms and definitions			
3.2 Data content and display requirements 10 3.3 Physical dimensions requirements 10 3.4 Performance requirements 10 3.5 Durability requirements 10 3.6 Performance requirements 10 3.7 Durability requirements 10 3.5 Durability requirements 10 4 Requirements and characteristics 11 4.1 Requirement for information stored 11 4.1 Requirement of information translator 14 4.3 Requirement for data safety 14 4.5 Requirement for RFID tag hull material 15 4.6 Requirement for RFID tag hull material 15 4.7 Requirement for RFID tag fixation on cells and monoblocs 15 4.8 Requirement for reading of data 16 4.9 Requirement for reading of data 16 4.10 Requirement for durability of the data written on the RFID tag 18 4.11 Requirement for durability when exposed to chemicals 19 4.12 Requirement for durability when exposed stresses occurring during battery m	3	Functional requirements			
3.3 Physical dimensions requirements 10 3.4 Performance requirements 10 3.5 Durability requirements 10 4 Requirements and characteristics 11 4.1 Requirement for information stored 11 4.2 Requirement of information display structure 14 4.3 Requirement of information translator 14 4.3 Requirement for preferred physical dimensions 15 4.6 Requirement for RFID tag hull material 15 4.7 Requirement for RFID tag fixation on cells and monoblocs 15 4.8 Requirement for reading of data 16 4.9 Requirement for reading of data 16 4.10 Requirement for reading of data in transmission damping conditions 17 4.11 Requirement for durability of the data written on the RFID tag 18 4.13 Requirement for durability when exposed to chemicals 19 4.14 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography 21 10 10 14.1 Requirement for durability when exposed stress		3.1	Overview	9	
3.4 Performance requirements 10 3.5 Durability requirements 10 4 Requirements and characteristics 11 4.1 Requirement for information stored 11 4.2 Requirement of information display structure 14 4.3 Requirement of information translator 14 4.4 Requirement for data safety 14 4.5 Requirement for preferred physical dimensions 15 4.6 Requirement for RFID tag hull material 15 4.7 Requirement for RFID tag fixation on cells and monoblocs 15 4.8 Requirement for reading of data 16 4.9 Requirement for reading of data 16 4.10 Requirement for reading of data when n+1 units are present 17 4.11 Requirement for durability under temperature 19 4.12 Requirement for durability under vibration conditions 19 4.13 Requirement for durability when exposed to chemicals 19 4.14 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography. 21 10 10		3.2	Data content and display requirements	10	
3.5 Durability requirements 10 4 Requirements and characteristics 11 4.1 Requirement for information stored 11 4.2 Requirement of information display structure 14 4.3 Requirement of information translator 14 4.4 Requirement for data safety 14 4.5 Requirement for preferred physical dimensions 15 4.6 Requirement for RFID tag hull material 15 4.7 Requirement for RFID tag fixation on cells and monoblocs 15 4.8 Requirement for reading of data 16 4.9 Requirement for reading of data 16 4.10 Requirement for durability of the data written on the RFID tag 18 4.13 Requirement for durability under temperature 19 4.14 Requirement for durability under vibration conditions 19 4.15 Requirement for durability when exposed to chemicals 19 4.16 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography 21 10 10 Table 1 – Data content and display requirements		3.3	Physical dimensions requirements	10	
4 Requirements and characteristics 11 4.1 Requirement for information stored 11 4.2 Requirement of information display structure 14 4.3 Requirement of information translator 14 4.3 Requirement for data safety 14 4.4 Requirement for preferred physical dimensions 15 4.6 Requirement for RFID tag hull material 15 4.7 Requirement for RFID tag fixation on cells and monoblocs 15 4.8 Requirement for reading of data 16 4.9 Requirement for reading of data when n+1 units are present 17 4.11 Requirement for reading of data when n+1 units are present 17 4.12 Requirement for durability of the data written on the RFID tag 18 4.13 Requirement for durability under temperature 19 4.14 Requirement for durability under vibration conditions 19 4.15 Requirement for durability when exposed to chemicals 19 4.16 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography 21 10 11		3.4	Performance requirements	10	
4.1 Requirement for information stored 11 4.2 Requirement of information display structure 14 4.3 Requirement of information translator 14 4.3 Requirement of information translator 14 4.4 Requirement for data safety 14 4.5 Requirement for preferred physical dimensions 15 4.6 Requirement for RFID tag hull material 15 4.7 Requirement for RFID tag fixation on cells and monoblocs 15 4.8 Requirement for reading of data 16 4.9 Requirement for reading of data 16 4.10 Requirement for reading of data in transmission damping conditions 17 4.11 Requirement for durability of the data written on the RFID tag 18 4.13 Requirement for durability under temperature 19 4.14 Requirement for durability under vibration conditions 19 4.15 Requirement for durability when exposed to chemicals 19 4.16 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography 21 10 10 Table 1 – Da		3.5	Durability requirements	10	
4.2 Requirement of information display structure 14 4.3 Requirement of information translator 14 4.4 Requirement for data safety 14 4.5 Requirement for preferred physical dimensions 15 4.6 Requirement for RFID tag hull material 15 4.7 Requirement for RFID tag fixation on cells and monoblocs 15 4.8 Requirement for reading of data 16 4.9 Requirement for reading of data 16 4.10 Requirement for reading of data when n+1 units are present 17 4.11 Requirement for reading of data when n+1 units are present 17 4.12 Requirement for reading of data in transmission damping conditions 17 4.11 Requirement for durability of the data written on the RFID tag 18 4.13 Requirement for durability under temperature 19 4.14 Requirement for durability when exposed to chemicals 19 4.15 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography 21 10 10 Table 1 – Data content and display requirements 10 10	4	Requirements and characteristics			
4.3 Requirement of information translator 14 4.4 Requirement for data safety 14 4.5 Requirement for preferred physical dimensions 15 4.6 Requirement for RFID tag hull material 15 4.7 Requirement for RFID tag fixation on cells and monoblocs 15 4.8 Requirement for writing of data 16 4.9 Requirement for reading of data 16 4.10 Requirement for reading of data when n+1 units are present 17 4.11 Requirement for reading of data in transmission damping conditions 17 4.12 Requirement for durability of the data written on the RFID tag 18 4.13 Requirement for durability under temperature 19 4.14 Requirement for durability when exposed to chemicals 19 4.15 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography 21 21 Table 1 – Data content and display requirements 10 Table 2 – Physical dimensions requirements 10 Table 3 – Performance requirements 10 Table 4 – Durability requirements 11 <tr< td=""><td></td><td>4.1</td><td>Requirement for information stored</td><td>11</td></tr<>		4.1	Requirement for information stored	11	
4.4 Requirement for data safety 14 4.5 Requirement for preferred physical dimensions 15 4.6 Requirement for RFID tag hull material 15 4.7 Requirement for RFID tag fixation on cells and monoblocs 15 4.8 Requirement for writing of data 16 4.9 Requirement for reading of data 16 4.10 Requirement for reading of data 16 4.11 Requirement for reading of data when n+1 units are present 17 4.11 Requirement for reading of data in transmission damping conditions 17 4.12 Requirement for durability of the data written on the RFID tag 18 4.13 Requirement for durability under temperature 19 4.14 Requirement for durability when exposed to chemicals 19 4.15 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography 21 21 Table 1 – Data content and display requirements 10 Table 2 – Physical dimensions requirements 10 Table 3 – Performance requirements 10 Table 4 – Durability requirements 11		4.2	Requirement of information display structure	14	
4.5 Requirement for preferred physical dimensions 15 4.6 Requirement for RFID tag hull material 15 4.7 Requirement for RFID tag fixation on cells and monoblocs 15 4.8 Requirement for writing of data 16 4.9 Requirement for reading of data 16 4.10 Requirement for reading of data when n+1 units are present 17 4.11 Requirement for reading of data in transmission damping conditions 17 4.12 Requirement for durability of the data written on the RFID tag 18 4.13 Requirement for durability under temperature 19 4.14 Requirement for durability when exposed to chemicals 19 4.15 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography 21 21 Table 1 – Data content and display requirements 10 10 Table 3 – Performance requirements 10 Table 4 – Durability requirements 11 11 Table 5 – Data string 12		4.3	Requirement of information translator	14	
4.6 Requirement for RFID tag hull material. 15 4.7 Requirement for RFID tag fixation on cells and monoblocs 15 4.8 Requirement for writing of data 16 4.9 Requirement for reading of data 16 4.10 Requirement for reading of data when n+1 units are present 17 4.11 Requirement for reading of data in transmission damping conditions 17 4.12 Requirement for durability of the data written on the RFID tag 18 4.13 Requirement for durability under temperature 19 4.14 Requirement for durability under vibration conditions 19 4.15 Requirement for durability when exposed to chemicals 19 4.16 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography 21 10 Table 1 – Data content and display requirements 10 Table 3 – Performance requirements 10 Table 4 – Durability requirements 11 Table 5 – Data string 12		4.4	Requirement for data safety	14	
4.7 Requirement for RFID tag fixation on cells and monoblocs 15 4.8 Requirement for writing of data 16 4.9 Requirement for reading of data 16 4.10 Requirement for reading of data 16 4.10 Requirement for reading of data when n+1 units are present 17 4.11 Requirement for reading of data in transmission damping conditions 17 4.12 Requirement for durability of the data written on the RFID tag 18 4.13 Requirement for durability under temperature 19 4.14 Requirement for durability under vibration conditions 19 4.15 Requirement for durability when exposed to chemicals 19 4.16 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography 21 10 Table 1 – Data content and display requirements 10 Table 3 – Performance requirements 10 Table 4 – Durability requirements 11 Table 5 – Data string 12		4.5	Requirement for preferred physical dimensions	15	
4.8 Requirement for writing of data. 16 4.9 Requirement for reading of data 16 4.10 Requirement for reading of data when n+1 units are present. 17 4.11 Requirement for reading of data in transmission damping conditions. 17 4.11 Requirement for reading of data in transmission damping conditions. 17 4.12 Requirement for durability of the data written on the RFID tag. 18 4.13 Requirement for durability under temperature. 19 4.14 Requirement for durability under vibration conditions 19 4.15 Requirement for durability when exposed to chemicals 19 4.16 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography. 21 19 Bibliography. 21 10 Table 1 – Data content and display requirements. 10 Table 3 – Performance requirements 10 Table 4 – Durability requirements 11 Table 5 – Data string 12		4.6	Requirement for RFID tag hull material	15	
4.9 Requirement for reading of data 16 4.10 Requirement for reading of data when n+1 units are present 17 4.11 Requirement for reading of data in transmission damping conditions 17 4.12 Requirement for durability of the data written on the RFID tag 18 4.13 Requirement for durability under temperature 19 4.14 Requirement for durability under vibration conditions 19 4.15 Requirement for durability when exposed to chemicals 19 4.16 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography 21 11 10 Table 1 – Data content and display requirements 10 10 Table 3 – Performance requirements 10 10 Table 4 – Durability requirements 11 11 Table 5 – Data string 12		4.7	Requirement for RFID tag fixation on cells and monoblocs	15	
4.10 Requirement for reading of data when n+1 units are present 17 4.11 Requirement for reading of data in transmission damping conditions 17 4.12 Requirement for durability of the data written on the RFID tag 18 4.13 Requirement for durability under temperature 19 4.14 Requirement for durability under vibration conditions 19 4.15 Requirement for durability when exposed to chemicals 19 4.16 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography 21 10 Table 1 – Data content and display requirements 10 Table 2 – Physical dimensions requirements 10 Table 3 – Performance requirements 10 Table 4 – Durability requirements 11 Table 5 – Data string 12		4.8	Requirement for writing of data	16	
4.11 Requirement for reading of data in transmission damping conditions 17 4.12 Requirement for durability of the data written on the RFID tag 18 4.13 Requirement for durability under temperature 19 4.14 Requirement for durability under vibration conditions 19 4.15 Requirement for durability when exposed to chemicals 19 4.16 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography 21 Table 1 – Data content and display requirements 10 Table 2 – Physical dimensions requirements 10 Table 3 – Performance requirements 10 Table 4 – Durability requirements 11 Table 5 – Data string 12		4.9	Requirement for reading of data	16	
4.12 Requirement for durability of the data written on the RFID tag. 18 4.13 Requirement for durability under temperature. 19 4.14 Requirement for durability under vibration conditions 19 4.15 Requirement for durability when exposed to chemicals 19 4.16 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography 21 Table 1 – Data content and display requirements 10 Table 2 – Physical dimensions requirements 10 Table 3 – Performance requirements 10 Table 4 – Durability requirements 11 Table 5 – Data string 12		4.10	Requirement for reading of data when n+1 units are present	17	
4.13 Requirement for durability under temperature 19 4.14 Requirement for durability under vibration conditions 19 4.15 Requirement for durability when exposed to chemicals 19 4.16 Requirement for durability when exposed stresses occurring during battery 19 4.16 Requirement for durability when exposed stresses occurring during battery 19 Bibliography 19 Bibliography 21 Table 1 – Data content and display requirements 10 Table 2 – Physical dimensions requirements 10 Table 3 – Performance requirements 10 Table 4 – Durability requirements 11 Table 5 – Data string 12		4.11	Requirement for reading of data in transmission damping conditions	17	
4.14 Requirement for durability under vibration conditions 19 4.15 Requirement for durability when exposed to chemicals 19 4.16 Requirement for durability when exposed to chemicals 19 4.16 Requirement for durability when exposed stresses occurring during battery manufacturing 19 Bibliography 19 Bibliography 21 Table 1 – Data content and display requirements 10 Table 2 – Physical dimensions requirements 10 Table 3 – Performance requirements 10 Table 4 – Durability requirements 11 Table 5 – Data string 12		4.12	Requirement for durability of the data written on the RFID tag	18	
4.15 Requirement for durability when exposed to chemicals 19 4.16 Requirement for durability when exposed stresses occurring during battery 19 Bibliography 19 Table 1 – Data content and display requirements 10 Table 2 – Physical dimensions requirements 10 Table 3 – Performance requirements 10 Table 4 – Durability requirements 11 Table 5 – Data string 12		4.13	Requirement for durability under temperature	19	
4.16 Requirement for durability when exposed stresses occurring during battery 19 Bibliography 21 Table 1 – Data content and display requirements 10 Table 2 – Physical dimensions requirements 10 Table 3 – Performance requirements 10 Table 4 – Durability requirements 11 Table 5 – Data string 12		4.14	Requirement for durability under vibration conditions	19	
manufacturing19Bibliography21Table 1 – Data content and display requirements10Table 2 – Physical dimensions requirements10Table 3 – Performance requirements10Table 4 – Durability requirements11Table 5 – Data string12		4.15	Requirement for durability when exposed to chemicals	19	
Bibliography. 21 Table 1 – Data content and display requirements. 10 Table 2 – Physical dimensions requirements. 10 Table 3 – Performance requirements 10 Table 4 – Durability requirements 11 Table 5 – Data string 12		4.16		10	
Table 1 – Data content and display requirements10Table 2 – Physical dimensions requirements10Table 3 – Performance requirements10Table 4 – Durability requirements11Table 5 – Data string12	Rih	lioarar	-		
Table 2 – Physical dimensions requirements.10Table 3 – Performance requirements10Table 4 – Durability requirements11Table 5 – Data string12		nograf	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	21	
Table 3 – Performance requirements10Table 4 – Durability requirements11Table 5 – Data string12	Tab	ole 1 –	Data content and display requirements	10	
Table 3 – Performance requirements10Table 4 – Durability requirements11Table 5 – Data string12	Tab	le 2 –	Physical dimensions requirements	10	
Table 4 – Durability requirements11Table 5 – Data string12					
Table 5 – Data string 12					
-					

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RADIO FREQUENCY IDENTIFICATION (RFID) OF STATIONARY LEAD ACID CELLS AND MONOBLOCS – TENTATIVE REQUIREMENTS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committee; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC/TR 62540, which is a technical report, has been prepared by IEC technical committee 21: Secondary cells and batteries. It is an informative document destined to lay the groundwork for a possible future IEC/ISO standard. Such a standard would be established by a joint ISO/IEC working group with IEC TC 21 and ISO/IEC JTC1/SC31 acting as the leading technical committees.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
21/685/DTR	21/703/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

RADIO FREQUENCY IDENTIFICATION (RFID) OF STATIONARY LEAD ACID CELLS AND MONOBLOCS – TENTATIVE REQUIREMENTS

1 Scope

IEC/TR 62540, which is a technical report, applies to all stationary lead-acid cells and monobloc batteries for float charge applications (i.e. permanently connected to a load and to a d.c. power supply), in a static location (i.e. not generally intended to be moved from place to place) and incorporated into stationary equipment or installed in battery rooms for use in telecom, uninterruptible power supply (UPS), utility switching, emergency power or similar applications. These batteries are covered by IEC 60896-11, IEC 60896-21 and IEC 60896-22.

The objective of this technical report is to assist the supplier and user of radio frequency identification devices (RFID) in the understanding of the requirements for performance, durability, data content and structure, the write/read capability of such devices, and to provide guidance so that the RFID tag on the battery will result in meeting the needs of a particular industry application and operational condition.

This technical report does not directly apply to lead-acid cells and batteries used for vehicle engine starting applications (IEC 60095 series), solar photovoltaic applications (IEC 61427), or general purpose applications (IEC 61056 series) but nevertheless can also be the base of standardization activities for these types of lead acid batteries.