

IEC/TS 62257-7-1

Edition 2.0 2010-09

TECHNICAL SPECIFICATION



Recommendations for small renewable energy and hybrid systems for rural electrification –

Part 7-1: Generators – Photovoltaic generators

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE XC

ICS 27.160 ISBN 978-2-88912-177-9

CONTENTS

FO	REW	ORD		6
INT	ROD	UCTION		8
1	Scop	e		9
2	Norn	native re	ferences	9
3	Term	ns and d	efinitions	11
4	Desi	an		17
	4.1	-	cal design	
		4.1.1	General	
		4.1.2	Earthing system of a IES or a CES including a PV array	
		4.1.3	Extra low voltage segmentation	
		4.1.4	Earthing system	
		4.1.5	Architectures	
		4.1.6	Series-parallel configuration	
		4.1.7	Batteries in systems	
		4.1.8	Considerations due to prospective fault conditions within a PV array	
		4.1.9	Considerations due to operating temperature	
		4.1.10	Component voltage ratings	
			Performance issues	
	4.2		nical design	
		4.2.1	General	
		4.2.2	Thermal aspects	34
		4.2.3	Mechanical loads on PV structures	34
		4.2.4	Wind	34
		4.2.5	Material accumulation on PV array	34
		4.2.6	Corrosion	34
5	Safe	ty issues	S	35
	5.1	Genera	al	35
	5.2		tion against electric shock and fire	
	5.3		tion against overcurrent	
		5.3.1	General	
		5.3.2	Overcurrent protection requirements for PV strings	
		5.3.3	Discrimination	
		5.3.4	Overcurrent protection sizing	36
		5.3.5	Overcurrent protection location	
	5.4	Protect	tion against effects of lightning and over-voltage	
		5.4.1	General	
		5.4.2	Protection against direct stroke from lightning	38
		5.4.3	Protection against over-voltage	
6	Sele	ction and	d erection of electrical equipment	
	6.1		onent requirements	
		6.1.1	PV modules	
		6.1.2	PV array and PV sub-array junction boxes	
		6.1.3	Switching devices	
		6.1.4	Cables	
		6.1.5	Protection devices and cables sizing process	
		6.1.6	Plugs, sockets and couplers	
		-		

		6.1.7	Fuses	44
		6.1.8	By-pass diodes	44
		6.1.9	Blocking diodes	45
	6.2	Locatio	n and installation requirements	45
		6.2.1	Disconnecting means	45
		6.2.2	PV array production optimization	47
		6.2.3	Array voltage	48
		6.2.4	Wiring system	48
		6.2.5	Surge protective devices	51
		6.2.6	Earthing arrangement, protective conductors	51
7	Acce	ptance .		51
	7.1	Genera	ıl	51
	7.2	Confor	mance with system general specification	51
	7.3	Wiring	and installation integrity	51
		7.3.1	Compliance with wiring standards	
		7.3.2	Compliance with this standard	
	7.4	Open o	ircuit voltage	
		7.4.1	General	
		7.4.2	Procedure	52
	7.5		ircuit voltage measurements for PV arrays with a large number of	
		strings		52
		7.5.1	General	52
		7.5.2	Procedure	52
		7.5.3	PV arrays and sub-arrays measurement	52
	7.6	Short c	ircuit current measurements	
		7.6.1	General	53
		7.6.2	Procedure	53
	7.7	Commi	ssioning records	54
8	Opera	ation/ma	aintenance	55
	8.1	Genera	ıl	55
	8.2	Safety		55
	8.3	Operat	ion and maintenance procedures	55
9	Repla	acement		56
10	Mark	ing and	documentation	56
	10.1	Equipm	nent marking	56
			ements for signs	
		•	ng of PV array and PV sub-array junction boxes	
			ng of disconnection devices	
			General	
			PV array disconnecting device	
	10.5		nergency information signs	
			General	
	10.6		entation	
Anr			tive) Examples of commissioning records	
			itive) Example of maintenance schedule	
		•	ative) Replacement	
		•		
			ative) Examples of signs	
Anr	nex E	(informa	tive) Case studies	65

Annex F (informative) Double switching in PV array	75
Bibliography	81
Figure 1 – General functional configuration of a PV system	18
Figure 2 – Configuration A – PV alone IES P < 500 W – without inverter – d < 15 m	24
Figure 3 – Configuration G – PV alone IES P < 500 W – without inverter – d > 15 m	24
Figure 4 – Configuration B – PV alone IES P < 500 W – with inverter – d < 15 m	25
Figure 5 – Configuration H – PV alone IES P < 500 W – with inverter – d > 15 m	
Figure 6 – Configuration C and E – PV alone IES or CES – P < 500 W – with inverter –	
d < 15 m	26
Figure 7 – Configuration I and K – PV alone IES or CES – P < 500 W – with inverter –	26
d > 15 m Figure 8 – Configuration D and F – Hybrid IES or CES – PV generator + inverter and	20
other generator – d < 15 m	27
Figure 9 – Configuration J and L – Hybrid IES or CES – PV generator + inverter and other generator – d > 15 m	28
Figure 10 – PV array diagram – single string case	29
Figure 11 – PV array diagram – multi-string case	30
Figure 12 - PV array diagram - multi-string case with array divided into sub-arrays	31
Figure 13 – Needs for overcurrent protection in PV strings	36
Figure 14 – Blocking diode implementation (example)	45
Figure 15 – PV string wiring with minimum loop area	49
Figure D.1 – Example of sign required on PV array junction box (10.3)	64
Figure D.2 – Example of sign required adjacent to PV array main switch (10.4.2)	64
Figure D.3 – Example of fire emergency information sign required in main building switchboard (10.5.1)	64
Figure F.1 – Floating PV array operating at maximum power point	76
Figure F.2 – Floating PV array with single earth fault	
Figure F.3 – Floating PV array with double earth fault	
Figure F.4 – Floating PV array with double earth fault	79
Table 1 – Voltage domains for PV arrays	9
Table 2 – Functions fulfilled by the technical room	18
Table 3 – PV system earthing configurations – distance "d" < 15 m	22
Table 4 – PV system earthing configurations – distance "d" > 15 m	23
Table 5 – Requirements for location of overcurrent protective devices according to the earth configuration	38
Table 6 – Current rating of PV array circuits	42
Table 7 – Disconnecting means requirements in PV array installations	46
Table 8 – Location of disconnection devices according to system configuration, where required	46
Table A.1 – Verification of PV array general ratings and technical specifications	58
Table A.2 – Verification of compliance with the requirements of IEC 62257-7-1	59
Case 1: ELV PV array with number of parallel strings < 3 – No battery	65
Case 2: ELV PV array with number of parallel strings < 3 – With battery	67

TS 62257-7-1 © IEC:2010(E)	- 5 -

_	
_	

Case 3: ELV array with number of parallel strings > 3 – No battery	69
Case 4: ELV array with number of parallel strings ≥ 3 – With battery	71
Case 5: ELV array with number of parallel strings $\geq 3-2$ sub arrays – With battery	73

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RECOMMENDATIONS FOR SMALL RENEWABLE ENERGY AND HYBRID SYSTEMS FOR RURAL ELECTRIFICATION –

Part 7-1: Generators – Photovoltaic generators

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC 62257-7-1, which is a technical specification, has been prepared by IEC technical committee 82: Solar photovoltaic energy systems.

This second edition cancels and replaces the first edition issued in 2006 and constitutes a technical revision.

The main technical changes with regard to the previous edition are the following:

- This new version is focused on small PV generators up to 100 kW_n.
- Case studies are provided.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
82/583/DTS	82/604/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62257 series, published under the general title, *Recommendations* for small renewable energy and hybrid systems for rural electrification can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual edition of this document may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The IEC 62257 series of publications intends to provide to different players involved in rural electrification projects (such as project implementers, project contractors, project supervisors, installers, etc.) documents for the setting-up of renewable energy and hybrid systems with a.c. voltage below 500 V, d.c. voltage below 750 V and power below 100 kVA.

These publications provide recommendations for

- choosing the right system for the right place;
- designing the system;
- operating and maintaining the system.

These publications are focused only on rural electrification concentrated in, but not specific to, developing countries. They must not be considered as all-inclusive of rural electrification. The publications try to promote the use of renewable energies in rural electrification. They do not deal with clean mechanism developments at this time (CO_2 emission, carbon credit, etc.). Further developments in this field could be introduced in future steps.

This consistent set of publications is best considered as a whole, with different parts corresponding to items for the safety and sustainability of systems at the lowest possible lifecycle cost. One of the main objectives of the series is to provide the minimum sufficient requirements relevant to the field of application, i.e. for small renewable energy and hybrid off-grid systems.

The purpose of IEC 62257-7-1 is to propose a technical specification for the design and building of small PV generators (e.g. up to 100 kW $_{\rm p}$) used in rural electrification.

Numerous experts of TC 82 have expressed the opinion that the first edition of IEC/TS 62257-7-1 is far more general than just the PV array for rural electrification but can also be used for big PV arrays in big PV power stations.

Therefore it is now necessary to develop a second edition more dedicated and more specific to rural electrification. It is the purpose of this second edition to specify the general requirements for the design and the safety of PV generator used in decentralized rural electrification systems.

RECOMMENDATIONS FOR SMALL RENEWABLE ENERGY AND HYBRID SYSTEMS FOR RURAL ELECTRIFICATION –

Part 7-1: Generators – Photovoltaic generators

1 Scope

This part of IEC 62257 specifies the general requirements for the design and safety of generators used in decentralized rural electrification systems.

The earthing systems of the exposed conductive parts and neutral earthing systems which are considered in this technical specification are those specified in IEC 62257 series for IES (see IEC 62257-9-3 and IEC 62257-9-4) and CES (IEC 62257-9-2).

This technical specification contains requirements for ELV and LV PV arrays (see Table 1). Particular attention must be paid to voltage level, as this is important for safety reasons and has an influence on protective measures and on the skill and ability level of people operating the systems.

Voltage domain Voltage VAlternating current Smoothed direct current $U_{\rm n} \le 50 \text{ V}$ $U_{\rm oc} \le 120 \text{ V}$

 $50 \text{ V} < U_{\text{n}} \le 1 000 \text{ V}$

120 V < $U_{\rm oc} \le 1\,500$ V

Table 1 - Voltage domains for PV arrays

For the sake of completeness, this technical specification gives requirements for d.c. voltages below and above 120 V.

The aim is to provide safety and fire protection requirements for:

- uninformed persons, including owner(s)/occupier(s) and users of the premises where photovoltaic arrays are installed;
- informed workers (e.g. electricians) working on these systems; and
- emergency workers (for example fire fighters).

For installation of PV arrays see IEC 60364-7-712.

2 Normative references

LV

NOTE ELV limits are provided by IEC 61201.

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-811:1991, International Electrotechnical Vocabulary (IEV) – Chapter 811: Electric traction

IEC 60287 (all parts), Electric cables – Calculation of the current rating

IEC 60364 (all parts), Low-voltage electrical installations

IEC 60364-4-41, Low-voltage electrical installations – Part 4-41: Protection for safety – Protection against electric shock

IEC 60364-5-54, Electrical installations of buildings – Part 5-54: Selection and erection of electrical equipment – Earthing arrangements, protective conductors and protective bonding conductors

IEC 60364-7-712:2002, Electrical installations of buildings – Part 7-712: Requirements for special installations or locations – Solar photovoltaic (PV) power supply systems

IEC 60529, Degrees of protection provided by enclosures (IP Code)

IEC 61140, Protection against electric shock – Common aspects for installation and equipment

IEC 61215, Crystalline silicon terrestrial photovoltaic (PV) modules – Design qualification and type approval

IEC 61643-12, Low voltage surge protective devices – Part 12: Surge protective devices connected to low voltage power distribution systems – Selection and application principles

IEC 61646, Thin-film terrestrial photovoltaic (PV) modules – Design qualification and type approval

IEC 61730 (all parts), Photovoltaic (PV) module safety qualification

IEC 62257-1, Recommendations for small renewable energy and hybrid systems for rural electrification – Part 1: General introduction to rural electrification

IEC 62257-5, Recommendations for small renewable energy and hybrid systems for rural electrification – Part 5: Protection against electrical hazards

IEC 62257-6, Recommendations for small renewable energy and hybrid systems for rural electrification – Part 6: Acceptance, operation, maintenance and replacement

IEC 62257-9-1, Recommendations for small renewable energy and hybrid systems for rural electrification – Part 9-1: Micropower systems

IEC 62257-9-2, Recommendations for small renewable energy and hybrid systems for rural electrification – Part 9-2: Microgrids

IEC 62257-9-3, Recommendations for small renewable energy and hybrid systems for rural electrification – Part 9-3: Integrated system – User interface

IEC 62257-9-4, Recommendations for small renewable energy and hybrid systems for rural electrification – Part 9-4: Integrated system – User installation

IEC 62305-2, Protection against lightning – Part 2: Risk management

IEC 62305-3, Protection against lightning – Part 3: Physical damage to structures and life hazard