

## IEC TS 62271-316

Edition 1.0 2024-11

# TECHNICAL SPECIFICATION

High-voltage switchgear and controlgear – Part 316: Direct current by-pass switches and paralleling switches

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.130.10 ISBN 978-2-8322-9818-3

Warning! Make sure that you obtained this publication from an authorized distributor.

### CONTENTS

	FUREWURD				
1	1 Scope7				
2	Norm	ative references	7		
3	Term	s and definitions	8		
	3.1	General terms and definitions	8		
	3.2	Assemblies of switchgear and controlgear	9		
	3.3	Parts of assemblies	9		
	3.4	Switching devices	9		
	3.5	Parts of switchgear and controlgear			
	3.6	Operational characteristics of switchgear and controlgear			
	3.7	Characteristic quantities			
	3.8	Index of definitions			
4		al and special service conditions			
5	Ratin	gs	. 22		
	5.1	General	.22		
	5.2	Rated direct voltage $(U_{rd})$	.23		
	5.3	Rated insulation level ( $U_{dd}$ , $U_{p}$ , $U_{s}$ )	.24		
	5.4	Rated continuous current (I <sub>rd</sub> )	.24		
	5.5	Rated values of short-time withstand current	.24		
	5.6	Rated supply voltage of auxiliary and control circuits ( $U_a$ )	.24		
	5.7	Rated supply frequency of auxiliary and control circuits	.24		
	5.8	Rated pressure of compressed gas supply for controlled pressure systems			
	5.101	Rated commutation current			
	5.102	Rated operating sequence	.25		
6	Desig	gn and construction	. 25		
	6.1	Requirements for liquids in switchgear and controlgear	.25		
	6.2	Requirements for gases in switchgear and controlgear	.25		
	6.3	Earthing of switchgear and controlgear	.25		
	6.4	Auxiliary and control equipment and circuits	.25		
	6.5	Dependent power operation	.26		
	6.6	Stored energy operation			
	6.7	Independent unlatched operation (independent manual or power operation)			
	6.8	Manually operated actuators			
	6.9	Operation of releases			
	6.10	Pressure/level indication			
	6.11	Nameplates			
	6.12	Locking devices			
	6.13	Position indication			
	6.14	Degrees of protection provided by enclosures			
	6.15 6.16	Creepage distances for outdoor insulators			
	6.16	Gas and vacuum tightness			
	6.18	Tightness for liquid systems  Fire hazard (flammability)			
	6.19	Electromagnetic compatibility (EMC)			
	6.20	X-ray emission			
	6.21	Corrosion			

	6.22	Filling levels for insulation, switching and/or operation	28
	6.101	Design of BPSs and PSs	29
	6.102	General requirement for operation	29
	6.103	Pressure limits of fluids for operation	30
	6.104	Time quantities	30
	6.105	Static mechanical loads	30
7	Туре	tests	31
	7.1	General	31
	7.2	Dielectric tests	
	7.3	Resistance measurement	35
	7.4	Continuous current tests	35
	7.5	Short-time withstand current and peak withstand current tests	36
	7.6	Verification of the protection	
	7.7	Tightness tests	36
	7.8	Electromagnetic compatibility tests (EMC)	36
	7.9	Additional tests on auxiliary and control circuits	
	7.10	X-radiation test procedure for vacuum interrupters	
	7.101	Mechanical and environmental tests	
	7.102	Current commutation test	47
8	Routi	ne tests	47
	8.1	General	47
	8.2	Dielectric test on the main circuit	
	8.3	Tests on auxiliary and control circuits	
	8.4	Measurement of the resistance of the main circuit	
	8.5	Tightness test	
	8.6	Design and visual checks	
	8.101	Mechanical operating tests	
9	-	e to the selection of switchgear and controlgear (informative)	
•	9.1	General	
	9.2	Selection of rated values	
	9.2	Cable-interface connections	
	9.4	Continuous or temporary overload due to changed service conditions	
	9.4	Environmental aspects	
10		mation to be given with enquiries, tenders and orders (informative)	
10		,	
	10.1	General	
	10.2	Information with enquiries and orders	
	10.3	Information to be given with tenders	
11		sport, storage, installation, operation instructions and maintenance	
	11.1	General	
	11.2	Conditions during transport, storage and installation	
	11.3	Installation	
	11.4	Operating instructions	
	11.5	Maintenance	
		Resistors and capacitors	
12		y	
13	Influe	ence of the product on the environment	61
Ar	nex A (	normative) Tolerances on test quantities during type tests	62
Λη	nev R /	normative) Records and reports of type tests	65

B.1 Information and results to be recorded	65
B.2 Information to be included in type test reports	
Annex C (informative) Voltages associated with BPSs in different configurations	67
C.1 General	67
C.2 Case 1: BPS consisting of a single switching unit	67
C.3 Case 2: BPS consisting of two series connected switching units	
Annex D (normative) Use of mechanical characteristics and related requirements	
Bibliography	75
Figure 4. Evenuela of the location of BBCs in an LIVDC transmission evetors	4.0
Figure 1 – Example of the location of BPSs in an HVDC transmission system	
Figure 2 – Example of the location of a CPS in an HVDC transmission system	
Figure 3 – Example of the location of a LPS in an HVDC transmission system	
Figure 4 – BPS and PS – Opening and closing operations	
Figure 5 – BPS and PS – Close-open cycle	
Figure 6 – BPS and PS – Open-close cycle	17
Figure 7 – Example of two series connected BPSs	
Figure 8 – Test sequence for low temperature test	42
Figure 9 – Test sequence for high temperature test	44
Figure 10 – Humidity test	46
Figure C.1 – HVDC system with 3 series connected converter units per pole	67
Figure C.2 – Different ways to connect a BPS to the grid	68
Figure C.3 – HVDC system with 2 series connected converter units per pole	70
Figure D.1 – Example of reference mechanical characteristics (idealised curve)	72
Figure D.2 – Reference mechanical characteristics of Figure D.1 with the envelopes centred over the reference curve (+5 %, –5 %)	72
Figure D.3 – Reference mechanical characteristics of Figure D.1 with the envelope fully displaced upward from the reference curve (+10 %, –0 %)	73
Figure D.4 – Reference mechanical characteristics of Figure D.1 with the envelope fully displaced downward from the reference curve (+0 %, –10 %)	74
Table 1 – Nameplate information	27
Table 2 – Examples of static horizontal and vertical forces for static terminal load	
Table 3 – Mandatory type tests	
Table 4 – Test conditions in general case for BPSs according to Alternative 1	
Table 5 – Test conditions in general case for BPSs according to Alternative 2	
Table 6 – Test conditions in general case for PSs	
Table 7 – Number of operating sequences	
Table A.1 – Tolerances on test quantities for type tests	
• • • • • • • • • • • • • • • • • • • •	
Table C.1 – Voltage across the post insulator	

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

\_\_\_\_\_

#### HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR -

#### Part 316: Direct current by-pass switches and paralleling switches

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights..

IEC TS 62271-316 has been prepared by subcommittee 17A: Switching devices, of IEC technical committee 17: High-voltage switchgear and controlgear. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
17A/1407/DTS	17A/1414/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

**-6-**

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at <a href="https://www.iec.ch/members\_experts/refdocs">www.iec.ch/members\_experts/refdocs</a>. The main document types developed by IEC are described in greater detail at <a href="https://www.iec.ch/publications">www.iec.ch/publications</a>.

This document shall be read in conjunction with IEC TS 62271-5:2024, to which it refers, and which is applicable unless otherwise specified in this document. In order to simplify the indication of corresponding requirements, the same numbering of clauses and subclauses is used as in IEC TS 62271-5. Modifications to these clauses and subclauses are given under the same references whilst additional subclauses are numbered from 101.

A list of all parts in the IEC 62271 series, published under the general title *High-voltage* switchgear and controlgear, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- · revised.

#### HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR -

#### Part 316: Direct current by-pass switches and paralleling switches

#### 1 Scope

This part of IEC 62271, which is a Technical Specification, is applicable to direct current (DC) by-pass switches (BPS) and paralleling switches (PS) designed for indoor or outdoor installation and for operation on HVDC transmission systems having direct voltages of 100 kV and above.

Switches other than mechanical switching devices used for the same applications specified here are not covered by this document.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-151, International Electrotechnical Vocabulary (IEV) – Part 151: Electrical and magnetic devices, (available at www.electropedia.org)

IEC 60050-441, International Electrotechnical Vocabulary (IEV) – Part 441: Switchgear, controlgear and fuses, (available at www.electropedia.org)

IEC 60050-442, International Electrotechnical Vocabulary (IEV) – Part 442: Electrical accessories, (available at www.electropedia.org)

IEC 60050-461, International Electrotechnical Vocabulary (IEV) – Part 461: Electric cables, (available at www.electropedia.org)

IEC 60050-601, International Electrotechnical Vocabulary (IEV) – Part 601: Generation, transmission and distribution of electricity – General, (available at www.electropedia.org)

IEC 60050-614, International Electrotechnical Vocabulary – Part 614: Generation, transmission and distribution of electricity – Operation, (available at www.electropedia.org)

IEC 60060-1, High-voltage test techniques – Part 1: General definitions and test requirements

IEC 60071-11:2022, Insulation coordination – Part 11: Definitions, principles and rules for HVDC system

IEC 60071-12:2022, Insulation coordination – Part 12: Application guidelines for LCC HVDC converter stations

IEC 60296, Fluids for electrotechnical applications – Mineral insulating oils for electrical equipment

IEC 60376, Specification of technical grade sulphur hexafluoride ( $SF_6$ ) and complementary gases to be used in its mixtures for use in electrical equipment

**-8-**

IEC 60480, Specifications for the re-use of sulphur hexafluoride ( $SF_6$ ) and its mixtures in electrical equipment

IEC 60633:2019, High-voltage direct current (HVDC) transmission - Vocabulary

IEC TS 62271-5:2024, High-voltage switchgear and controlgear – Part 5: Common specifications for direct current switchgear

IEC 62271-102:2018, High-voltage switchgear and controlgear – Part 102: Alternating current disconnectors and earthing switches IEC 62271-102:2018/AMD1:2022

IEC TS 62271-315:2024, High-voltage switchgear and controlgear – Part 315: Direct current (DC) transfer switches