

TECHNICAL SPECIFICATION



**Photovoltaic (PV) systems – Requirements for testing, documentation and maintenance –
Part 3: Photovoltaic modules and plants – Outdoor infrared thermography**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.160

ISBN 978-2-8322-4290-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	7
4 Requirements of inspection equipment	9
4.1 General.....	9
4.2 Minimum requirements for IR-cameras used for inspecting PV plants	9
4.3 Requirements for photo cameras for documentation of the findings.....	10
4.4 Requirements for equipment to record the ambient conditions	10
5 Inspection procedure	11
5.1 General.....	11
5.2 Visual inspection.....	12
5.3 Environmental conditions	12
5.4 Imaging procedure	13
5.4.1 General	13
5.4.2 Using fast carriers for IR-camera, e.g. aerial drones	13
5.4.3 Emissivity	14
6 Software for evaluation.....	15
7 Evaluation	15
7.1 General.....	15
7.2 Evaluation of IR images	16
7.3 Thermal abnormalities	17
7.3.1 General	17
7.3.2 Classes of abnormalities (CoA).....	17
7.3.3 Abnormalities of PV modules	17
7.3.4 Abnormalities of other BOS components.....	17
7.4 Projection of temperature differences to nominal irradiance	18
7.4.1 General	18
7.4.2 Modules.....	20
7.4.3 Other BOS components	21
8 Inspection report	21
Annex A (normative) Inspection procedure explanations	24
A.1 Geometric resolution of the camera	24
A.2 Angle of view	24
A.3 Matrix for cell identification	25
Annex B (normative) Qualification of personnel.....	27
Annex C (normative) Matrix for thermal abnormalities of PV modules	28
Annex D (informative) Polygon measurement as a method of evaluation.....	32
Annex E (informative) Beaufort scale	34
Bibliography.....	36
Figure 1 – Impact of camera moving speed.....	14
Figure 2 – Dependence of the emissivity of glass on the angle of view [10].....	15
Figure 3 – Examples of influence of wind (left) and cloud movement (right) on observed temperature pattern	16

Figure 4 – Example infrared thermograms of a PV string combiner box with cables, contacts, fuses and switches before (left) and after (right) maintenance on a faulty contact.....	18
Figure 5 – Graphic representation of the correction factor for temperature differences to nominal irradiance/load conditions as a function of the relative irradiance/load	19
Figure 6 – Example of image reporting.....	23
Figure A.1 – Geometric resolution of the IR camera	24
Figure A.2 – Angle of view	25
Figure A.3 – View for the designation of cell position, viewed from the front of a 60-cell module, with the junction box at the top (rear side).....	26
Figure D.1 – Arithmetic mean value by polygon measurement	32
Figure D.2 – Arithmetic mean and spot value by polygon measurement	33
Table 1 – Minimum requirements for IR-cameras	9
Table 2 – Requirements for equipment to record the ambient conditions.....	11
Table 3 – Required inspection conditions.....	12
Table 4 – Allocation in classes of abnormalities	17
Table 5 – Example correction factors for temperature differences to nominal load conditions based on formula above and Figure 5	20
Table E.1 – Beaufort scale taken form World Meteorolgical Organization (www.wmo.int) and Royal Meteorological Society (www.rmets.org)	34

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PHOTOVOLTAIC (PV) SYSTEMS – REQUIREMENTS FOR TESTING, DOCUMENTATION AND MAINTENANCE –

Part 3: Photovoltaic modules and plants – Outdoor infrared thermography

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62446-3, which is a technical specification, has been prepared by IEC technical committee 82: Solar photovoltaic energy systems.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
82/1188/DTS	82/1242A/RVDTS

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62446 series, published under the general title *Photovoltaic (PV) systems – Requirements for testing, documentation and maintenance*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

PHOTOVOLTAIC (PV) SYSTEMS – REQUIREMENTS FOR TESTING, DOCUMENTATION AND MAINTENANCE –

Part 3: Photovoltaic modules and plants – Outdoor infrared thermography

1 Scope

This part of IEC 62446 defines outdoor thermographic (infrared) inspection of PV modules and plants in operation. The inspection can include cables, contacts, fuses, switches, inverters, and batteries. This inspection supports the preventive maintenance for fire protection, the availability of the system for power production, and the inspection of the quality of the PV modules. Included in this document are the requirements for the measurement equipment, ambient conditions, inspection procedure, inspection report, personnel qualification and a matrix for thermal abnormalities as a guideline for the inspection.

This document defines outdoor thermography on photovoltaic (PV) modules and Balance-of-system (BOS) components of PV power plants in operation, using passive techniques (standard system operating conditions under natural sunlight, without any external power or irradiation sources). IEC 60904-12-1 covers general methods for laboratory or production-line PV module thermographic imaging but not the specific details that are most relevant to outdoor imaging of operational power plants including BOS components.

Two different levels of inspections are currently used:

- a) A simplified thermographic inspection. This is a limited inspection to verify that the PV modules and BOS components are functioning, with reduced requirements for the qualification of personnel. For example, during a basic commissioning of a PV plant. Authoritative conclusions regarding module quality are not possible with this inspection, and examples of abnormalities are provided to aid the inspector.
- b) A detailed thermographic inspection and analysis. This may include thermal signatures which differ from the examples provided, and therefore requires a deeper understanding of the thermal abnormalities. For example, it may be used for periodic inspections according to the IEC 62446 series and for trouble-shooting the cause of underperforming systems. Absolute temperature measurements may be made. An authorized expert in PV plants, together with thermography experts can perform the inspection.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-131, *International Electrotechnical Vocabulary – Part 131: Circuit theory*

IEC 60216-2, *Electrical insulating materials – Thermal endurance properties – Part 2: Determination of thermal endurance properties of electrical insulating materials – Choice of test criteria*

IEC 60216-5, *Electrical insulating materials – Thermal endurance properties – Part 5: Determination of relative thermal endurance index (RTE) of an insulating material*

IEC 60269-1, *Low-voltage fuses – Part 1: General requirements*

IEC 61095, *Electromechanical contactors for household and similar purposes*

IEC 61215-1, *Terrestrial photovoltaic (PV) modules – Design qualification and type approval – Part 1: Test requirements*

IEC 61439-1, *Low-voltage switchgear and controlgear assemblies – Part 1: General rules*

IEC 61724-1, *Photovoltaic system performance – Part 1: Monitoring*

IEC 61730-1, *Photovoltaic (PV) module safety qualification –Part 1: Requirements for construction*

IEC 61730-2, *Photovoltaic (PV) module safety qualification –Part 1: Requirements for testing*

IEC TS 61836, *Solar photovoltaic energy systems – Terms, definitions and symbols*

IEC 62109-1, *Safety of power converters for use in photovoltaic power systems – Part 1: General requirements*

IEC 62446-1, *Photovoltaic (PV) systems – Requirements for testing, documentation and maintenance – Part 1: Grid connected systems – Documentation, commissioning tests and inspection*

IEC 62446-2:–, *Photovoltaic (PV) systems – Requirements for testing, documentation and maintenance – Part 2: Grid connected photovoltaic (PV) systems – Maintenance of PV systems¹*

IEC 62930:–, *Electric cables for photovoltaic systems with a voltage rating of 1,5 kV d.c.¹*

ISO 9488, *Solar energy – Vocabulary*

ISO 9712, *Non-destructive testing — Qualification and certification of NDT Personnel*

VATH- Directive, *Electrical Infrared Inspections – Low Voltage. Planning, execution and documentation of infrared surveys on electrical systems and components ≤1kV* (http://www.vath.de/docs/richtlinien/VATH-Richtlinie_Elektro_NS+PV_engl_web.pdf)

EN 16714-3, *Non-destructive testing – Thermographic testing of electric installations*

EN 50110-1, *Operation of electrical installations – Part 1: General requirements*

DGUV BGV/GUV-V A3 E, *Accident prevention regulations, Electrical installations and equipment*

¹ To be published.