

International Standard

ISO/IEC 14496-15

Information technology — Coding of audio-visual objects —

Part 15:

Carriage of network abstraction layer (NAL) unit structured video in the ISO base media file format

Technologies de l'information — Codage des objets audiovisuels —

Partie 15: Transport de vidéo structurée en unités NAL sur la couche réseau au format ISO de base pour les fichiers médias

Seventh edition 2024-10



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Co	Contents					
Fore	eword		viii			
Intr	oductio	n	ix			
1	Scon	e	1			
2	-					
	Normative references					
3	Tern 3.1	ns, definitions, abbreviated terms and conventions Terms and definitions				
	3.1	Abbreviated terms				
	3.3	Conventions				
4	Gene	eral definitions	11			
т	4.1					
	4.2	Sample and configuration definition	11			
		4.2.1 General				
		4.2.2 Canonical order and restrictions				
		4.2.3 Sample format				
	4.3	Video track structure				
	4.4	Template fields used				
	4.5	Visual width and height	13			
	4.6	Decoding time (DTS) and composition time (CTS)	14			
	4.7	Sample groups on random access recovery points 'roll' and random access points	11			
	4.8	'rap ' Hinting				
	4.9	On change of sample entry (informative)				
	4.10	SEI information box				
		4.10.1 Definition				
		4.10.2 Syntax				
	4 1 1	4.10.3 Semantics				
	4.11	Post-decoder requirements scheme for signalling of SEI				
		4.11.2 Definition				
	4.12	Alternative extraction source track grouping				
	4.13	NAL unit map entry	17			
		4.13.1 Definition				
		4.13.2 Syntax				
	4.14	4.13.3 Semantics Rectangular region group entry				
	7.17	4.14.1 Definition				
		4.14.2 Syntax				
		4.14.3 Semantics				
	4.15	Layer information sample group				
		4.15.1 Definition				
		4.15.2 Syntax				
	4.16	Storage of SEI manifest and SEI prefix indication SEI messages				
	4.17	Supplementary track reference				
	4.18	Picture region replacement sample group	23			
		4.18.1 Definition	23			
		4.18.2 Syntax				
		4.18.3 Semantics				
5		elementary streams and sample definitions				
	5.1	Overview				
	5.2 5.3	Elementary stream structure Sample and configuration definition				
	5.5	ourripie and configuration actinition				

		5.3.1 Canonical order and restrictions	27
		5.3.2 Decoder configuration information	28
	5.4	Derivation from ISO base media file format	
		5.4.1 AVC file type and identification	30
		5.4.2 AVC video stream definition	
		5.4.3 AVC parameter set stream definition	
		5.4.4 Parameter sets	
		5.4.5 Sync sample	
		5.4.6 Shadow sync	34
		5.4.7 Layering and sub-sequences	
		5.4.8 Alternate streams and switching pictures	
		5.4.9 Definition of a sub-sample for AVC	
6	SVC	elementary stream and sample definitions	
	6.1	0verview	
	6.2	Elementary stream structure	
	6.3	Use of the plain AVC file format	
	6.4	Sample and configuration definition	
		6.4.1 Canonical order and restrictions	
	. -	6.4.2 Decoder configuration record	
	6.5	Derivation from the ISO base media file format	
		6.5.1 SVC track structure	
		6.5.2 Data sharing and extraction	
		6.5.3 SVC video stream definition	
		6.5.4 SVC visual width and height	
		6.5.5 Sync sample	
		6.5.6 Shadow sync	
		6.5.8 Sample groups on random access recovery points 'roll' and random access	47
		points 'rap '	4.7
		6.5.9 Definition of a sub-sample for SVC	
_		•	
7		C and MVD elementary stream and sample definitions	
	7.1	Overview	
	7.2	Overview of MVC or MVD Storage	
	7.3	MVC and MVD elementary stream structuresUse of the plain AVC file format	
	7.4 7.5	Sample and configuration definition	
	7.5	7.5.1 Canonical order and restriction	
		7.5.2 Decoder configuration record	
	7.6	Derivation from the ISO base media file format	
	7.0	7.6.1 MVC and MVD track structures	
		7.6.2 Reconstruction of an access unit	
		7.6.3 Sample entry	
		7.6.4 Sync sample	
		7.6.5 Shadow sync	
		7.6.6 Independent and disposable samples box	
		7.6.7 Sample groups on random access recovery points 'roll' and random access	
		points 'rap '	66
	7.7	MVC specific information boxes	67
		7.7.1 Overview	67
		7.7.2 Multiview information box	67
		7.7.3 Multiview group box	
		7.7.4 Multiview group relation box	
		7.7.5 Multiview relation attribute box	
		7.7.6 Multiview scene info box	
		7.7.7 MVC view priority assignment box	75
8	HEV	C elementary streams and sample definitions	75
	8.1	Overview	

	8.2	Elementary stream structure	76
	8.3	Sample and configuration definition	
		8.3.1 Canonical order and restrictions	
		8.3.2 Decoder configuration information	
	8.4	Derivation from ISO base media file format	
	0.1	8.4.1 HEVC video stream definition	
		8.4.2 Parameter sets in sample entry	
		1 2	
		8.4.3 Sync sample	
		8.4.4 Sync sample grouping	
		8.4.5 Temporal scalability sample grouping	
		8.4.6 Temporal sub-layer access sample grouping	
		8.4.7 Step-wise temporal layer access sample grouping	85
		8.4.8 Definition of a sub-sample for HEVC	
		8.4.9 Handling non-output samples	
9		red HEVC elementary stream and sample definitions	88
	9.1	Overview	
	9.2	Overview of L-HEVC storage	89
	9.3	L-HEVC elementary stream structure	89
	9.4	Sample and configuration definition	
		9.4.1 Overview	
		9.4.2 Canonical order and restrictions	
		9.4.3 Decoder configuration record	
	9.5	Derivation from the ISO base media file format and the HEVC file format (Clause 8)	91
	7.5	9.5.1 L-HEVC track structure	
		9.5.2 Data sharing and reconstruction of an L-HEVC bitstream	
		9.5.3 L-HEVC video stream definition	
		9.5.4 L-HEVC video stream definition	
		9.5.5 Sync sample	
		9.5.6 Independent and disposable samples box	
		9.5.7 Stream access point sample group	
		9.5.8 The 'roll', 'rap ', 'sync', 'tsas' and 'stsa' sample groups	
		9.5.9 Definition of a sub-sample for L-HEVC	
		9.5.10 Handling non-output samples	
	9.6	L-HEVC specific structures	99
		9.6.1 External base layer sample group	99
		9.6.2 The operating points information sample group	100
		9.6.3 The layer information sample group	
		9.6.4 The decoding time hint sample group	
10	Stora	age of tiled HEVC and L-HEVC video streams	104
	10.1	Overview	
	10.2	NAL unit map entry	
	10.3	Tile region group entry	
	10.3	Tile sub track definition	
	10.4	10.4.1 Overview	
	10 5	10.4.2 TileSubTrackGroupBox	
	10.5	HEVC and L-HEVC tile track	
		10.5.1 Overview	
		10.5.2 Sample entry name and format for HEVC tile tracks	
		10.5.3 Sample entry name and format for L-HEVC tile tracks	
		10.5.4 Bitstream reconstruction from tile base and tile tracks	
		10.5.5 Sample entry names for tile base tracks	
		10.5.6 HEVC tile track with slice segment header info	109
	10.6	HEVC slice segment data track	
		10.6.1 Overview	
		10.6.2 Sample entry name and format for HEVC slice segment data tracks	
11	VVC	elementary streams and sample definitions	111
		Overview	111

	11.1.1	General	111
		Background: features of VVC	
		Types of tracks for carriage of VVC elementary streams	
		Overview of VVC storage with multiple layers or sublayers	
	11.1.5	Overview of VVC storage with VVC subpictures	114
		Overview of rectangular regions carried in a VVC bitstream	
11.2		e and configuration definition	
		Sample format of VVC tracks and VVC subpicture tracks	
	11.2.2	Sample format of VVC non-VCL tracks	116
		Canonical order and restrictions	
		Decoder configuration information	
11.3		ation from ISO base media file format	
		VVC sample entries	
		VVC subpicture sample entry 'vvs1'	
		VVC non-VCL sample entry	
		Constraints related to VVC merge base tracks, VVC extraction base tracks and	120
	11.0.1	VVC subpicture tracks	127
	11 3 5	Sync sample	
		Definition of a sub-sample for VVC	
		Handling non-output samples	
11.4		e groups	
11.1		Common layer_id_method_idc semantics	
		Stream access point sample group	
		Random access recovery point sample group	
		Alternative startup sequences sample group	
		Random access point sample group	
		Temporal level sample group	
		Step-wise sublayer access sample group	
		Decoding time hint sample group	
		Layer information sample group	
		Operating points information sample group	
	11.4.10	Decoding capability information sample group	137 149
		Parameter set sample group	
		B Access unit delimiter sample group	
		End of sequence sample group	
		5 End of bitstream sample group	
		Subpicture ID sample group	
		7 Subpicture order sample group	
		Subpicture order sample group	
		Mixed NAL unit type pictures sample group	
		Rectangular region order sample group	
11 5		Subpicture level information sample group	
11.5		groups	
		Subpicture entity groups	
		Operating point entity group	
		VVC bitstream entity group	
11 (VVC switchable tracks entity group	
11.6		haring and VVC bitstream reconstruction	
		General	
		Implicit reconstruction of a VVC bitstream	159
	11.6.3	Reconstructing a picture unit from a sample in a VVC track with 'subp' or	1.00
	11 (4	'vvcn' track references	
		Resolving subpicture track references	
		Parameter set updating	162
	11.6.6	Reconstructing a picture unit from a sample in a VVC track with 'recr' track	160
		reference	
EVC e	lement	ary streams and sample definitions	165
		iew	165

12

	12.2	Elementary stream structure	165
	12.3	Sample and configuration definition	
		12.3.1 Overview	165
		12.3.2 Canonical order and restrictions	
		12.3.3 Decoder configuration information: EVC decoder configuration record	166
	12.4	Derivation from ISO base media file format	
		12.4.1 EVC video stream definition: sample entry name and format	168
		12.4.2 Parameter sets	
		12.4.3 Sync sample	
		12.4.4 Definition of a sub-sample for EVC	170
	12.5	EVC slice track	
		12.5.1 Overview	
		12.5.2 Implicit reconstruction of an EVC bitstream	171
		12.5.3 EVC slice component track	
		12.5.4 EVC slice base track	173
13	LCFV	C elementary streams and sample definitions	173
10	13.1	Overview	
	13.2	Elementary stream structure	
	13.3	Sample and configuration definitions	
	10.0	13.3.1 Overview	
		13.3.2 Canonical order	
		13.3.3 Decoder configuration information	
	13.4	Derivation from ISO base media file format	
		13.4.1 LCEVC video stream definition: sample entry name and format	
		13.4.2 LCEVC track structure	
		13.4.3 Parameter sets	
		13.4.4 Sync sample	
Anne	x A (no	rmative) In-stream structures	179
Anne	x B (no	rmative) SVC, MVC, and MVD sample group and sub-track definitions	193
Anne	x C (no	rmative) Temporal metadata support	213
Anne	x D (no	rmative) File format toolsets and brands	221
Anne	x E (no	rmative) Sub-parameters for the MIME type 'codecs' parameter	224
Anne		Formative) Unspecified nal_unit_type value management for sample entry types of	
	AVC a	nd HEVC	231
Anne	x G (inf	Formative) Examples of VVC base and subpicture tracks	233

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iso.org/directives<

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents and https://patents.iec.ch. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

This seventh edition cancels and replaces the sixth edition (ISO/IEC 14496-15:2022), which has been technically revised. It also incorporates the Amendment ISO/IEC 14496-15:2022/Amd 1:2023.

The main changes are as follows:

- support for the Low Complexity Enhancement Video Coding (ISO/IEC 23094-2);
- addition of the supplementary track reference and the picture region replacement sample group, for support of picture-in-picture services.

A list of all parts in the ISO/IEC 14496 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iso.org/members.html and www.iso.org/members.html and

Introduction

This document defines a storage format based on, and compatible with, the ISO Base Media File Format (ISO/IEC 14496-12), which is used by the MP4 file format (ISO/IEC 14496-14) and the Motion JPEG 2000 file format (ISO/IEC 15444-3) among others. This document enables video streams formatted as Network Adaptation Layer Units (NAL Units) to

- a) be used in conjunction with other media streams, such as audio,
- b) be used in an MPEG-4 systems environment, if desired,
- c) be formatted for delivery by a streaming server, using hint tracks, and
- d) inherit all the use cases and features of the ISO Base Media File Format on which MP4 and MJ2 are based.

This document may be used as a standalone document; it specifies how NAL unit structured video content shall be stored in an ISO Base Media File Format compliant format. However, it is normally used in the context of a specification, such as the MP4 file format, derived from the ISO Base Media File Format, that permits the use of NAL unit structured video such as AVC (ISO/IEC 14496-10) video and High Efficiency Video Coding (HEVC, ISO/IEC 23008-2) video.

The ISO Base Media File Format is becoming increasingly common as a general-purpose media container format for the exchange of digital media, and its use in this context should accelerate both adoption and interoperability.

Information technology — Coding of audio-visual objects —

Part 15:

Carriage of network abstraction layer (NAL) unit structured video in the ISO base media file format

1 Scope

This document specifies the storage format for streams of video that is structured as NAL units, such as AVC (ISO/IEC 14496-10) and HEVC (ISO/IEC 23008-2) video streams. In addition, <u>Annex E</u> specifies parameters and sub-parameters applying when sample entries specified in this document are used as the 'codecs' parameter of a MIME type, as specified in IETF RFC 6381.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

 ${\tt ISO/IEC~14496-12}, \textit{Information technology} - \textit{Coding of audio-visual objects} - \textit{Part~12: ISO~base~media file formation} \\$

ISO/IEC 14496-10¹⁾, Information technology — Coding of audio-visual objects — Part 10: Advanced video coding

ISO/IEC 23008-2, Information technology — High efficiency coding and media delivery in heterogeneous environments — Part 2: High efficiency video coding

ISO/IEC 23008-12, Information technology — MPEG systems technologies — Part 12: Image file format

ISO/IEC 23090-3, Information technology — Coded representation of immersive media — Part 3: Versatile video coding

ISO/IEC 23094-1, Information technology — General video coding — Part 1: Essential video coding

 ${\rm ISO/IEC~23094\text{-}2}$, Information technology – General video coding — Part 2: Low complexity enhancement video coding

IETF RFC 4648, The Base16, Base32, and Base64 data encodings

IETF RFC 6381, MIME codecs and profiles

¹⁾ Under preparation. Stage at the time of publication: ISO/IEC DIS 14496-10:2024.