



**International  
Standard**

**ISO/IEC 19788-1**

**Information technology for  
learning, education and training —  
Metadata for learning resources —**

**Part 1:  
Framework**

*Technologies de l'information pour l'apprentissage, l'éducation et  
la formation — Métadonnées pour ressources d'apprentissage —  
Partie 1: Cadre de référence*

**Second edition  
2024-11**



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
<b>Foreword</b> .....	<b>vi</b>
<b>Introduction</b> .....	<b>vii</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>2</b>
<b>4 Abbreviated terms</b> .....	<b>9</b>
<b>5 Digital access</b> .....	<b>9</b>
<b>6 MLR Resource classes</b> .....	<b>10</b>
6.1 General.....	10
6.2 Resource class specification attributes.....	10
6.2.1 Attribute "Identifier".....	10
6.2.2 Attribute "Canonical identifier".....	11
6.2.3 Attribute "Label".....	11
6.2.4 Attribute "Name".....	12
6.2.5 Attribute "Definition".....	12
6.2.6 Attribute "Subclass of".....	12
6.2.7 Attribute "Note".....	13
6.3 Resource class specification template.....	13
6.4 Example of a resource class specification.....	13
<b>7 MLR Properties</b> .....	<b>14</b>
7.1 General.....	14
7.2 Property specification attributes.....	14
7.2.1 Attribute "Identifier".....	14
7.2.2 Attribute "Canonical identifier".....	15
7.2.3 Attribute "Label".....	15
7.2.4 Attribute "Name".....	16
7.2.5 Attribute "Definition".....	16
7.2.6 Attribute "Domain".....	17
7.2.7 Attribute "Codomain".....	17
7.2.8 Attribute "Linguistic indicator".....	17
7.2.9 Attribute "Content value rules".....	18
7.2.10 Attribute "Refines".....	19
7.2.11 Attribute "Example(s)".....	19
7.2.12 Attribute "Note(s)".....	19
7.2.13 Attribute "Best practice(s)".....	20
7.2.14 Attribute "Status".....	20
7.3 Essential vs non-essential attributes.....	20
7.4 Property specification template.....	21
7.5 Aggregation of properties.....	21
7.6 Example of a property specification.....	22
7.6.1 General.....	22
7.6.2 Property specification.....	22
7.6.3 Associated content value rule set.....	23
<b>8 MLR Vocabularies</b> .....	<b>23</b>
8.1 General.....	23
8.2 Vocabulary specification attributes.....	23
8.2.1 Attribute "Identifier".....	23
8.2.2 Attribute "Canonical identifier".....	24
8.2.3 Attribute "Label".....	24
8.2.4 Attribute "Name".....	25
8.2.5 Attribute "Open/closed".....	25
8.2.6 Attribute "Extension of".....	25

8.2.7	Attribute "Set of terms" .....	26
8.3	Vocabulary specification template .....	26
8.4	User extensions of MLR vocabularies .....	27
8.5	Example of vocabulary specifications .....	27
8.5.1	General .....	27
8.5.2	Vocabulary "Opportunity types" .....	27
8.5.3	Vocabulary "Extended opportunity types" .....	28
<b>9</b>	<b>MLR Data elements</b> .....	<b>28</b>
9.1	General .....	28
9.2	Data element specification attributes .....	29
9.2.1	Attribute "Property identifier" .....	29
9.2.2	Attribute "Subject" .....	29
9.2.3	Attribute "Content value" .....	29
9.2.4	Attribute "Language code" .....	30
9.3	Data element specification template .....	30
9.4	Examples of MLR data elements .....	30
9.4.1	EXAMPLE 1 .....	30
9.4.2	EXAMPLE 2 (content value of the data element from a vocabulary) .....	30
<b>10</b>	<b>MLR Records</b> .....	<b>30</b>
10.1	General .....	30
10.2	MLR record: Components .....	31
10.2.1	Component "Identifier" .....	31
10.2.2	Component "Resource" .....	31
10.2.3	Component "Content" .....	31
<b>11</b>	<b>MLR Application profiles</b> .....	<b>31</b>
11.1	General .....	31
11.2	Application profile specification attributes .....	32
11.2.1	Attribute "Identifier" .....	32
11.2.2	Attribute "Canonical identifier" .....	32
11.2.3	Attribute "Label" .....	33
11.2.4	Attribute "Name" .....	33
11.2.5	Attribute "Description" .....	34
11.2.6	Attribute "Extension of" .....	34
11.2.7	Attribute "List of identifiers of templates for property constraints" .....	34
11.3	Application profile specification template .....	34
11.4	Constraint on properties .....	35
11.5	Constraint on properties template .....	35
11.5.1	Shape of the constraint on properties template .....	35
11.5.2	Content of the constraint on properties template .....	35
11.6	Example .....	36
11.6.1	Example of the specification of an application profile .....	37
11.6.2	Example of the specification of property constraints .....	37
11.6.3	Example of a Conditions Table .....	37
11.7	Ordered list of items .....	38
11.8	Global content value rule sets .....	38
11.9	Extension of an application profile .....	38
11.10	Documents specifying application profiles .....	39
<b>12</b>	<b>Documents based on this document</b> .....	<b>39</b>
12.1	New parts of the ISO/IEC 19788 series .....	39
12.2	Documents beyond ISO/IEC 19788 based on this standard .....	39
12.2.1	Documents specifying application profiles .....	39
12.2.2	Documents specifying MLR entities .....	39
<b>13</b>	<b>Generic resource classes and LET related classes</b> .....	<b>40</b>
13.1	General .....	40
13.2	Generic resource classes .....	40
13.2.1	Class "Resource" .....	40

# ISO/IEC 19788-1:2024(en)

13.2.2	Class "Information Resource" .....	40
13.2.3	Class "Web Resource" .....	41
13.2.4	Class "Representation" .....	41
13.3	Other resource classes.....	42
13.3.1	Class "Person" .....	42
13.3.2	Class "Learning Resource" .....	42
<b>14</b>	<b>Generic properties</b> .....	<b>42</b>
14.1	General.....	42
14.2	Properties whose domain is class "Resource" .....	43
14.2.1	Property "has Description" .....	43
14.2.2	Property "name" .....	43
14.3	Properties whose domain is class "Information Resource" .....	44
14.3.1	Property "describes" .....	44
14.3.2	Property "has representation" .....	45
14.4	Property whose domain is class "Web Resource" .....	45
14.4.1	Property "location" .....	45
14.5	Properties whose domain is class "Representation" .....	46
14.5.1	Property "character encoding" .....	46
14.5.2	Property "media type" .....	47
14.5.3	Property "refers to" .....	47
14.5.4	Property "represents" .....	48
<b>15</b>	<b>Generic content value rule sets</b> .....	<b>48</b>
15.1	General.....	48
15.2	MLR String.....	49
15.3	BCP 47.....	49
15.4	Boolean.....	49
15.5	Date.....	49
15.6	Date & Time.....	50
15.7	Duration.....	50
15.8	HTTP IRI.....	50
15.9	IRI.....	50
15.10	MEDIA TYPE.....	51
15.11	Time interval.....	51
15.12	JSON string.....	52
<b>Annex A</b>	<b>(normative) Language equivalents for names and labels</b> .....	<b>53</b>
<b>Annex B</b>	<b>(normative) MLR identifiers</b> .....	<b>54</b>
<b>Annex C</b>	<b>(normative) MLR canonical identifiers and additional constraints on MLR specifications</b> .....	<b>58</b>
<b>Annex D</b>	<b>(normative) Rules for all parts of ISO/IEC 19788</b> .....	<b>65</b>
<b>Annex E</b>	<b>(normative) UML class diagram of generic and other resource classes and related properties</b> .....	<b>69</b>
<b>Annex F</b>	<b>(informative) UML class diagrams for this document</b> .....	<b>70</b>
<b>Annex G</b>	<b>(informative) Contents of documents specifying application profiles</b> .....	<b>73</b>
<b>Annex H</b>	<b>(informative) Contents for documents beyond ISO/IEC 19788 specifying MLR entities</b> .....	<b>75</b>
<b>Annex I</b>	<b>(informative) Principles governing the development of ISO/IEC 19788</b> .....	<b>77</b>
<b>Bibliography</b>	.....	<b>79</b>

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives) or [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs)).

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at [www.iso.org/patents](http://www.iso.org/patents) and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html). In the IEC, see [www.iec.ch/understanding-standards](http://www.iec.ch/understanding-standards).

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 36, *Information technology for learning, education and training*.

This second edition cancels and replaces the first edition (ISO/IEC 19788-1:2011), which has been technically revised. It also incorporates amendment 1 (ISO/IEC 19788-1:2011/AMD 1:2014).

The main changes are as follows:

- Generic terms and definitions, previously in ISO/IEC 19788-8:2015 (Annex E) have been added to [Clause 3](#);
- An attribute "label" has been added to MLR specification templates for resource classes, properties (DEs in ISO/IEC 19788-1:2011), application profiles, generic content rule sets, vocabularies, and vocabulary terms;
- "Data element specification" has been renamed to "property specification";
- Redefining what an application profile is and deleting data element groups (DEGs);
- [Clause 8](#) about MLR Vocabularies has been added. This clause solves a long-standing problem with the MLR Standard: The non-existence of a normalized way to specify/describe MLR vocabulary in a technology independent way;
- the entire content of the document has been reviewed and modified where necessary.

A list of all parts in the ISO/IEC 19788 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html) and [www.iec.ch/national-committees](http://www.iec.ch/national-committees).

# Introduction

## 0.1 Purpose and overview

This document was originally designed as a framework for the specification of metadata describing learning resources (hence its title MLR: Metadata for Learning Resources). Its use in SC36 to specify metadata about competences or accessibility has shown that its scope is broader than originally intended.

This document is about providing a metadata framework relevant to several committees and sectors and is of crucial importance to ensure coherence across standardization deliverables. The framework provides specification of generic entities and rules governing their use. This would then be used to define the semantic (meaning) of any type of information in a predictable way. This framework is information-technology-neutral and defines a set of common approaches, i.e. methodologies and constructs. The key principles are informed by a user requirements-driven context with the aim of supporting multilingual and cultural adaptability requirements from a global perspective, providing a way to link semantics to content.

This document includes rules for the assignment and management of identifiers and the development of subsequent documents fulfilling specific user needs.

Additionally, this document specifies how to define application profiles.

Some generic resource classes and properties are included in this document but there are few of them. Excluded from this document are the specification of bindings for properties (e.g. XML or RDF/OWL bindings) and the description of particular application profiles. These will be considered in subsequent documents. Nevertheless, code may be used in an informal way in examples.

The primary purpose of the ISO/IEC 19788 series is to facilitate: (1) the description of a learning resource by providing a standards-based approach to the identification and specification of the properties required to describe a learning resource, for example, as a metadata learning resource (MLR) record; and, (2) the search, discovery, acquisition, evaluation, and use of learning resources, for instance by learners, instructors or automated software processes. The interoperability of these functions can be achieved through harvesting or federated search processes, among other technologies and solutions. ISO/IEC 19788 (all parts) is based on identified user requirements.

At the same time, ISO/IEC 19788 (all parts) takes into account the diversity of cultural and linguistic contexts in which learning resources and their metadata are likely to be created and exploited. ISO/IEC 19788 (all parts) also facilitates the sharing and reuse of learning resource descriptions.

ISO/IEC 19788 (all parts) aims to specify properties relating to learning resources to be expressed in a range of established formats, providing some compatibility with IEEE 1484.12.1-2002,<sup>[2]</sup> ISO 15836-1:2017<sup>[4]</sup> and ISO 15836-2:2019<sup>[5]</sup> (as exemplified by ISO/IEC 19788-2 and amendment), while also addressing user-driven requirements and uses not explicitly addressed in those two standards. These properties are used to form the description of a learning resource.

In addition to having this document, ISO/IEC 19788 (all parts) is modularly structured with all subsequent parts having a distinct scope. Some of these parts represent a specified set of user requirements for the identification and specification of properties having a particular focus and intended use in the description of a learning resource. This includes collections of properties focused on technical perspectives, educational (pedagogical) aspects, etc.

## 0.2 About the description of resources

Properties are the basis of the resource description. However, not all properties are relevant to describe all resources. Indeed, a person is not described like a book. So, when specifying a property, a type of resources containing all the entities the property may be applied to, a domain for the property is provided.

An important aspect of MLR is the notion of classes of resources, i.e., sets of resources sharing common characteristics (e.g. books, people). Classes can be linked together by an inheritance relationship. This notion is to be understood as close to the notion of subset. If class A inherits from class B then all instances of A are also instances of B and instances of all classes from which B inherits.

MLR supports multiple inheritance. In addition, a resource can belong to two classes that are not in a hierarchy. Moreover, it is not necessary before describing a resource to declare a class it is an instance of. If a property applies to a resource, then the resource in question is an instance of the class that is declared as the domain of the property.

The description of a resource is done by making explicit the characteristics of the resource in consideration. Each characteristic is made explicit by specifying the property involved, the resource described and the value of the property for that resource. This is the purpose of MLR data elements.

The values of properties can be either data like a specific date (a date of birth for example) or references to other resources (the author of a book being itself a resource with its own characteristics that can itself linked to other resources and so on).

### 0.3 About neutral identifiers

A base principle of the approach of this document is that it is linguistically and culturally neutral, even if its text is in English. This is achieved by using language and culture-neutral identifiers. Thus, a designation in the desired language can be associated with a given identifier (e.g. of a property, of a vocabulary term), meaning the same identifier can have as many different names as languages.

Identifiers for MLR entities (properties, resource classes, generic content value rule sets, application profiles, vocabularies and vocabulary terms) are unique reference and permanent tags.

Those identifiers are:

- language-neutral,
- unambiguous in the identification of a particular MLR entity in ISO/IEC 19788 (all parts), related standards or any other type of document based on this document,
- be used to reference and cross-reference MLR entities,
- be information technology independent,
- be as self-explanatory as possible.

The design of MLR identifiers is explained in [Annex B](#).

Canonical identifiers for MLR entities provide a way to denote the common "essence" of entities that are essentially the same. Usually, the description associated with such an identifier is the latest version of the specification/description of the entity. Canonical identifiers are preferentially used if they exist. The design of MLR canonical identifiers is explained in [Annex C](#).

Non-canonical identifiers are only used by persons writing normative documents based on this document. Using non-canonical identifiers allows to keep the history of modifications to the definitions.

In ISO/IEC 19788 (all parts), URI/IRI are used as identifiers for resources (they denote resources). A URI/IRI denoting a resource based on HTTP uses the 'http' scheme, not the 'https' scheme. Any URI/IRI identifier using the 'https' scheme will be deemed to be the identifier obtained by replacing 'https' by 'http'.



# Information technology for learning, education and training — Metadata for learning resources —

## Part 1: Framework

### 1 Scope

This document provides a framework that applies to all resources and specifies how to describe resources. It includes rules governing the way in which descriptions are made.

This document provides principles, rules and structures for specifying the description of any type of resource; it identifies and establishes attributes for specifying properties, resources classes, vocabularies and application profiles and the rules governing their use. The key principles set out in this document are framed in a user-centric context and aim to meet the requirements of multilingual and cultural adaptability from a global perspective.

This document can be used for the specification of metadata describing any type of resource (not only learning resources). This document is information-technology-neutral and defines a set of common approaches.

This document specifies generic properties, generic resource classes and predefined rule sets for content value rules. These generic elements are proposed in such a way that they can be widely reused, thereby promoting interoperability.

This document is applicable to the development of:

- application profiles based on the ISO/IEC 19788 series but not part of it or any other document based on it,
- standards consisting of the description of resources (in a broad sense), whether they belong to the domain of education or to any other domain.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 639-3<sup>1)</sup>, *Codes for the representation of names of languages — Part 3: Alpha-3 code for comprehensive coverage of languages*

ISO 8601-1:2019, *Date and time — Representations for information interchange — Part 1: Basic rules*

ISO/IEC 10646, *Information technology — Universal coded character set (UCS)*

IETF RFC 3987<sup>2)</sup>, *Internationalized Resource Identifiers (IRIs)*

IETF RFC 5646<sup>3)</sup>, *Tags for Identifying Languages*

---

1) Cancelled and replaced by ISO 639. ISO 639-3 is available at: [https://iso639-3.sil.org/code\\_tables/639/data](https://iso639-3.sil.org/code_tables/639/data)

2) Available at: <https://tools.ietf.org/html/rfc3987>

3) Available at: <https://tools.ietf.org/html/rfc5646>

## ISO/IEC 19788-1:2024(en)

IETF RFC 6838<sup>4)</sup>, *Media Type Specifications and Registration Procedures*

IETF RFC 8259<sup>5)</sup>, *The JavaScript Object Notation (JSON) Data Interchange Format*

W3C Recommendation,<sup>6)</sup> *Extensible Markup Language (XML) 1.1*

---

4) Available at: <https://tools.ietf.org/html/rfc6838>

5) Available at: <https://www.rfc-editor.org/rfc/rfc8259>

6) Available at: <https://www.w3.org/TR/xml11/>