

INTERNATIONAL
STANDARD

ISO/IEC
8825-2

Fifth edition
2015-11-15

**Information technology — ASN.1
encoding rules: Specification of Packed
Encoding Rules (PER)**

*Technologies de l'information — Règles de codage ASN.1:
Spécification des règles de codage compact (PER)*

Reference number
ISO/IEC 8825-2:2015(E)



© ISO/IEC 2015



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

This fifth edition cancels and replaces the fourth edition of ISO/IEC 8825-2:2008 which has been technically revised. It also incorporates ISO/IEC 8825-2:2008/Cor.1:2012, ISO/IEC 8825-5:2008.Cor.2:2012, ISO/IEC 8825-2:2008/Cor.3:2015 and ISO/IEC 8825-2:2008/Cor.4:2015.

ISO/IEC 8825-2 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T X.691 (08/2015).

I N T E R N A T I O N A L T E L E C O M M U N I C A T I O N U N I O N

ITU-T

TELECOMMUNICATION
STANDARDIZATION SECTOR
OF ITU

X.691

(08/2015)

SERIES X: DATA NETWORKS, OPEN SYSTEM
COMMUNICATIONS AND SECURITY

OSI networking and system aspects – Abstract Syntax
Notation One (ASN.1)

**Information technology – ASN.1 encoding rules:
Specification of Packed Encoding Rules (PER)**

Recommendation ITU-T X.691



ITU-T X-SERIES RECOMMENDATIONS
DATA NETWORKS, OPEN SYSTEM COMMUNICATIONS AND SECURITY

PUBLIC DATA NETWORKS	
Services and facilities	X.1–X.19
Interfaces	X.20–X.49
Transmission, signalling and switching	X.50–X.89
Network aspects	X.90–X.149
Maintenance	X.150–X.179
Administrative arrangements	X.180–X.199
OPEN SYSTEMS INTERCONNECTION	
Model and notation	X.200–X.209
Service definitions	X.210–X.219
Connection-mode protocol specifications	X.220–X.229
Connectionless-mode protocol specifications	X.230–X.239
PICS proformas	X.240–X.259
Protocol Identification	X.260–X.269
Security Protocols	X.270–X.279
Layer Managed Objects	X.280–X.289
Conformance testing	X.290–X.299
INTERWORKING BETWEEN NETWORKS	
General	X.300–X.349
Satellite data transmission systems	X.350–X.369
IP-based networks	X.370–X.379
MESSAGE HANDLING SYSTEMS	
DIRECTORY	X.400–X.499
OSI NETWORKING AND SYSTEM ASPECTS	X.500–X.599
Networking	X.600–X.629
Efficiency	X.630–X.639
Quality of service	X.640–X.649
Naming, Addressing and Registration	X.650–X.679
Abstract Syntax Notation One (ASN.1)	X.680–X.699
OSI MANAGEMENT	
Systems management framework and architecture	X.700–X.709
Management communication service and protocol	X.710–X.719
Structure of management information	X.720–X.729
Management functions and ODMA functions	X.730–X.799
SECURITY	X.800–X.849
OSI APPLICATIONS	
Commitment, concurrency and recovery	X.850–X.859
Transaction processing	X.860–X.879
Remote operations	X.880–X.889
Generic applications of ASN.1	X.890–X.899
OPEN DISTRIBUTED PROCESSING	X.900–X.999
INFORMATION AND NETWORK SECURITY	X.1000–X.1099
SECURE APPLICATIONS AND SERVICES	X.1100–X.1199
CYBERSPACE SECURITY	X.1200–X.1299
SECURE APPLICATIONS AND SERVICES	X.1300–X.1399
CYBERSECURITY INFORMATION EXCHANGE	X.1500–X.1599
CLOUD COMPUTING SECURITY	X.1600–X.1699

For further details, please refer to the list of ITU-T Recommendations.

**INTERNATIONAL STANDARD ISO/IEC 8825-2
RECOMMENDATION ITU-T X.691**

**Information technology – ASN.1 encoding rules:
Specification of Packed Encoding Rules (PER)**

Summary

Recommendation ITU-T X.691 | ISO/IEC 8825-2 describes a set of encoding rules that can be applied to values of all ASN.1 types to achieve a much more compact representation than that achieved by the Basic Encoding Rules and its derivatives (described in Rec. ITU-T X.690 | ISO/IEC 8825-1).

History

Edition	Recommendation	Approval	Study Group	Unique ID*
1.0	ITU-T X.691	1995-04-10	7	11.1002/1000/3047
1.1	ITU-T X.691 (1995) Technical Cor. 1	1997-12-12	7	11.1002/1000/4184
1.2	ITU-T X.691 (1995) Technical Cor. 2	1997-12-12	7	11.1002/1000/4185
2.0	ITU-T X.691	1997-12-12	7	11.1002/1000/4448
2.1	ITU-T X.691 (1997) Technical Cor. 1	1999-06-18	7	11.1002/1000/4707
2.2	ITU-T X.691 (1997) Amd. 1	1999-06-18	7	11.1002/1000/4706
2.3	ITU-T X.691 (1997) Technical Cor. 2	2001-02-02	7	11.1002/1000/5337
2.4	ITU-T X.691 (1997) Technical Cor. 3	2001-03-15	7	11.1002/1000/5338
3.0	ITU-T X.691	2002-07-14	17	11.1002/1000/6090
3.1	ITU-T X.691 (2002) Amd. 1	2003-10-29	17	11.1002/1000/7022
3.2	ITU-T X.691 (2002) Technical Cor. 1	2005-05-14	17	11.1002/1000/8513
3.3	ITU-T X.691 (2002) Technical Cor. 2	2005-11-29	17	11.1002/1000/8638
3.4	ITU-T X.691 (2002) Amd. 2	2006-06-13	17	11.1002/1000/8839
3.5	ITU-T X.691 (2002) Amd. 3	2007-05-29	17	11.1002/1000/9109
4.0	ITU-T X.691	2008-11-13	17	11.1002/1000/9609
4.1	ITU-T X.691 (2008) Cor. 1	2011-10-14	17	11.1002/1000/11379
4.2	ITU-T X.691 (2008) Cor. 2	2012-04-13	17	11.1002/1000/11585
4.3	ITU-T X.691 (2008) Cor. 3	2014-11-13	17	11.1002/1000/12337
4.4	ITU-T X.691 (2008) Cor. 4	2014-11-13	17	11.1002/1000/12339
5.0	ITU-T X.691	2015-08-13	17	11.1002/1000/12484

* To access the Recommendation, type the URL <http://handle.itu.int/> in the address field of your web browser, followed by the Recommendation's unique ID. For example, <http://handle.itu.int/11.1002/1000/11830-en>.

FOREWORD

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications, information and communication technologies (ICTs). The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Compliance with this Recommendation is voluntary. However, the Recommendation may contain certain mandatory provisions (to ensure, e.g., interoperability or applicability) and compliance with the Recommendation is achieved when all of these mandatory provisions are met. The words "shall" or some other obligatory language such as "must" and the negative equivalents are used to express requirements. The use of such words does not suggest that compliance with the Recommendation is required of any party.

INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, ITU had not received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementers are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database at <http://www.itu.int/ITU-T/ipr/>.

© ITU 2015

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without the prior written permission of ITU.

CONTENTS

	<i>Page</i>
Introduction	vi
1 Scope	1
2 Normative references.....	1
2.1 Identical Recommendations International Standards.....	1
2.2 Additional references	1
3 Definitions	2
3.1 Specification of Basic Notation.....	2
3.2 Information Object Specification	2
3.3 Constraint Specification	2
3.4 Parameterization of ASN.1 Specification.....	2
3.5 Basic Encoding Rules.....	2
3.6 PER Encoding Instructions	2
3.7 Additional definitions.....	2
4 Abbreviations	5
5 Notation.....	5
6 Convention	5
7 Encoding rules defined in this Recommendation International Standard.....	5
8 Conformance	6
9 PER encoding instructions.....	6
10 The approach to encoding used for PER	7
10.1 Use of the type notation.....	7
10.2 Use of tags to provide a canonical order	7
10.3 PER-visible constraints	7
10.4 Type and value model used for encoding.....	9
10.5 Structure of an encoding.....	9
10.6 Types to be encoded.....	10
11 Encoding procedures	10
11.1 Production of the complete encoding.....	10
11.2 Open type fields	11
11.3 Encoding as a non-negative-binary-integer	11
11.4 Encoding as a 2's-complement-binary-integer.....	12
11.5 Encoding of a constrained whole number	12
11.6 Encoding of a normally small non-negative whole number.....	13
11.7 Encoding of a semi-constrained whole number.....	13
11.8 Encoding of an unconstrained whole number.....	14
11.9 General rules for encoding a length determinant.....	14
12 Encoding the boolean type	16
13 Encoding the integer type	16
14 Encoding the enumerated type.....	17
15 Encoding the real type	18
16 Encoding the bitstring type.....	18
17 Encoding the octetstring type	19
18 Encoding the null type	19
19 Encoding the sequence type.....	19
20 Encoding the sequence-of type	20

21	Encoding the set type	21
22	Encoding the set-of type	21
23	Encoding the choice type	22
24	Encoding the object identifier type	22
25	Encoding the relative object identifier type	23
26	Encoding the internationalized resource reference type	23
27	Encoding the relative internationalized resource reference type	23
28	Encoding the embedded-pdv type	23
29	Encoding of a value of the external type	23
30	Encoding the restricted character string types	24
31	Encoding the unrestricted character string type	26
32	Encoding the time type, the useful time types, the defined time types and the additional time types	26
32.1	General	26
32.2	Encoding subtypes with the "Basic=Date" property setting	31
32.3	Encoding subtypes with the "Basic=Time" property setting	33
32.4	Encoding subtypes with the "Basic=Date-Time" property setting	36
32.5	Encoding subtypes with the "Basic=Interval Interval-type=SE" property setting	36
32.6	Encoding subtypes with the "Basic=Interval Interval-type=D" property setting	36
32.7	Encoding subtypes with the "Basic=Interval Interval-type=SD" or "Basic=Interval Interval-type=DE" property setting	37
32.8	Encoding subtypes with the "Basic=Rec-Interval Interval-type=SE" property setting	38
32.9	Encoding subtypes with the "Basic=Rec-Interval Interval-type=D" property setting	39
32.10	Encoding subtypes with the "Basic=Rec-Interval Interval-type=SD" or "Basic=Rec-Interval Interval-type=DE" property setting	39
32.11	Encoding subtypes with mixed settings of the Basic property	40
33	Object identifiers for transfer syntaxes	43
Annex A Example of encodings		44
A.1	Record that does not use subtype constraints	44
A.1.1	ASN.1 description of the record structure	44
A.1.2	ASN.1 description of a record value	44
A.1.3	ALIGNED PER representation of this record value	44
A.1.4	UNALIGNED PER representation of this record value	45
A.2	Record that uses subtype constraints	47
A.2.1	ASN.1 description of the record structure	47
A.2.2	ASN.1 description of a record value	47
A.2.3	ALIGNED PER representation of this record value	47
A.2.4	UNALIGNED PER representation of this record value	48
A.3	Record that uses extension markers	49
A.3.1	ASN.1 description of the record structure	49
A.3.2	ASN.1 description of a record value	50
A.3.3	ALIGNED PER representation of this record value	50
A.3.4	UNALIGNED PER representation of this record value	51
A.4	Record that uses extension addition groups	53
A.4.1	ASN.1 description of the record structure	53
A.4.2	ASN.1 description of a record value	53
A.4.3	ALIGNED PER representation of this record value	53
A.4.4	UNALIGNED PER representation of this record value	54
Annex B Combining PER-visible and non-PER-visible constraints		55
B.1	General	55
B.2	Extensibility and visibility of constraints in PER	55
B.2.1	General	55
B.2.2	PER-visibility of constraints	56
B.2.3	Effective constraints	57
B.3	Examples	58

Annex C Support for the PER algorithms	60
Annex D Support for the ASN.1 rules of extensibility	61
Annex E Tutorial annex on concatenation of PER encodings	62
Annex F Identification of Encoding Rules.....	63

Introduction

Specifications Rec. ITU-T X.680 | ISO/IEC 8824-1, Rec. ITU-T X.681 | ISO/IEC 8824-2, Rec. ITU-T X.682 | ISO/IEC 8824-3, Rec. ITU-T X.683 | ISO/IEC 8824-4 together describe Abstract Syntax Notation One (ASN.1), a notation for the definition of messages to be exchanged between peer applications.

This Recommendation | International Standard defines encoding rules that may be applied to values of types defined using the notation specified in Rec. ITU-T X.680 | ISO/IEC 8824-1. Application of these encoding rules produces a transfer syntax for such values. It is implicit in the specification of these encoding rules that they are also to be used for decoding.

There are more than one set of encoding rules that can be applied to values of ASN.1 types. This Recommendation | International Standard defines a set of Packed Encoding Rules (PER), so called because they achieve a much more compact representation than that achieved by the Basic Encoding Rules (BER) and its derivatives described in Rec. ITU-T X.690 | ISO/IEC 8825-1 which is referenced for some parts of the specification of these Packed Encoding Rules.

INTERNATIONAL STANDARD
ITU-T RECOMMENDATION

**Information technology –
ASN.1 encoding rules:
Specification of Packed Encoding Rules (PER)**

1 Scope

This Recommendation | International Standard specifies a set of Packed Encoding Rules that may be used to derive a transfer syntax for values of types defined in Rec. ITU-T X.680 | ISO/IEC 8824-1. These Packed Encoding Rules are also to be applied for decoding such a transfer syntax in order to identify the data values being transferred.

The encoding rules specified in this Recommendation | International Standard:

- are used at the time of communication;
- are intended for use in circumstances where minimizing the size of the representation of values is the major concern in the choice of encoding rules;
- allow the extension of an abstract syntax by addition of extra values, preserving the encodings of the existing values, for all forms of extension described in Rec. ITU-T X.680 | ISO/IEC 8824-1;
- can be modified in accordance with the provisions of Rec. ITU-T X.695 | ISO/IEC 8825-6.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

NOTE – This Recommendation | International Standard is based on ISO/IEC 10646:2003. It cannot be applied using later versions of this standard.

2.1 Identical Recommendations | International Standards

- Recommendation ITU-T X.680 (2015) | ISO/IEC 8824-1:2015, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation*.
- Recommendation ITU-T X.681 (2015) | ISO/IEC 8824-2:2015, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification*.
- Recommendation ITU-T X.682 (2015) | ISO/IEC 8824-3:2015, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification*.
- Recommendation ITU-T X.683 (2015) | ISO/IEC 8824-4:2015, *Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications*.
- Recommendation ITU-T X.690 (2015) | ISO/IEC 8825-1:2015, *Information technology – ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER)*.
- Recommendation ITU-T X.695 (2015) | ISO/IEC 8825-6:2015, *Information technology – ASN.1 encoding rules: Registration and application of PER encoding instructions*.

2.2 Additional references

- ISO/IEC 646:1991, *Information technology – ISO 7-bit coded character set for information interchange*.
- ISO/IEC 2022:1994, *Information technology – Character code structure and extension techniques*.

- ISO/IEC 2375:2003, *Information technology – Procedure for registration of escape sequences and coded character sets*.
- ISO 6093:1985, *Information processing – Representation of numerical values in character strings for information interchange*.
- *ISO International Register of Coded Character Sets to be Used with Escape Sequences*.
- ISO/IEC 10646:2003, *Information technology – Universal Multiple-Octet Coded Character Set (UCS)*.