



**Technical
Specification**

ISO/IEC TS 22604

**Information technology —
Biometric recognition of subjects in
motion in access-related systems**

*Technologies de l'information — Reconnaissance biométrique de
sujets en mouvement dans les systèmes d'accès*

**Second edition
2024-12**



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

| | Page |
|---|-----------|
| Foreword | iv |
| Introduction | v |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 1 |
| 4 Biometric recognition in motion | 2 |
| 4.1 General..... | 2 |
| 4.1.1 Purpose and constraints of in-motion biometric systems..... | 2 |
| 4.1.2 Biometric performance and error rate..... | 3 |
| 4.1.3 Quality/speed compromise..... | 3 |
| 4.2 Biometric verification vs. biometric identification..... | 4 |
| 4.2.1 Implementing an in-motion verification system..... | 4 |
| 4.2.2 Implementing an in-motion identification system..... | 5 |
| 4.3 Process flows in access-related systems..... | 5 |
| 4.4 Applicable biometric modalities..... | 5 |
| 4.4.1 General..... | 5 |
| 4.4.2 Face modality..... | 5 |
| 4.4.3 Iris modality..... | 5 |
| 4.4.4 Fingerprint modality..... | 6 |
| 4.4.5 Palm modality..... | 6 |
| 4.4.6 Complementary modalities..... | 6 |
| 4.5 Enrolment and quality..... | 6 |
| 4.6 Ergonomics..... | 6 |
| 4.6.1 Capture device physical placement..... | 6 |
| 4.6.2 Catch attention..... | 7 |
| 4.6.3 Feedback signal..... | 7 |
| 4.7 Biometric information storage..... | 7 |
| 5 Accessibility, usability and guidance | 7 |
| 5.1 General..... | 7 |
| 5.2 Accessibility..... | 8 |
| 5.3 Usability..... | 8 |
| 5.4 Acceptable delay for a user for fluid passage..... | 8 |
| 5.5 Guidance..... | 9 |
| 6 Privacy and security considerations | 9 |
| 6.1 Data protection..... | 9 |
| 6.2 Consent..... | 9 |
| 6.3 Presentation attack detection..... | 10 |
| 6.4 Security considerations..... | 10 |
| 7 Examples of deployment | 10 |
| 7.1 General..... | 10 |
| 7.2 Use cases..... | 11 |
| 7.2.1 Example of system with fingerprint..... | 11 |
| 7.2.2 Example of system with multimodal biometrics..... | 11 |
| Bibliography | 15 |

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 37, *Biometrics*.

This second edition cancels and replaces the first edition (ISO/IEC TS 22604:2023), which has been technically revised.

The main change is as follows:

- minor editorial modifications have been made in order to use more inclusive language.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

Introduction

The purpose of this document is to provide guidance on the use of in-motion biometric recognition technologies in access-related systems, where the management and prior enrolment of the identity of individuals needing access is required.

To satisfy increasing security demands, biometric recognition technologies are used in access-related systems to provide a more robust approach to identity authentication and to mitigate security risks. However, this can come at a cost of increased processing times and can lead to delays in user identification or verification.

Biometric identification and verification should be comprehensive and flexible for effective use in an access-related environment. Solutions should reduce user burden, be easy to manage and cost effective, maintain security requirements, and provide permission-based access and global interoperability as necessary. Biometric systems should effectively allow access to authorized users, incorporate mechanical and behavioural mechanisms to refer unenrolled persons to human personnel, and alert facilities to unauthorized users attempting to gain access. Systems should also provide a seamless, accurate and non-invasive user experience.

Considerable improvements in the performance of in-motion biometric recognition have resulted in applications that enable automated, convenient and non-intrusive face, iris or fingerprint recognition across a range of scenarios, including border control, passenger flow facilitation, access control and monitoring workplace time and attendance. This provides a positive and non-intrusive user experience, as the user does not need to carry anything or stop and stand still to be recognized and does not need to touch anything.

There are several considerations that are unique to in-motion biometric solutions for the design of contactless biometric recognition systems. Design considerations include:

- selection and placement of biometric data capturing devices (e.g. cameras);
- control of the flow of individuals requiring access to ensure that only those who are authorized gain access;
- proximity of capture devices to individuals seeking access for the contactless in-motion capture of the necessary information;

NOTE The proximity of the biometric capture devices can depend on the employed biometric modalities.

- management of exceptions;
- mutual placement of capture devices and equipment dedicated to physical access-control (e.g. door, barrier, turnstile).

A number of use cases involving in-motion biometrics address different scenarios, including those in which:

- access is based on the prior enrolment of all individuals well in advance of interacting with the biometric system (identification);
- access is based on credentials presented just prior to interacting with the biometric system (verification) [e.g. wireless technology, radio frequency identification (RFID) token or a vehicle number plate or any other token available without any interruption to the person's flow of movement].

These scenarios present different challenges to in-motion verification and identification processes.

Critical to the success of biometrics-based secure access is the implementation of state-of-the-art data protection technology and procedures (see ISO/IEC 20889 on privacy-enhancing data de-identification techniques, according to the privacy principles established in ISO/IEC 29100, taking into account legal, common practice, business, industry and privacy considerations).

An important factor in in-motion biometric recognition is the ability to sense/detect presentation attacks according to ISO/IEC 30107-3.

Information technology — Biometric recognition of subjects in motion in access-related systems

1 Scope

This document establishes requirements for the development of biometric solutions for verification and identification processes for secure access without physical contact with any device at any time. The solutions acquire biometric characteristics that are captured while the data subjects are in motion to verify or identify the individuals requiring access, thus controlling access using contactless biometrics.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 2382-37, *Information technology — Vocabulary — Part 37: Biometrics*

ISO/IEC 19795-1, *Information technology — Biometric performance testing and reporting — Part 1: Principles and framework*